

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG062217\
 Data File : BG027630.D
 Acq On : 23 Jun 2017 13:53
 Operator : SJ/JU
 Sample : I3657-23
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-101S

Quant Time: Jun 23 16:13:00 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 21 18:52:15 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.51	152	19415	20.00	ng	0.00
21) Naphthalene-d8	11.33	136	91810	20.00	ng	0.00
38) Acenaphthene-d10	15.09	164	59202	20.00	ng	0.00
63) Phenanthrene-d10	17.84	188	165100	20.00	ng	0.00
75) Chrysene-d12	22.20	240	187366	20.00	ng	-0.01
86) Perylene-d12	25.84	264	179565	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.08	112	103732	76.04	ng	0.00
7) Phenol-d6	7.64	99	103525	51.26	ng	0.00
23) Nitrobenzene-d5	9.67	82	179080	92.30	ng	0.00
41) 2,4,6-Tribromophenol	16.57	330	155847	176.58	ng	0.00
44) 2-Fluorobiphenyl	13.71	172	421740	97.31	ng	0.00
78) Terphenyl-d14	20.42	244	879735	110.62	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG062217\
Data File : BG027630.D
Acq On : 23 Jun 2017 13:53
Operator : SJ/JU
Sample : I3657-23
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-101S

Quant Time: Jun 23 16:13:00 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 18:52:15 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.51 min Scan# 786
Delta R.T. -0.00 min
Lab File: BG027630.D
Acq: 23 Jun 2017 13:53

Instrument :
BNA_G
ClientSampleId :
MW-101S

Tot Ion:152 Resp: 19415
Ion Ratio Lower Upper
152 100
150 169.9 114.0 171.0
115 76.1 48.1 72.1#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 76.04 ng
RT: 6.08 min Scan# 374
Delta R.T. -0.00 min
Lab File: BG027630.D
Acq: 23 Jun 2017 13:53

Tgt Ion:112 Resp: 103732
Ion Ratio Lower Upper
112 100
64 73.5 61.8 92.6
63 41.6 37.2 55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 51.26 ng

RT: 7.64 min Scan# 639

Delta R.T. -0.00 min

Lab File: BG027630.D

Acq: 23 Jun 2017 13:53

Instrument :

BNA_G

ClientSampleId :

MW-101S


Tot Ion: 99 Resp: 103525

Ion Ratio Lower Upper




99 100

42 21.9 20.5 30.7

71 45.5 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.33 min Scan# 1266

Delta R.T. -0.00 min

Lab File: BG027630.D

Acq: 23 Jun 2017 13:53

Tgt Ion: 136 Resp: 91810


Ion Ratio Lower Upper

136 100



137 10.3 8.9 13.3


54 10.1 9.3 13.9

68 5.5 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 92.30 ng
 RT: 9.67 min Scan# 984
 Delta R.T. -0.00 min
 Lab File: BG027630.D
 Acq: 23 Jun 2017 13:53




Instrument :
 BNA_G
 ClientSampleID :
 MW-101S


Tot Ion	82	Resp	179080
Ion Ratio	Lower	Upper	
82	100		
128	38.3	26.4	39.6
54	54.1	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.09 min Scan# 1906
 Delta R.T. -0.01 min
 Lab File: BG027630.D
 Acq: 23 Jun 2017 13:53

Tgt Ion	164	Resp	59202
Ion Ratio	Lower	Upper	
164	100		
162	109.0	85.1	127.7
160	46.5	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 176.58 ng
 RT: 16.57 min Scan# 2159
 Delta R.T. -0.01 min
 Lab File: BG027630.D
 Acq: 23 Jun 2017 13:53

Instrument :
 BNA_G
 ClientSampleId :
 MW-101S

Tot Ion:330 Resp: 155847
 Ion Ratio Lower Upper
 330 100
 332 97.7 77.3 115.9
 141 38.8 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 97.31 ng
 RT: 13.71 min Scan# 1672
 Delta R.T. -0.01 min
 Lab File: BG027630.D
 Acq: 23 Jun 2017 13:53

Tgt Ion:172 Resp: 421740
 Ion Ratio Lower Upper
 172 100
 171 36.9 32.2 48.2
 170 24.0 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.84 min Scan# 2374
Delta R.T. -0.01 min
Lab File: BG027630.D
Acq: 23 Jun 2017 13:53

Instrument :
BNA_G
ClientSampleId :
MW-101S




Tot Ion	Ratio	Lower	Upper
188	100		
94	7.8	5.8	8.8
80	9.3	7.5	11.3



Abundance Ion 188.00 (187.70 to 188.70): E


Ion 94.00 (93.70 to 94.70): B

Ion 80.00 (79.70 to 80.70): B



#75
Chrysene-d12
Concen: 20.00 ng
RT: 22.20 min Scan# 3117
Delta R.T. -0.01 min
Lab File: BG027630.D
Acq: 23 Jun 2017 13:53



Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.5	5.7	8.5
236	25.7	22.2	33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 110.62 ng
 RT: 20.42 min Scan# 2813
 Delta R.T. -0.00 min
 Lab File: BG027630.D
 Acq: 23 Jun 2017 13:53

Instrument :
 BNA_G
 ClientSampleId :
 MW-101S

Tot Ion:244 Resp: 879735
 Ion Ratio Lower Upper
 244 100
 212 8.2 10.0 15.0#
 122 9.9 8.6 12.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.84 min Scan# 3736
 Delta R.T. -0.01 min
 Lab File: BG027630.D
 Acq: 23 Jun 2017 13:53

Tgt Ion:264 Resp: 179565
 Ion Ratio Lower Upper
 264 100
 260 23.8 21.8 32.8
 265 21.7 18.2 27.4

