

Data Path : Z:\HPCHEM1\BNA G\DATA\BG062316\
 Data File : BG022509.D
 Acq On : 23 Jun 2016 7:49
 Operator : UM/SJ
 Sample : H3623-05
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SC-STA-1451(0-4)

Quant Time: Jun 23 13:34:32 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 22 01:27:56 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.97	152	20542	20.00	ng	-0.02
21) Naphthalene-d8	10.79	136	124158	20.00	ng	-0.02
38) Acenaphthene-d10	14.62	164	94801	20.00	ng	-0.01
63) Phenanthrene-d10	17.36	188	211361	20.00	ng	-0.02
75) Chrysene-d12	21.62	240	132858	20.00	ng	-0.02
86) Perylene-d12	24.81	264	118120	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	202020	190.15	ng	-0.03
7) Phenol-d6	7.15	99	295892	177.13	ng	-0.03
23) Nitrobenzene-d5	9.14	82	182933	102.72	ng	-0.02
41) 2,4,6-Tribromophenol	16.11	330	143015	133.51	ng	-0.02
44) 2-Fluorobiphenyl	13.24	172	567813	91.28	ng	-0.01
78) Terphenyl-d14	19.96	244	753458	134.64	ng	-0.01
Target Compounds						
31) Naphthalene	10.83	128	55741	8.99	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG062316\
Data File : BG022509.D
Acq On : 23 Jun 2016 7:49
Operator : UM/SJ
Sample : H3623-05
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SC-STA-1451(0-4)

Quant Time: Jun 23 13:34:32 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 22 01:27:56 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.97 min Scan# 873
Delta R.T. -0.02 min
Lab File: BG022509.D
Acq: 23 Jun 2016 7:49

Instrument :
BNA_G
ClientSampleId :
SC-STA-1451(0-4)

Tot Ion:152 Resp: 20542
Ion Ratio Lower Upper
152 100
150 151.5 130.1 195.1
115 54.4 62.2 93.2#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 190.15 ng
RT: 5.52 min Scan# 456
Delta R.T. -0.03 min
Lab File: BG022509.D
Acq: 23 Jun 2016 7:49

Tgt Ion:112 Resp: 202020
Ion Ratio Lower Upper
112 100
64 47.2 51.1 76.7#
63 22.3 24.6 37.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 177.13 ng

RT: 7.15 min Scan# 734

Delta R.T. -0.03 min

Lab File: BG022509.D

Acq: 23 Jun 2016 7:49

Instrument :

BNA_G

ClientSampleId :

SC-STA-1451(0-4)


Tot Ion: 99 Resp: 295892

Ion Ratio Lower Upper




99 100

42 9.9 16.4 24.6#

71 22.9 25.0 37.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.79 min Scan# 1353

Delta R.T. -0.02 min

Lab File: BG022509.D

Acq: 23 Jun 2016 7:49

Tgt Ion: 136 Resp: 124158


Ion Ratio Lower Upper

136 100



137 10.9 9.0 13.4

54 6.7 9.6 14.4#

68 6.7 6.4 9.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 102.72 ng
RT: 9.14 min Scan# 1073
Delta R.T. -0.02 min
Lab File: BG022509.D
Acq: 23 Jun 2016 7:49




Instrument :
BNA_G
ClientSampleId :
SC-STA-1451(0-4)


Tot Ion	82	Resp	182933
Ion Ratio	100	Lower	Upper
128	47.8	33.4	50.0
54	32.5	46.1	69.1#



#31
Naphthalene
Concen: 8.99 ng
RT: 10.83 min Scan# 1361
Delta R.T. -0.02 min
Lab File: BG022509.D
Acq: 23 Jun 2016 7:49

Tgt Ion	128	Resp	55741
Ion Ratio	100	Lower	Upper
129	10.6	7.0	10.6#
127	12.7	10.1	15.1





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.62 min Scan# 2005

Delta R.T. -0.01 min

Lab File: BG022509.D

Acq: 23 Jun 2016 7:49

Instrument :

BNA_G

ClientSampleId :

SC-STA-1451(0-4)


Tot Ion:164 Resp: 94801

Ion Ratio Lower Upper

164 100

162 106.8 78.0 117.0




160 49.8 32.9 49.3#



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 133.51 ng

RT: 16.11 min Scan# 2259

Delta R.T. -0.02 min

Lab File: BG022509.D

Acq: 23 Jun 2016 7:49


Tgt Ion:330 Resp: 143015

Ion Ratio Lower Upper

330 100

332 94.0 78.0 117.0



141 47.5 33.8 50.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 91.28 ng
 RT: 13.24 min Scan# 1770
 Delta R.T. -0.01 min
 Lab File: BG022509.D
 Acq: 23 Jun 2016 7:49

Instrument :
 BNA_G
 ClientSampleId :
 SC-STA-1451(0-4)

Tot Ion:172 Resp: 567813
 Ion Ratio Lower Upper
 172 100
 171 39.8 27.8 41.6
 170 26.6 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.36 min Scan# 2472
 Delta R.T. -0.02 min
 Lab File: BG022509.D
 Acq: 23 Jun 2016 7:49

Tgt Ion:188 Resp: 211361
 Ion Ratio Lower Upper
 188 100
 94 12.2 7.5 11.3#
 80 12.5 8.6 13.0



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.62 min Scan# 3197

Delta R.T. -0.02 min

Lab File: BG022509.D

Acq: 23 Jun 2016 7:49

Instrument :

BNA_G

ClientSampleId :

SC-STA-1451(0-4)


Tot Ion:240 Resp: 132858

Ion Ratio Lower Upper

240 100

120 15.4 8.4 12.6#




236 27.4 19.6 29.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 134.64 ng

RT: 19.96 min Scan# 2915

Delta R.T. -0.01 min

Lab File: BG022509.D

Acq: 23 Jun 2016 7:49


Tgt Ion:244 Resp: 753458

Ion Ratio Lower Upper

244 100

212 7.7 6.5 9.7



122 16.2 8.6 12.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 24.81 min Scan# 3739
 Delta R.T. -0.03 min
 Lab File: BG022509.D
 Acq: 23 Jun 2016 7:49

Instrument :
 BNA_G
 ClientSampleId :
 SC-STA-1451(0-4)

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.5	20.2	30.4
265	21.0	17.8	26.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

