

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG062417\
 Data File : BG027664.D
 Acq On : 24 Jun 2017 18:09
 Operator : SJ/JU
 Sample : I3849-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-02

Quant Time: Jun 26 04:20:16 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 21 18:52:15 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.51	152	18556	20.00	ng	0.00
21) Naphthalene-d8	11.32	136	88350	20.00	ng	0.00
38) Acenaphthene-d10	15.09	164	58064	20.00	ng	0.00
63) Phenanthrene-d10	17.84	188	153659	20.00	ng	0.00
75) Chrysene-d12	22.20	240	170493	20.00	ng	-0.01
86) Perylene-d12	25.84	264	155116	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.09	112	147553	113.17	ng	0.00
7) Phenol-d6	7.65	99	214238	111.00	ng	0.00
23) Nitrobenzene-d5	9.67	82	133037	71.25	ng	0.00
41) 2,4,6-Tribromophenol	16.57	330	95578	110.41	ng	0.00
44) 2-Fluorobiphenyl	13.71	172	310181	72.97	ng	0.00
78) Terphenyl-d14	20.41	244	556832	76.95	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.52	163	57953	11.399	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG062417\
Data File : BG027664.D
Acq On : 24 Jun 2017 18:09
Operator : SJ/JU
Sample : I3849-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-02

Quant Time: Jun 26 04:20:16 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 21 18:52:15 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.51 min Scan# 786
Delta R.T. -0.00 min
Lab File: BG027664.D
Acq: 24 Jun 2017 18:09

Instrument :
BNA_G
ClientSampleId :
SB-02




Tgt Ion:152 Resp: 18556
Ion Ratio Lower Upper
152 100
150 152.5 114.0 171.0
115 71.3 48.1 72.1




#5

2-Fluorophenol
Concen: 113.171 ng
RT: 6.09 min Scan# 375
Delta R.T. 0.00 min
Lab File: BG027664.D
Acq: 24 Jun 2017 18:09

Tgt Ion:112 Resp: 147553
Ion Ratio Lower Upper
112 100
64 70.7 61.8 92.6
63 39.2 37.2 55.8





#7

Phenol-d6

Concen: 110.995 ng

RT: 7.65 min Scan# 640

Delta R.T. 0.00 min

Lab File: BG027664.D

Acq: 24 Jun 2017 18:09

Instrument :

BNA_G

ClientSampleId :

SB-02


Tgt Ion: 99 Resp: 214238

Ion Ratio Lower Upper

99 100

42 20.7 20.5 30.7




71 47.3 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.32 min Scan# 1265

Delta R.T. -0.01 min

Lab File: BG027664.D

Acq: 24 Jun 2017 18:09

Tgt Ion: 136 Resp: 88350


Ion Ratio Lower Upper

136 100

137 11.8 8.9 13.3

54 8.6 9.3 13.9#

68 4.9 5.1 7.7#






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 71.252 ng
 RT: 9.67 min Scan# 984
 Delta R.T. -0.00 min
 Lab File: BG027664.D
 Acq: 24 Jun 2017 18:09

Instrument :
 BNA_G
 ClientSampleId :
 SB-02

Tgt Ion: 82 Resp: 133037
 Ion Ratio Lower Upper
 82 100
 128 38.4 26.4 39.6
 54 60.1 49.4 74.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.09 min Scan# 1906
 Delta R.T. -0.01 min
 Lab File: BG027664.D
 Acq: 24 Jun 2017 18:09

Tgt Ion: 164 Resp: 58064
 Ion Ratio Lower Upper
 164 100
 162 105.7 85.1 127.7
 160 46.4 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 110.413 ng
 RT: 16.57 min Scan# 2159
 Delta R.T. -0.01 min
 Lab File: BG027664.D
 Acq: 24 Jun 2017 18:09

Instrument :
 BNA_G
 ClientSampleId :
 SB-02

Tgt Ion:330 Resp: 95578
 Ion Ratio Lower Upper
 330 100
 332 96.1 77.3 115.9
 141 42.2 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 72.972 ng
 RT: 13.71 min Scan# 1672
 Delta R.T. -0.01 min
 Lab File: BG027664.D
 Acq: 24 Jun 2017 18:09

Tgt Ion:172 Resp: 310181
 Ion Ratio Lower Upper
 172 100
 171 35.9 32.2 48.2
 170 23.4 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 11.399 ng

RT: 14.52 min Scan# 1809

Delta R.T. -0.01 min

Lab File: BG027664.D

Acq: 24 Jun 2017 18:09

Instrument :

BNA_G

ClientSampleId :

SB-02


Tgt Ion:163 Resp: 57953

Ion Ratio Lower Upper

163 100

194 4.7 3.8 5.6




164 11.0 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.84 min Scan# 2374

Delta R.T. -0.01 min

Lab File: BG027664.D

Acq: 24 Jun 2017 18:09


Tgt Ion:188 Resp: 153659

Ion Ratio Lower Upper

188 100

94 7.5 5.8 8.8



80 9.6 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.20 min Scan# 3117

Delta R.T. -0.01 min

Lab File: BG027664.D

Acq: 24 Jun 2017 18:09

Instrument :

BNA_G

ClientSampleId :

SB-02


Tgt Ion:240 Resp: 170493

Ion Ratio Lower Upper

240 100

120 8.7 5.7 8.5#




236 26.6 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 76.950 ng

RT: 20.41 min Scan# 2812

Delta R.T. -0.01 min

Lab File: BG027664.D

Acq: 24 Jun 2017 18:09


Tgt Ion:244 Resp: 556832

Ion Ratio Lower Upper

244 100

212 7.9 10.0 15.0#



122 9.1 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.84 min Scan# 3737
Delta R.T. -0.00 min
Lab File: BG027664.D
Acq: 24 Jun 2017 18:09

Instrument :
BNA_G
ClientSampleId :
SB-02

Tgt Ion:	264	Resp:	155116
Ion	Ratio	Lower	Upper
264	100		
260	23.1	21.8	32.8
265	20.9	18.2	27.4

