

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062516\
 Data File : BG022577.D
 Acq On : 25 Jun 2016 16:46
 Operator : UM/SJ
 Sample : H3704-01
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TEC-MW2

Quant Time: Jun 27 01:10:25 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 24 20:14:59 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	151791	20.00	ng	-0.01
21) Naphthalene-d8	10.99	136	630426	20.00	ng	0.00
38) Acenaphthene-d10	14.80	164	442559	20.00	ng	0.00
63) Phenanthrene-d10	17.55	188	1170844	20.00	ng	0.00
75) Chrysene-d12	21.85	240	1304357	20.00	ng	0.00
86) Perylene-d12	25.21	264	1361302	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	297493	31.44	ng	0.00
7) Phenol-d6	7.30	99	286533	21.48	ng	0.00
23) Nitrobenzene-d5	9.34	82	1042177	69.97	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	539972	77.57	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2035417	72.94	ng	0.00
78) Terphenyl-d14	20.16	244	2767535	56.21	ng	0.00
Target Compounds						
32) Benzoic acid	10.19	122	886	5.22	ng	Qvalue # 22


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062516\
Data File : BG022577.D
Acq On : 25 Jun 2016 16:46
Operator : UM/SJ
Sample : H3704-01
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TEC-MW2

Quant Time: Jun 27 01:10:25 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 24 20:14:59 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.16 min Scan# 906

Delta R.T. -0.01 min

Lab File: BG022577.D

Acq: 25 Jun 2016 16:46

Instrument :

BNA_G

ClientSampleId :

TEC-MW2


Tgt Ion:152 Resp: 151791

Ion Ratio Lower Upper

152 100

150 144.5 144.7 217.1#




115 68.8 64.0 96.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 31.44 ng

RT: 5.70 min Scan# 488

Delta R.T. -0.00 min

Lab File: BG022577.D

Acq: 25 Jun 2016 16:46


Tgt Ion:112 Resp: 297493

Ion Ratio Lower Upper

112 100

64 67.1 59.0 88.4



63 41.4 37.8 56.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 21.48 ng

RT: 7.30 min Scan# 760

Delta R.T. -0.00 min

Lab File: BG022577.D

Acq: 25 Jun 2016 16:46

Instrument :

BNA_G

ClientSampleId :

TEC-MW2


Tgt Ion: 99 Resp: 286533

Ion Ratio Lower Upper

99 100

42 19.3 17.8 26.6




71 45.3 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.99 min Scan# 1387

Delta R.T. -0.01 min

Lab File: BG022577.D

Acq: 25 Jun 2016 16:46

Tgt Ion: 136 Resp: 630426


Ion Ratio Lower Upper

136 100

137 10.8 9.6 14.4

54 7.9 7.3 10.9

68 6.5 5.3 7.9






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 69.97 ng
RT: 9.34 min Scan# 1106
Delta R.T. -0.00 min
Lab File: BG022577.D
Acq: 25 Jun 2016 16:46

Instrument :
BNA_G
ClientSampleId :
TEC-MW2

Tgt Ion: 82 Resp: 1042177
Ion Ratio Lower Upper
82 100
128 32.6 24.4 36.6
54 49.1 41.4 62.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#32
Benzoic acid
Concen: 5.22 ng
RT: 10.19 min Scan# 1252
Delta R.T. -0.01 min
Lab File: BG022577.D
Acq: 25 Jun 2016 16:46

Tgt Ion: 122 Resp: 886
Ion Ratio Lower Upper
122 100
105 0.0 117.2 157.2#
77 82.4 109.2 149.2#



Abundance Ion 122.00 (121.70 to 122.70): BGC
Ion 105.00 (104.70 to 105.70): BGC
Ion 77.00 (76.70 to 77.70): BGC





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.80 min Scan# 2036

Delta R.T. -0.00 min

Lab File: BG022577.D

Acq: 25 Jun 2016 16:46

Instrument :

BNA_G

ClientSampleId :

TEC-MW2


Tgt Ion:164 Resp: 442559

Ion Ratio Lower Upper

164 100

162 113.2 87.7 131.5




160 47.9 37.2 55.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 77.57 ng

RT: 16.29 min Scan# 2289

Delta R.T. -0.00 min

Lab File: BG022577.D

Acq: 25 Jun 2016 16:46


Tgt Ion:330 Resp: 539972

Ion Ratio Lower Upper

330 100

332 99.0 77.4 116.2



141 37.9 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 72.94 ng
 RT: 13.42 min Scan# 1801
 Delta R.T. -0.01 min
 Lab File: BG022577.D
 Acq: 25 Jun 2016 16:46




Instrument :
 BNA_G
 ClientSampleId :
 TEC-MW2


Tgt Ion:172 Resp: 2035417
 Ion Ratio Lower Upper
 172 100
 171 41.1 31.6 47.4
 170 27.5 21.3 31.9



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.55 min Scan# 2504
 Delta R.T. -0.00 min
 Lab File: BG022577.D
 Acq: 25 Jun 2016 16:46

Tgt Ion:188 Resp: 1170844
 Ion Ratio Lower Upper
 188 100
 94 6.5 5.2 7.8
 80 7.9 7.2 10.8









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.85 min Scan# 3236
Delta R.T. 0.01 min
Lab File: BG022577.D
Acq: 25 Jun 2016 16:46




Instrument :
BNA_G
ClientSampleId :
TEC-MW2


Tgt Ion:240 Resp: 1304357
Ion Ratio Lower Upper
240 100
120 5.2 4.1 6.1
236 28.7 21.1 31.7



#78
Terphenyl-d14
Concen: 56.21 ng
RT: 20.16 min Scan# 2948
Delta R.T. 0.01 min
Lab File: BG022577.D
Acq: 25 Jun 2016 16:46

Tgt Ion:244 Resp: 2767535
Ion Ratio Lower Upper
244 100
212 14.5 10.8 16.2
122 10.3 8.0 12.0





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.21 min Scan# 3808
Delta R.T. 0.01 min
Lab File: BG022577.D
Acq: 25 Jun 2016 16:46

Instrument :
BNA_G
ClientSampleId :
TEC-MW2

Tgt Ion: 264 Resp: 1361302

Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.4	27.6
265	23.5	18.9	28.3

