

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062518\
 Data File : BG035382.D
 Acq On : 25 Jun 2018 17:34
 Operator : JU/SJ
 Sample : J3632-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EPE-105-4(3-8)

Quant Time: Jun 25 18:12:19 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	52268	20.00	ng	-0.02
21) Naphthalene-d8	10.85	136	195353	20.00	ng	-0.03
38) Acenaphthene-d10	14.67	164	141234	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	359789	20.00	ng	-0.02
75) Chrysene-d12	21.68	240	380288	20.00	ng	-0.04
86) Perylene-d12	24.90	264	367926	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	453417	146.40	ng	-0.01
7) Phenol-d6	7.21	99	681795	149.15	ng	-0.01
23) Nitrobenzene-d5	9.22	82	438965	106.81	ng	-0.02
41) 2,4,6-Tribromophenol	16.16	330	302688	167.42	ng	-0.02
44) 2-Fluorobiphenyl	13.30	172	1006895	92.68	ng	-0.03
78) Terphenyl-d14	20.02	244	1650813	90.93	ng	-0.02
Target Compounds						
49) Dimethylphthalate	14.12	163	117172	9.514	ng	Qvalue # 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062518\
Data File : BG035382.D
Acq On : 25 Jun 2018 17:34
Operator : JU/SJ
Sample : J3632-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EPE-105-4(3-8)

Quant Time: Jun 25 18:12:19 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.05 min Scan# 811
 Delta R.T. -0.02 min
 Lab File: BG035382.D
 Acq: 25 Jun 2018 17:34

Instrument :
 BNA_G
 ClientSampleId :
 EPE-105-4(3-8)

Tot Ion	Ratio	Lower	Upper
152	100		
150	137.7	126.6	189.8
115	59.2	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 146.397 ng
 RT: 5.63 min Scan# 399
 Delta R.T. -0.01 min
 Lab File: BG035382.D
 Acq: 25 Jun 2018 17:34

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.3	56.3	84.5
63	35.9	30.1	45.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 149.149 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG035382.D

Acq: 25 Jun 2018 17:34

Instrument :

BNA_G

ClientSampleId :

EPE-105-4(3-8)


Tot Ion: 99 Resp: 681795

Ion Ratio Lower Upper

99 100

42 15.6 14.1 21.1




71 41.2 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1288

Delta R.T. -0.03 min

Lab File: BG035382.D

Acq: 25 Jun 2018 17:34

Tgt Ion: 136 Resp: 195353


Ion Ratio Lower Upper

136 100

137 10.6 9.2 13.8

54 6.9 10.3 15.5#

68 4.5 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 106.811 ng
 RT: 9.22 min Scan# 1009
 Delta R.T. -0.02 min
 Lab File: BG035382.D
 Acq: 25 Jun 2018 17:34




Instrument :
 BNA_G
 ClientSampleId :
 EPE-105-4(3-8)


Tot Ion	Ratio	Lower	Upper
82	100		
128	38.5	29.7	44.5
54	43.8	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1938
 Delta R.T. -0.02 min
 Lab File: BG035382.D
 Acq: 25 Jun 2018 17:34

Tgt Ion	Ratio	Lower	Upper
164	100		
162	97.2	78.8	118.2
160	44.4	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 167.418 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.02 min
 Lab File: BG035382.D
 Acq: 25 Jun 2018 17:34




Instrument :
 BNA_G
 ClientSampleId :
 EPE-105-4(3-8)


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.0	115.6
141	36.9	25.2	37.8



#44
 2-Fluorobiphenyl
 Concen: 92.680 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.03 min
 Lab File: BG035382.D
 Acq: 25 Jun 2018 17:34

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	30.0	45.0
170	23.6	19.5	29.3





#49

Dimethylphthalate

Concen: 9.514 ng

RT: 14.12 min Scan# 1844

Delta R.T. -0.04 min

Lab File: BG035382.D

Acq: 25 Jun 2018 17:34

Instrument :

BNA_G

ClientSampleId :

EPE-105-4(3-8)


Tot Ion:163 Resp: 117172

Ion Ratio Lower Upper

163 100

194 5.3 3.4 5.2#




164 10.5 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2405

Delta R.T. -0.02 min

Lab File: BG035382.D

Acq: 25 Jun 2018 17:34


Tgt Ion:188 Resp: 359789

Ion Ratio Lower Upper

188 100

94 6.7 6.9 10.3#



80 5.9 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3131

Delta R.T. -0.04 min

Lab File: BG035382.D

Acq: 25 Jun 2018 17:34

Instrument :

BNA_G

ClientSampleId :

EPE-105-4(3-8)


Tot Ion:240 Resp: 380288

Ion Ratio Lower Upper

240 100

120 5.4 6.8 10.2#




236 26.4 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 90.929 ng

RT: 20.02 min Scan# 2849

Delta R.T. -0.02 min

Lab File: BG035382.D

Acq: 25 Jun 2018 17:34


Tgt Ion:244 Resp: 1650813

Ion Ratio Lower Upper

244 100

212 9.3 5.8 8.8#



122 6.3 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.90 min Scan# 3679
Delta R.T. -0.05 min
Lab File: BG035382.D
Acq: 25 Jun 2018 17:34

Instrument :
BNA_G
ClientSampleId :
EPE-105-4(3-8)

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.5	17.4	26.0
265	22.9	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

