

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062518\
 Data File : BG035400.D
 Acq On : 26 Jun 2018 6:27
 Operator : JU/SJ
 Sample : J3684-11
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-1-D

Quant Time: Jun 26 08:41:52 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	57603	20.00	ng	-0.02
21) Naphthalene-d8	10.85	136	204971	20.00	ng	-0.03
38) Acenaphthene-d10	14.67	164	137759	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	383263	20.00	ng	-0.02
75) Chrysene-d12	21.68	240	415737	20.00	ng	-0.04
86) Perylene-d12	24.89	264	351682	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	448873	131.51	ng	-0.01
7) Phenol-d6	7.21	99	593291	117.77	ng	-0.01
23) Nitrobenzene-d5	9.22	82	447873	103.87	ng	-0.02
41) 2,4,6-Tribromophenol	16.16	330	320360	181.66	ng	-0.02
44) 2-Fluorobiphenyl	13.30	172	1000855	94.45	ng	-0.03
78) Terphenyl-d14	20.02	244	1872861	94.36	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062518\
Data File : BG035400.D
Acq On : 26 Jun 2018 6:27
Operator : JU/SJ
Sample : J3684-11
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-1-D

Quant Time: Jun 26 08:41:52 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 811
Delta R.T. -0.02 min
Lab File: BG035400.D
Acq: 26 Jun 2018 6:27

Instrument :
BNA_G
ClientSampleId :
TP-1-D

Tot Ion:152 Resp: 57603
Ion Ratio Lower Upper
152 100
150 155.0 126.6 189.8
115 57.5 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 131.507 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.01 min
Lab File: BG035400.D
Acq: 26 Jun 2018 6:27

Tgt Ion:112 Resp: 448873
Ion Ratio Lower Upper
112 100
64 61.7 56.3 84.5
63 33.9 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 117.767 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG035400.D

Acq: 26 Jun 2018 6:27

Instrument :

BNA_G

ClientSampleId :

TP-1-D


Tot Ion: 99 Resp: 593291

Ion Ratio Lower Upper

99 100

42 16.0 14.1 21.1




71 41.4 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1288

Delta R.T. -0.03 min

Lab File: BG035400.D

Acq: 26 Jun 2018 6:27

Tgt Ion: 136 Resp: 204971


Ion Ratio Lower Upper

136 100

137 11.1 9.2 13.8

54 6.3 10.3 15.5#

68 4.6 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 103.865 ng
RT: 9.22 min Scan# 1009
Delta R.T. -0.02 min
Lab File: BG035400.D
Acq: 26 Jun 2018 6:27




Instrument :
BNA_G
ClientSampleId :
TP-1-D


Tot Ion	Ratio	Lower	Upper
82	100		
128	35.4	29.7	44.5
54	43.8	43.1	64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1938
Delta R.T. -0.02 min
Lab File: BG035400.D
Acq: 26 Jun 2018 6:27

Tgt Ion	Ratio	Lower	Upper
164	100		
162	99.6	78.8	118.2
160	45.1	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 181.662 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.02 min
 Lab File: BG035400.D
 Acq: 26 Jun 2018 6:27

Instrument :
 BNA_G
 ClientSampleId :
 TP-1-D

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	77.0	115.6
141	37.6	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 94.448 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.03 min
 Lab File: BG035400.D
 Acq: 26 Jun 2018 6:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.2	30.0	45.0
170	24.0	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2405

Delta R.T. -0.02 min

Lab File: BG035400.D

Acq: 26 Jun 2018 6:27

Instrument :

BNA_G

ClientSampleId :

TP-1-D


Tot Ion:188 Resp: 383263

Ion Ratio Lower Upper

188 100

94 5.4 6.9 10.3#




80 6.6 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3131

Delta R.T. -0.04 min

Lab File: BG035400.D

Acq: 26 Jun 2018 6:27


Tgt Ion:240 Resp: 415737

Ion Ratio Lower Upper

240 100

120 5.1 6.8 10.2#



236 25.5 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 94.363 ng

RT: 20.02 min Scan# 2849

Delta R.T. -0.02 min

Lab File: BG035400.D

Acq: 26 Jun 2018 6:27

Instrument :

BNA_G

ClientSampleId :

TP-1-D


Tot Ion:244 Resp: 1872861

Ion Ratio Lower Upper

244 100

212 10.2 5.8 8.8#




122 6.7 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.89 min Scan# 3678

Delta R.T. -0.06 min

Lab File: BG035400.D

Acq: 26 Jun 2018 6:27


Tgt Ion:264 Resp: 351682

Ion Ratio Lower Upper

264 100

260 23.8 17.4 26.0

265 22.5 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

