

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062616\
 Data File : BG022598.D
 Acq On : 26 Jun 2016 6:46
 Operator : UM/SJ
 Sample : H3663-12
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-7

Quant Time: Jun 26 08:49:28 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 24 20:14:59 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	150726	20.00	ng	0.00
21) Naphthalene-d8	10.99	136	606195	20.00	ng	0.00
38) Acenaphthene-d10	14.79	164	444789	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	1143952	20.00	ng	0.00
75) Chrysene-d12	21.84	240	1271530	20.00	ng	0.00
86) Perylene-d12	25.21	264	1326639	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	1269537	135.10	ng	0.00
7) Phenol-d6	7.31	99	1899252	143.39	ng	0.00
23) Nitrobenzene-d5	9.34	82	1353675	94.51	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	1067606	152.60	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2294204	81.80	ng	0.00
78) Terphenyl-d14	20.16	244	3180775	66.28	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.24	163	1076821	29.18	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062616\
Data File : BG022598.D
Acq On : 26 Jun 2016 6:46
Operator : UM/SJ
Sample : H3663-12
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-7

Quant Time: Jun 26 08:49:28 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 24 20:14:59 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.17 min Scan# 907
Delta R.T. -0.01 min
Lab File: BG022598.D
Acq: 26 Jun 2016 6:46

Instrument :
BNA_G
ClientSampleId :
TP-7

Tgt Ion	Ratio	Lower	Upper
152	100		
150	156.3	144.7	217.1
115	65.8	64.0	96.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 135.10 ng
RT: 5.70 min Scan# 488
Delta R.T. -0.00 min
Lab File: BG022598.D
Acq: 26 Jun 2016 6:46

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.1	59.0	88.4
63	41.7	37.8	56.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 143.39 ng

RT: 7.31 min Scan# 761

Delta R.T. 0.01 min

Lab File: BG022598.D

Acq: 26 Jun 2016 6:46

Instrument :

BNA_G

ClientSampleId :

TP-7


Tgt Ion: 99 Resp: 1899252

Ion Ratio Lower Upper

99 100

42 21.2 17.8 26.6




71 52.1 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.99 min Scan# 1387

Delta R.T. -0.01 min

Lab File: BG022598.D

Acq: 26 Jun 2016 6:46

Tgt Ion: 136 Resp: 606195


Ion Ratio Lower Upper

136 100

137 10.7 9.6 14.4

54 8.8 7.3 10.9

68 5.6 5.3 7.9





Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 94.51 ng
RT: 9.34 min Scan# 1106
Delta R.T. -0.00 min
Lab File: BG022598.D
Acq: 26 Jun 2016 6:46




Instrument :
BNA_G
ClientSampleId :
TP-7


Tgt Ion: 82 Resp: 1353675
Ion Ratio Lower Upper
82 100
128 33.9 24.4 36.6
54 49.2 41.4 62.0



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.79 min Scan# 2035
Delta R.T. -0.01 min
Lab File: BG022598.D
Acq: 26 Jun 2016 6:46

Tgt Ion: 164 Resp: 444789
Ion Ratio Lower Upper
164 100
162 100.0 87.7 131.5
160 43.6 37.2 55.8









#41
 2,4,6-Tribromophenol
 Concen: 152.60 ng
 RT: 16.29 min Scan# 2290
 Delta R.T. 0.01 min
 Lab File: BG022598.D
 Acq: 26 Jun 2016 6:46

Instrument :
 BNA_G
 ClientSampleId :
 TP-7

Tgt Ion:330 Resp: 1067606
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.4 116.2
 141 38.1 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.80 ng
 RT: 13.42 min Scan# 1801
 Delta R.T. -0.01 min
 Lab File: BG022598.D
 Acq: 26 Jun 2016 6:46

Tgt Ion:172 Resp: 2294204
 Ion Ratio Lower Upper
 172 100
 171 42.4 31.6 47.4
 170 28.8 21.3 31.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 29.18 ng

RT: 14.24 min Scan# 1941

Delta R.T. -0.01 min

Lab File: BG022598.D

Acq: 26 Jun 2016 6:46

Instrument :

BNA_G

ClientSampleId :

TP-7


Tgt Ion:163 Resp: 1076821

Ion Ratio Lower Upper

163 100

194 4.5 3.6 5.4




164 11.2 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2505

Delta R.T. 0.01 min

Lab File: BG022598.D

Acq: 26 Jun 2016 6:46


Tgt Ion:188 Resp: 1143952

Ion Ratio Lower Upper

188 100

94 7.6 5.2 7.8



80 8.2 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.84 min Scan# 3235

Delta R.T. -0.00 min

Lab File: BG022598.D

Acq: 26 Jun 2016 6:46

Instrument :

BNA_G

ClientSampleId :

TP-7


Tgt Ion:240 Resp: 1271530

Ion Ratio Lower Upper

240 100

120 6.2 4.1 6.1#




236 27.8 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 66.28 ng

RT: 20.16 min Scan# 2948

Delta R.T. 0.01 min

Lab File: BG022598.D

Acq: 26 Jun 2016 6:46


Tgt Ion:244 Resp: 3180775

Ion Ratio Lower Upper

244 100

212 16.3 10.8 16.2#



122 12.3 8.0 12.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.21 min Scan# 3807
Delta R.T. -0.00 min
Lab File: BG022598.D
Acq: 26 Jun 2016 6:46

Instrument :
BNA_G
ClientSampleId :
TP-7

Tgt Ion: 264 Resp: 1326639

Ion	Ratio	Lower	Upper
264	100		
260	23.8	18.4	27.6
265	23.8	18.9	28.3

