

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062616\
 Data File : BG022605.D
 Acq On : 26 Jun 2016 11:25
 Operator : UM/SJ
 Sample : H3713-02
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 3A-9-11

Quant Time: Jun 27 01:31:42 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 24 20:14:59 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	135700	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	546210	20.00	ng	0.00
38) Acenaphthene-d10	14.80	164	392087	20.00	ng	0.00
63) Phenanthrene-d10	17.55	188	1045517	20.00	ng	0.00
75) Chrysene-d12	21.85	240	1194092	20.00	ng	0.00
86) Perylene-d12	25.21	264	1203936	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	773212	91.39	ng	0.00
7) Phenol-d6	7.31	99	1182568	99.17	ng	0.00
23) Nitrobenzene-d5	9.33	82	810360	62.79	ng	0.00
41) 2,4,6-Tribromophenol	16.28	330	622199	100.89	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	1430488	57.86	ng	0.00
78) Terphenyl-d14	20.16	244	2183223	48.44	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.24	163	424935	13.06	ng	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062616\
Data File : BG022605.D
Acq On : 26 Jun 2016 11:25
Operator : UM/SJ
Sample : H3713-02
Misc :
ALS Vial : 60 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
3A-9-11

Quant Time: Jun 27 01:31:42 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 24 20:14:59 2016
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.16 min Scan# 906
Delta R.T. -0.01 min
Lab File: BG022605.D
Acq: 26 Jun 2016 11:25

Instrument :
BNA_G
ClientSampleId :
3A-9-11




Tgt Ion	Ratio	Lower	Upper
152	100		
150	151.7	144.7	217.1
115	61.9	64.0	96.0



#5

2-Fluorophenol
Concen: 91.39 ng
RT: 5.71 min Scan# 488
Delta R.T. 0.00 min
Lab File: BG022605.D
Acq: 26 Jun 2016 11:25

Tgt Ion	Ratio	Lower	Upper
112	100		
64	69.4	59.0	88.4
63	38.1	37.8	56.8





#7

Phenol-d6

Concen: 99.17 ng

RT: 7.31 min Scan# 760

Delta R.T. 0.00 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25

Instrument :

BNA_G

ClientSampleId :

3A-9-11


Tgt Ion: 99 Resp: 1182568

Ion Ratio Lower Upper



99 100

42 19.6 17.8 26.6

71 49.5 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.98 min Scan# 1386

Delta R.T. -0.01 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25

Tgt Ion: 136 Resp: 546210


Ion Ratio Lower Upper

136 100



137 11.3 9.6 14.4


54 10.0 7.3 10.9

68 4.9 5.3 7.9#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 62.79 ng
 RT: 9.33 min Scan# 1105
 Delta R.T. -0.00 min
 Lab File: BG022605.D
 Acq: 26 Jun 2016 11:25




Instrument :
 BNA_G
 ClientSampleId :
 3A-9-11


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.4	24.4	36.6
54	50.4	41.4	62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.80 min Scan# 2035
 Delta R.T. -0.00 min
 Lab File: BG022605.D
 Acq: 26 Jun 2016 11:25

Tgt Ion	Ratio	Lower	Upper
164	100		
162	111.9	87.7	131.5
160	43.1	37.2	55.8





#41

2,4,6-Tribromophenol

Concen: 100.89 ng

RT: 16.28 min Scan# 2288

Delta R.T. -0.00 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25

Instrument :

BNA_G

ClientSampled :

3A-9-11


Tgt Ion:330 Resp: 622199

Ion Ratio Lower Upper

330 100

332 95.4 77.4 116.2




141 37.3 31.7 47.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 57.86 ng

RT: 13.42 min Scan# 1801

Delta R.T. -0.00 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25


Tgt Ion:172 Resp: 1430488

Ion Ratio Lower Upper

172 100

171 38.4 31.6 47.4



170 26.9 21.3 31.9




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.06 ng

RT: 14.24 min Scan# 1940

Delta R.T. -0.01 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25

Instrument :

BNA_G

ClientSampleId :

3A-9-11





Tgt Ion:163 Resp: 424935

Ion Ratio Lower Upper

163 100

194 4.9 3.6 5.4

164 11.5 8.1 12.1



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.55 min Scan# 2504

Delta R.T. 0.00 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25




Tgt Ion:188 Resp: 1045517


Ion Ratio Lower Upper

188 100

94 7.1 5.2 7.8

80 9.5 7.2 10.8









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.85 min Scan# 3235
Delta R.T. 0.00 min
Lab File: BG022605.D
Acq: 26 Jun 2016 11:25




Instrument :
BNA_G
ClientSampleId :
3A-9-11


Tgt Ion:240 Resp: 1194092
Ion Ratio Lower Upper
240 100
120 5.1 4.1 6.1
236 27.5 21.1 31.7



#78
Terphenyl-d14
Concen: 48.44 ng
RT: 20.16 min Scan# 2947
Delta R.T. 0.00 min
Lab File: BG022605.D
Acq: 26 Jun 2016 11:25

Tgt Ion:244 Resp: 2183223
Ion Ratio Lower Upper
244 100
212 11.8 10.8 16.2
122 8.2 8.0 12.0





#86

Perylene-d12

Concen: 20.00 ng

RT: 25.21 min Scan# 3807

Delta R.T. 0.00 min

Lab File: BG022605.D

Acq: 26 Jun 2016 11:25

Instrument :

BNA_G

ClientSampleId :

3A-9-11

Tgt Ion:264 Resp: 1203936

Ion Ratio Lower Upper

264 100

260 26.8 18.4 27.6

265 22.6 18.9 28.3

