

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062616\
 Data File : BG022618.D
 Acq On : 26 Jun 2016 20:44
 Operator : UM/SJ
 Sample : H3741-05
 Misc :
 ALS Vial : 70 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-03

Quant Time: Jun 27 02:07:14 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 24 20:14:59 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	159817	20.00	ng	-0.01
21) Naphthalene-d8	10.99	136	706759	20.00	ng	0.00
38) Acenaphthene-d10	14.80	164	463583	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	1114943	20.00	ng	0.01
75) Chrysene-d12	21.85	240	1291345	20.00	ng	0.00
86) Perylene-d12	25.22	264	1359273	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	565533	56.76	ng	0.00
7) Phenol-d6	7.30	99	544991	38.80	ng	0.00
23) Nitrobenzene-d5	9.33	82	1348641	80.76	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	970705	133.13	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2445746	83.67	ng	0.00
78) Terphenyl-d14	20.16	244	3101913	63.64	ng	0.01
Target Compounds						
49) Dimethylphthalate	14.24	163	104307	2.71	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG062616\
Data File : BG022618.D
Acq On : 26 Jun 2016 20:44
Operator : UM/SJ
Sample : H3741-05
Misc :
ALS Vial : 70 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-03

Quant Time: Jun 27 02:07:14 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 24 20:14:59 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.16 min Scan# 906

Delta R.T. -0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44

Instrument :

BNA_G

ClientSampleId :

MW-03


Tgt Ion:152 Resp: 159817

Ion Ratio Lower Upper

152 100

150 152.0 144.7 217.1




115 64.1 64.0 96.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 56.76 ng

RT: 5.70 min Scan# 488

Delta R.T. -0.00 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44


Tgt Ion:112 Resp: 565533

Ion Ratio Lower Upper

112 100

64 72.2 59.0 88.4



63 41.1 37.8 56.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 38.80 ng

RT: 7.30 min Scan# 760

Delta R.T. -0.00 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44

Instrument :

BNA_G

ClientSampleId :

MW-03


Tgt Ion: 99 Resp: 544991

Ion Ratio Lower Upper




99 100

42 18.4 17.8 26.6

71 44.7 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.99 min Scan# 1387

Delta R.T. -0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44

Tgt Ion: 136 Resp: 706759


Ion Ratio Lower Upper

136 100



137 11.4 9.6 14.4


54 8.0 7.3 10.9

68 5.4 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 80.76 ng
 RT: 9.33 min Scan# 1105
 Delta R.T. -0.01 min
 Lab File: BG022618.D
 Acq: 26 Jun 2016 20:44




Instrument :
 BNA_G
 ClientSampleId :
 MW-03


Tgt Ion: 82 Resp: 1348641
 Ion Ratio Lower Upper
 82 100
 128 32.7 24.4 36.6
 54 47.2 41.4 62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.80 min Scan# 2036
 Delta R.T. -0.00 min
 Lab File: BG022618.D
 Acq: 26 Jun 2016 20:44

Tgt Ion: 164 Resp: 463583
 Ion Ratio Lower Upper
 164 100
 162 106.2 87.7 131.5
 160 44.0 37.2 55.8





#41

2,4,6-Tribromophenol

Concen: 133.13 ng

RT: 16.29 min Scan# 2290

Delta R.T. 0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44

Instrument :

BNA_G

ClientSampled :

MW-03


Tgt Ion:330 Resp: 970705

Ion Ratio Lower Upper

330 100

332 96.4 77.4 116.2




141 38.8 31.7 47.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 83.67 ng

RT: 13.42 min Scan# 1801

Delta R.T. -0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44


Tgt Ion:172 Resp: 2445746

Ion Ratio Lower Upper

172 100

171 45.4 31.6 47.4



170 30.0 21.3 31.9




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.71 ng

RT: 14.24 min Scan# 1941

Delta R.T. -0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44

Instrument :

BNA_G

ClientSampleId :

MW-03


Tgt Ion:163 Resp: 104307

Ion Ratio Lower Upper

163 100

194 3.5 3.6 5.4#




164 9.8 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2506

Delta R.T. 0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44


Tgt Ion:188 Resp: 1114943

Ion Ratio Lower Upper

188 100

94 7.8 5.2 7.8



80 9.1 7.2 10.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.85 min Scan# 3236

Delta R.T. 0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44

Instrument :

BNA_G

ClientSampleId :

MW-03


Tgt Ion:240 Resp: 1291345

Ion Ratio Lower Upper

240 100

120 5.7 4.1 6.1




236 27.7 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 63.64 ng

RT: 20.16 min Scan# 2949

Delta R.T. 0.01 min

Lab File: BG022618.D

Acq: 26 Jun 2016 20:44


Tgt Ion:244 Resp: 3101913

Ion Ratio Lower Upper

244 100

212 15.9 10.8 16.2



122 11.2 8.0 12.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.22 min Scan# 3809
Delta R.T. 0.01 min
Lab File: BG022618.D
Acq: 26 Jun 2016 20:44

Instrument :
BNA_G
ClientSampleId :
MW-03

Tgt Ion: 264 Resp: 1359273

Ion	Ratio	Lower	Upper
264	100		
260	24.2	18.4	27.6
265	22.8	18.9	28.3

