

Data Path : Z:\HPCHEM1\BNA G\DATA\BG062716\
 Data File : BG022643.D
 Acq On : 27 Jun 2016 15:02
 Operator : UM/SJ
 Sample : H3625-13
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SC-STA-1506(0-4)

Quant Time: Jun 28 01:16:44 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 24 20:14:59 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	166307	20.00	ng	-0.01
21) Naphthalene-d8	10.99	136	707161	20.00	ng	0.00
38) Acenaphthene-d10	14.79	164	518728	20.00	ng	0.00
63) Phenanthrene-d10	17.55	188	1307510	20.00	ng	0.00
75) Chrysene-d12	21.85	240	1470992	20.00	ng	0.00
86) Perylene-d12	25.21	264	1282202	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	1195438	115.29	ng	0.00
7) Phenol-d6	7.31	99	1683039	115.16	ng	0.00
23) Nitrobenzene-d5	9.34	82	1344894	80.49	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	1087963	133.35	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2543703	77.77	ng	0.00
78) Terphenyl-d14	20.16	244	3533732	63.65	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG062716\
Data File : BG022643.D
Acq On : 27 Jun 2016 15:02
Operator : UM/SJ
Sample : H3625-13
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SC-STA-1506(0-4)

Quant Time: Jun 28 01:16:44 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 24 20:14:59 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.16 min Scan# 906

Delta R.T. -0.01 min

Lab File: BG022643.D

Acq: 27 Jun 2016 15:02

Instrument :

BNA_G

ClientSampleId :

SC-STA-1506(0-4)


Tot Ion:152 Resp: 166307

Ion Ratio Lower Upper

152 100

150 159.5 144.7 217.1




115 64.9 64.0 96.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 115.29 ng

RT: 5.70 min Scan# 488

Delta R.T. -0.00 min

Lab File: BG022643.D

Acq: 27 Jun 2016 15:02


Tgt Ion:112 Resp: 1195438

Ion Ratio Lower Upper

112 100

64 69.3 59.0 88.4



63 41.2 37.8 56.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 115.16 ng

RT: 7.31 min Scan# 761

Delta R.T. 0.01 min

Lab File: BG022643.D

Acq: 27 Jun 2016 15:02

Instrument :


BNA_G

ClientSampleId :

SC-STA-1506(0-4)

Tot Ion: 99 Resp: 1683039

Ion	Ratio	Lower	Upper
99	100		
42	21.0	17.8	26.6
71	51.5	41.5	62.3



Abundance



Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC

7.31

Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.99 min Scan# 1387


Delta R.T. -0.01 min

Lab File: BG022643.D

Acq: 27 Jun 2016 15:02

Tgt Ion: 136 Resp: 707161

Ion	Ratio	Lower	Upper
136	100		
137	9.5	9.6	14.4#
54	8.1	7.3	10.9
68	4.6	5.3	7.9#



Abundance

Ion 136.00 (135.70 to 136.70): BGC


Ion 137.00 (136.70 to 137.70): BGC


Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC

10.99

Time-->









#23
 Nitrobenzene-d5
 Concen: 80.49 ng
 RT: 9.34 min Scan# 1106
 Delta R.T. -0.00 min
 Lab File: BG022643.D
 Acq: 27 Jun 2016 15:02




Instrument :
 BNA_G
 ClientSampleId :
 SC-STA-1506(0-4)


Tot Ion: 82 Resp: 1344894
 Ion Ratio Lower Upper
 82 100
 128 36.1 24.4 36.6
 54 48.5 41.4 62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.79 min Scan# 2035
 Delta R.T. -0.01 min
 Lab File: BG022643.D
 Acq: 27 Jun 2016 15:02

Tgt Ion: 164 Resp: 518728
 Ion Ratio Lower Upper
 164 100
 162 104.3 87.7 131.5
 160 45.1 37.2 55.8









#41
 2,4,6-Tribromophenol
 Concen: 133.35 ng
 RT: 16.29 min Scan# 2289
 Delta R.T. -0.00 min
 Lab File: BG022643.D
 Acq: 27 Jun 2016 15:02




Instrument :
 BNA_G
 ClientSampleId :
 SC-STA-1506(0-4)


Tot Ion:330 Resp: 1087963
 Ion Ratio Lower Upper
 330 100
 332 98.4 77.4 116.2
 141 37.2 31.7 47.5



#44
 2-Fluorobiphenyl
 Concen: 77.77 ng
 RT: 13.42 min Scan# 1801
 Delta R.T. -0.01 min
 Lab File: BG022643.D
 Acq: 27 Jun 2016 15:02

Tgt Ion:172 Resp: 2543703
 Ion Ratio Lower Upper
 172 100
 171 43.5 31.6 47.4
 170 30.7 21.3 31.9









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.55 min Scan# 2504
Delta R.T. -0.00 min
Lab File: BG022643.D
Acq: 27 Jun 2016 15:02




Instrument :
BNA_G
ClientSampleId :
SC-STA-1506(0-4)


Tot Ion:188 Resp: 1307510
Ion Ratio Lower Upper
188 100
94 7.5 5.2 7.8
80 9.1 7.2 10.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.85 min Scan# 3236
Delta R.T. 0.01 min
Lab File: BG022643.D
Acq: 27 Jun 2016 15:02

Tgt Ion:240 Resp: 1470992
Ion Ratio Lower Upper
240 100
120 5.0 4.1 6.1
236 26.7 21.1 31.7





#78

Terphenyl-d14

Concen: 63.65 ng

RT: 20.16 min Scan# 2948

Delta R.T. 0.01 min

Lab File: BG022643.D

Acq: 27 Jun 2016 15:02

Instrument :

BNA_G

ClientSampleId :

SC-STA-1506(0-4)


Tot Ion:244 Resp: 3533732

Ion Ratio Lower Upper

244 100

212 18.5 10.8 16.2#




122 13.6 8.0 12.0#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.21 min Scan# 3808

Delta R.T. 0.01 min

Lab File: BG022643.D

Acq: 27 Jun 2016 15:02


Tgt Ion:264 Resp: 1282202

Ion Ratio Lower Upper

264 100

260 26.4 18.4 27.6

265 21.4 18.9 28.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

