

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062719\
 Data File : BG041488.D
 Acq On : 27 Jun 2019 13:06
 Operator : HP/JU
 Sample : K3539-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MH-J-A-UNTREATED

Quant Time: Jun 28 06:41:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 27 13:25:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	32939	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	121876	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	87190	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	215803	20.00	ng	0.00
76) Chrysene-d12	21.70	240	217659	20.00	ng	0.00
87) Perylene-d12	24.98	264	237848	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	94192	50.98	ng	0.00
7) Phenol-d6	7.19	99	77739	29.89	ng	0.00
23) Nitrobenzene-d5	9.21	82	250021	85.56	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	194517	130.66	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	611766	90.04	ng	0.00
79) Terphenyl-d14	20.03	244	1098135	107.21	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.13	163	16169	2.038	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062719\
Data File : BG041488.D
Acq On : 27 Jun 2019 13:06
Operator : HP/JU
Sample : K3539-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MH-J-A-UNTREATED

Quant Time: Jun 28 06:41:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 27 13:25:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. -0.00 min
Lab File: BG041488.D
Acq: 27 Jun 2019 13:06

Instrument :
BNA_G
ClientSampleId :
MH-J-A-UNTREATED

Tot Ion:152 Resp: 32939
Ion Ratio Lower Upper
152 100
150 153.7 112.4 168.6
115 58.1 44.6 66.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 50.982 ng
RT: 5.57 min Scan# 422
Delta R.T. 0.00 min
Lab File: BG041488.D
Acq: 27 Jun 2019 13:06

Tgt Ion:112 Resp: 94192
Ion Ratio Lower Upper
112 100
64 71.0 55.1 82.7
63 38.8 32.4 48.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 29.890 ng

RT: 7.19 min Scan# 698

Delta R.T. 0.00 min

Lab File: BG041488.D

Acq: 27 Jun 2019 13:06

Instrument :

BNA_G

ClientSampleId :

MH-J-A-UNTREATED



Tot Ion: 99 Resp: 77739

Ion Ratio Lower Upper

99 100

42 21.1 19.0 28.6



71 43.2 37.4 56.2



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1322

Delta R.T. -0.00 min

Lab File: BG041488.D

Acq: 27 Jun 2019 13:06

Tgt Ion: 136 Resp: 121876



Ion Ratio Lower Upper

136 100

137 11.1 9.3 13.9

54 6.9 7.1 10.7#

68 4.3 3.3 4.9





Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 85.559 ng
 RT: 9.21 min Scan# 1042
 Delta R.T. -0.00 min
 Lab File: BG041488.D
 Acq: 27 Jun 2019 13:06

Instrument :
 BNA_G
 ClientSampleId :
 MH-J-A-UNTREATED

Tot Ion	82.00	Resp	250021
Ion Ratio	Lower	Upper	
82	100		
128	37.8	30.9	46.3
54	54.2	42.2	63.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1972
 Delta R.T. -0.00 min
 Lab File: BG041488.D
 Acq: 27 Jun 2019 13:06

Tgt Ion	164	Resp	87190
Ion Ratio	Lower	Upper	
164	100		
162	101.1	84.4	126.6
160	45.0	38.8	58.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 130.661 ng
 RT: 16.17 min Scan# 2227
 Delta R.T. 0.00 min
 Lab File: BG041488.D
 Acq: 27 Jun 2019 13:06

Instrument :
 BNA_G
 ClientSampleId :
 MH-J-A-UNTREATED

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	75.5	113.3
141	35.3	27.8	41.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 90.039 ng
 RT: 13.30 min Scan# 1738
 Delta R.T. 0.00 min
 Lab File: BG041488.D
 Acq: 27 Jun 2019 13:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.5	29.6	44.4
170	24.5	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 2.038 ng
RT: 14.13 min Scan# 1879
Delta R.T. -0.00 min
Lab File: BG041488.D
Acq: 27 Jun 2019 13:06

Instrument :
BNA_G
ClientSampleId :
MH-J-A-UNTREATED

Tot Ion:163 Resp: 16169
Ion Ratio Lower Upper
163 100
194 1.9 3.7 5.5#
164 8.3 7.8 11.6




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2440
Delta R.T. -0.00 min
Lab File: BG041488.D
Acq: 27 Jun 2019 13:06

Tgt Ion:188 Resp: 215803
Ion Ratio Lower Upper
188 100
94 4.8 3.8 5.8
80 6.4 4.8 7.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3167

Delta R.T. -0.00 min

Lab File: BG041488.D

Acq: 27 Jun 2019 13:06

Instrument :

BNA_G

ClientSampleId :

MH-J-A-UNTREATED


Tot Ion:240 Resp: 217659

Ion Ratio Lower Upper

240 100

120 4.8 3.7 5.5




236 26.1 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 107.215 ng

RT: 20.03 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG041488.D

Acq: 27 Jun 2019 13:06


Tgt Ion:244 Resp: 1098135

Ion Ratio Lower Upper

244 100

212 8.3 6.2 9.4



122 6.0 4.8 7.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.98 min Scan# 3726
Delta R.T. -0.00 min
Lab File: BG041488.D
Acq: 27 Jun 2019 13:06

Instrument :
BNA_G
ClientSampleId :
MH-J-A-UNTREATED

Tot Ion:264 Resp: 237848

Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.7	29.5
265	21.8	17.4	26.2

