

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062719\
 Data File : BG041505.D
 Acq On : 28 Jun 2019 3:50
 Operator : HP/JU
 Sample : K3526-04
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-02-COMP

Quant Time: Jun 28 07:42:24 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 27 13:25:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	29732	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	107280	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	76228	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	206813	20.00	ng	0.00
76) Chrysene-d12	21.70	240	220860	20.00	ng	0.00
87) Perylene-d12	24.98	264	232890	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	151910	91.09	ng	0.00
7) Phenol-d6	7.18	99	224998	95.84	ng	0.00
23) Nitrobenzene-d5	9.21	82	156632	60.89	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	120698	92.73	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	382701	64.43	ng	0.00
79) Terphenyl-d14	20.02	244	749189	72.09	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.12	163	61920	8.926	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062719\
Data File : BG041505.D
Acq On : 28 Jun 2019 3:50
Operator : HP/JU
Sample : K3526-04
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-02-COMP

Quant Time: Jun 28 07:42:24 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 27 13:25:55 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. -0.00 min
Lab File: BG041505.D
Acq: 28 Jun 2019 3:50

Instrument :
BNA_G
ClientSampleId :
SB-02-COMP




Tot Ion:152 Resp: 29732
Ion Ratio Lower Upper
152 100
150 145.8 112.4 168.6
115 54.9 44.6 66.8




#5

2-Fluorophenol
Concen: 91.091 ng
RT: 5.57 min Scan# 422
Delta R.T. 0.00 min
Lab File: BG041505.D
Acq: 28 Jun 2019 3:50

Tgt Ion:112 Resp: 151910
Ion Ratio Lower Upper
112 100
64 62.5 55.1 82.7
63 39.5 32.4 48.6





#7

Phenol-d6

Concen: 95.840 ng

RT: 7.18 min Scan# 697

Delta R.T. -0.00 min

Lab File: BG041505.D

Acq: 28 Jun 2019 3:50

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tot Ion: 99 Resp: 224998

Ion Ratio Lower Upper




99 100

42 23.1 19.0 28.6

71 46.6 37.4 56.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG041505.D

Acq: 28 Jun 2019 3:50

Tgt Ion: 136 Resp: 107280


Ion Ratio Lower Upper

136 100



137 11.8 9.3 13.9


54 9.2 7.1 10.7

68 3.8 3.3 4.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 60.893 ng
 RT: 9.21 min Scan# 1042
 Delta R.T. -0.00 min
 Lab File: BG041505.D
 Acq: 28 Jun 2019 3:50




Instrument :
 BNA_G
 ClientSampled :
 SB-02-COMP


Tot Ion	82	Resp	156632
Ion Ratio	Lower	Upper	
82	100		
128	37.9	30.9	46.3
54	53.0	42.2	63.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1972
 Delta R.T. -0.00 min
 Lab File: BG041505.D
 Acq: 28 Jun 2019 3:50

Tgt Ion	164	Resp	76228
Ion Ratio	Lower	Upper	
164	100		
162	108.1	84.4	126.6
160	50.2	38.8	58.2






#42
 2,4,6-Tribromophenol
 Concen: 92.735 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. -0.00 min
 Lab File: BG041505.D
 Acq: 28 Jun 2019 3:50

Instrument :
 BNA_G
 ClientSampleId :
 SB-02-COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	75.5	113.3
141	35.8	27.8	41.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 64.426 ng
 RT: 13.29 min Scan# 1737
 Delta R.T. -0.00 min
 Lab File: BG041505.D
 Acq: 28 Jun 2019 3:50

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.1	29.6	44.4
170	25.1	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 8.926 ng

RT: 14.12 min Scan# 1878

Delta R.T. -0.01 min

Lab File: BG041505.D

Acq: 28 Jun 2019 3:50

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tot Ion:163 Resp: 61920

Ion Ratio Lower Upper

163 100

194 5.4 3.7 5.5




164 10.7 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2440

Delta R.T. -0.00 min

Lab File: BG041505.D

Acq: 28 Jun 2019 3:50


Tgt Ion:188 Resp: 206813

Ion Ratio Lower Upper

188 100

94 4.7 3.8 5.8



80 6.4 4.8 7.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3167

Delta R.T. -0.00 min

Lab File: BG041505.D

Acq: 28 Jun 2019 3:50

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tot Ion:240 Resp: 220860

Ion Ratio Lower Upper

240 100

120 4.2 3.7 5.5




236 25.8 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 72.086 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BG041505.D

Acq: 28 Jun 2019 3:50


Tgt Ion:244 Resp: 749189

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.4



122 5.8 4.8 7.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.98 min Scan# 3726
 Delta R.T. -0.00 min
 Lab File: BG041505.D
 Acq: 28 Jun 2019 3:50

Instrument :
 BNA_G
 ClientSampleId :
 SB-02-COMP

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.7	29.5
265	20.8	17.4	26.2

