

Data Path : \\74.0.250.170\svoasrv\HPCHEM1\BNA_G\Data\BG062817\
 Data File : BG027740.D
 Acq On : 29 Jun 2017 13:51
 Operator : SJ/JU
 Sample : I3926-05
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SP1-A-COMP

Quant Time: Jun 29 15:19:23 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 19:26:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.47	152	31741	20.00	ng	0.00
21) Naphthalene-d8	11.29	136	147175	20.00	ng	0.00
38) Acenaphthene-d10	15.06	164	90097	20.00	ng	0.00
63) Phenanthrene-d10	17.81	188	238284	20.00	ng	0.00
75) Chrysene-d12	22.17	240	257931	20.00	ng	0.00
86) Perylene-d12	25.78	264	242718	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.06	112	282414	137.01	ng	0.00
7) Phenol-d6	7.62	99	358751	113.93	ng	0.00
23) Nitrobenzene-d5	9.64	82	245328	92.92	ng	0.00
41) 2,4,6-Tribromophenol	16.55	330	205008	165.89	ng	0.00
44) 2-Fluorobiphenyl	13.69	172	618913	98.11	ng	0.00
78) Terphenyl-d14	20.39	244	1202851	109.33	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\svoasrv\HPCHEM1\BNA_G\Data\BG062817\
Data File : BG027740.D
Acq On : 29 Jun 2017 13:51
Operator : SJ/JU
Sample : I3926-05
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SP1-A-COMP

Quant Time: Jun 29 15:19:23 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 19:26:37 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.47 min Scan# 780
Delta R.T. -0.00 min
Lab File: BG027740.D
Acq: 29 Jun 2017 13:51

Instrument :
BNA_G
ClientSampleId :
SP1-A-COMP

Tgt Ion:152 Resp: 31741
Ion Ratio Lower Upper
152 100
150 151.1 114.0 171.0
115 59.0 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 137.013 ng
RT: 6.06 min Scan# 369
Delta R.T. 0.00 min
Lab File: BG027740.D
Acq: 29 Jun 2017 13:51

Tgt Ion:112 Resp: 282414
Ion Ratio Lower Upper
112 100
64 70.2 61.8 92.6
63 36.7 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 113.928 ng

RT: 7.62 min Scan# 634

Delta R.T. 0.00 min

Lab File: BG027740.D

Acq: 29 Jun 2017 13:51

Instrument :

BNA_G

ClientSampleId :

SP1-A-COMP


Tgt Ion: 99 Resp: 358751

Ion Ratio Lower Upper




99 100

42 19.4 20.5 30.7#

71 32.7 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.29 min Scan# 1260

Delta R.T. 0.00 min

Lab File: BG027740.D

Acq: 29 Jun 2017 13:51

Tgt Ion: 136 Resp: 147175


Ion Ratio Lower Upper

136 100



137 10.6 8.9 13.3

54 11.1 9.3 13.9

68 6.8 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 92.915 ng
 RT: 9.64 min Scan# 978
 Delta R.T. -0.00 min
 Lab File: BG027740.D
 Acq: 29 Jun 2017 13:51

Instrument :
 BNA_G
 ClientSampleId :
 SP1-A-COMP

Tgt Ion: 82 Resp: 245328
 Ion Ratio Lower Upper
 82 100
 128 41.5 26.4 39.6#
 54 59.0 49.4 74.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.06 min Scan# 1901
 Delta R.T. -0.00 min
 Lab File: BG027740.D
 Acq: 29 Jun 2017 13:51

Tgt Ion: 164 Resp: 90097
 Ion Ratio Lower Upper
 164 100
 162 105.5 85.1 127.7
 160 44.7 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 165.894 ng
 RT: 16.55 min Scan# 2154
 Delta R.T. -0.00 min
 Lab File: BG027740.D
 Acq: 29 Jun 2017 13:51

Instrument :
 BNA_G
 ClientSampleId :
 SP1-A-COMP

Tgt Ion	Ratio	Lower	Upper
330	100		
332	94.9	77.3	115.9
141	37.7	32.1	48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.107 ng
 RT: 13.69 min Scan# 1667
 Delta R.T. -0.00 min
 Lab File: BG027740.D
 Acq: 29 Jun 2017 13:51

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	32.2	48.2
170	23.7	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.81 min Scan# 2369
Delta R.T. -0.00 min
Lab File: BG027740.D
Acq: 29 Jun 2017 13:51

Instrument :
BNA_G
ClientSampleId :
SP1-A-COMP

Tgt Ion:188 Resp: 238284
Ion Ratio Lower Upper
188 100
94 11.0 5.8 8.8#
80 12.7 7.5 11.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.17 min Scan# 3111
Delta R.T. -0.00 min
Lab File: BG027740.D
Acq: 29 Jun 2017 13:51

Tgt Ion:240 Resp: 257931
Ion Ratio Lower Upper
240 100
120 13.3 5.7 8.5#
236 26.1 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 109.329 ng

RT: 20.39 min Scan# 2808

Delta R.T. 0.00 min

Lab File: BG027740.D

Acq: 29 Jun 2017 13:51

Instrument :

BNA_G

ClientSampleId :

SP1-A-COMP


Tgt Ion:244 Resp: 1202851

Ion Ratio Lower Upper

244 100

212 7.5 10.0 15.0#



122 12.6 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.78 min Scan# 3725

Delta R.T. -0.01 min

Lab File: BG027740.D

Acq: 29 Jun 2017 13:51


Tgt Ion:264 Resp: 242718

Ion Ratio Lower Upper

264 100

260 25.4 21.8 32.8

265 21.2 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

