

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062918\
 Data File : BG035513.D
 Acq On : 29 Jun 2018 14:17
 Operator : JU/SJ
 Sample : J3745-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EPE-106-8(60-62)

Quant Time: Jun 29 17:08:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	29494	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	109165	20.00	ng	-0.02
38) Acenaphthene-d10	14.68	164	85677	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	246364	20.00	ng	-0.02
75) Chrysene-d12	21.69	240	270222	20.00	ng	-0.03
86) Perylene-d12	24.91	264	255820	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	230358	131.81	ng	0.00
7) Phenol-d6	7.23	99	350652	135.94	ng	0.00
23) Nitrobenzene-d5	9.22	82	224856	97.91	ng	-0.02
41) 2,4,6-Tribromophenol	16.17	330	184079	167.84	ng	-0.02
44) 2-Fluorobiphenyl	13.31	172	523939	79.50	ng	-0.02
78) Terphenyl-d14	20.03	244	1031649	79.97	ng	-0.02
Target Compounds						
10) Phenol	7.25	94	5977	2.239	ng	# 59
49) Dimethylphthalate	14.13	163	119457	15.989	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062918\
Data File : BG035513.D
Acq On : 29 Jun 2018 14:17
Operator : JU/SJ
Sample : J3745-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EPE-106-8(60-62)

Quant Time: Jun 29 17:08:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.06 min Scan# 812

Delta R.T. -0.02 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17

Instrument :

BNA_G

ClientSampleId :

EPE-106-8(60-62)





Tot Ion:152 Resp: 29494

Ion Ratio Lower Upper

152 100

150 135.8 126.6 189.8

115 54.2 53.0 79.4



#5

2-Fluorophenol

Concen: 131.808 ng

RT: 5.64 min Scan# 400

Delta R.T. -0.00 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17




Tgt Ion:112 Resp: 230358


Ion Ratio Lower Upper

112 100

64 63.1 56.3 84.5

63 36.0 30.1 45.1





#7

Phenol-d6

Concen: 135.939 ng

RT: 7.23 min Scan# 670

Delta R.T. 0.00 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17

Instrument :

BNA_G

ClientSampleId :

EPE-106-8(60-62)


Tot Ion: 99 Resp: 350652

Ion Ratio Lower Upper




99 100

42 15.8 14.1 21.1

71 40.6 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 2.239 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17


Tgt Ion: 94 Resp: 5977

Ion Ratio Lower Upper



94 100


65 29.9 11.9 51.9

66 86.0 22.2 62.2#



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1290
Delta R.T. -0.02 min
Lab File: BG035513.D
Acq: 29 Jun 2018 14:17




Instrument :
BNA_G
ClientSampleId :
EPE-106-8(60-62)


Tot Ion:136	Resp:	109165
Ion Ratio	Lower	Upper
136	100	
137	12.6	9.2 13.8
54	6.9	10.3 15.5#
68	3.6	4.5 6.7#



#23
Nitrobenzene-d5
Concen: 97.910 ng
RT: 9.22 min Scan# 1010
Delta R.T. -0.02 min
Lab File: BG035513.D
Acq: 29 Jun 2018 14:17

Tgt Ion: 82	Resp:	224856
Ion Ratio	Lower	Upper
82	100	
128	32.9	29.7 44.5
54	38.2	43.1 64.7#









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.68 min Scan# 1939
Delta R.T. -0.02 min
Lab File: BG035513.D
Acq: 29 Jun 2018 14:17




Instrument :
BNA_G
ClientSampleId :
EPE-106-8(60-62)


Tot Ion:164 Resp: 85677
Ion Ratio Lower Upper
164 100
162 99.5 78.8 118.2
160 44.4 35.4 53.0



#41
2,4,6-Tribromophenol
Concen: 167.837 ng
RT: 16.17 min Scan# 2192
Delta R.T. -0.02 min
Lab File: BG035513.D
Acq: 29 Jun 2018 14:17

Tgt Ion:330 Resp: 184079
Ion Ratio Lower Upper
330 100
332 97.2 77.0 115.6
141 36.4 25.2 37.8





#44

2-Fluorobiphenyl

Concen: 79.498 ng

RT: 13.31 min Scan# 1705

Delta R.T. -0.02 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17

Instrument :

BNA_G

ClientSampleId :

EPE-106-8(60-62)


Tot Ion:172 Resp: 523939

Ion Ratio Lower Upper

172 100

171 34.8 30.0 45.0




170 23.7 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#49

Dimethylphthalate

Concen: 15.989 ng

RT: 14.13 min Scan# 1845

Delta R.T. -0.03 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17


Tgt Ion:163 Resp: 119457

Ion Ratio Lower Upper

163 100

194 5.6 3.4 5.2#



164 11.7 8.2 12.4




Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2406

Delta R.T. -0.02 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17

Instrument :

BNA_G

ClientSampleId :

EPE-106-8(60-62)


Tot Ion:188 Resp: 246364

Ion Ratio Lower Upper

188 100

94 6.4 6.9 10.3#




80 6.2 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3132

Delta R.T. -0.03 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17


Tgt Ion:240 Resp: 270222

Ion Ratio Lower Upper

240 100

120 4.6 6.8 10.2#



236 23.8 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 79.970 ng

RT: 20.03 min Scan# 2850

Delta R.T. -0.02 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17

Instrument :

BNA_G

ClientSampleId :

EPE-106-8(60-62)


Tot Ion:244 Resp: 1031649

Ion Ratio Lower Upper

244 100

212 8.7 5.8 8.8




122 5.7 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.91 min Scan# 3681

Delta R.T. -0.04 min

Lab File: BG035513.D

Acq: 29 Jun 2018 14:17


Tgt Ion:264 Resp: 255820

Ion Ratio Lower Upper

264 100

260 22.5 17.4 26.0

265 22.1 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

