

Data Path : Z:\HPCHEM1\BNA G\DATA\BG063016\
 Data File : BG022739.D
 Acq On : 30 Jun 2016 23:00
 Operator : UM/SJ
 Sample : H3759-11
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHP1

Quant Time: Jul 01 04:47:26 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 01 03:35:17 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	120000	20.00	ng/ul	0.00
18) Naphthalene-d8	10.98	136	515583	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	404426	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.56	188	990159	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1096620	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	1109204	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.55	96	6134	2.86	ng/uL	0.00
5) Phenol-d5	7.31	99	412951	32.71	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	259379	36.44	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	283337	33.61	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	339523	34.63	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	150756	36.67	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	187848	37.88	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	357538	34.48	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	403211	45.92	ng/ul	0.00
43) Dimethylphthalate-d6	14.20	166	1250413	38.06	ng/ul	0.00
46) Acenaphthylene-d8	14.50	160	1373378	36.47	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	153343	29.72	ng/ul	0.00
57) Fluorene-d10	15.79	176	1185909	38.10	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	199732	31.36	ng/ul	0.00
70) Anthracene-d10	17.66	188	1707506	37.10	ng/ul	0.00
76) Pyrene-d10	19.94	212	2021898	38.59	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	2047188	38.85	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.24	163	295850	8.82	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG063016\
Data File : BG022739.D
Acq On : 30 Jun 2016 23:00
Operator : UM/SJ
Sample : H3759-11
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHP1

Quant Time: Jul 01 04:47:26 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 01 03:35:17 2016
Response via : Initial Calibration





#44
 Dimethylphthalate
 Concen: 8.82 ng/ul
 RT: 14.24 min Scan# 1941
 Delta R.T. -0.00 min
 Lab File: BG022739.D
 Acq: 30 Jun 2016 23:00

Instrument :
 BNA_G
 ClientSampleId :
 BDHP1

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.2
164	11.0	8.8	13.2

