

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
 Data File : BG022773.D
 Acq On : 2 Jul 2016 1:06
 Operator : UM/SJ
 Sample : H3752-01
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHL3

Quant Time: Jul 02 01:46:45 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jul 02 00:07:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	159688	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	696993	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.81	164	571635	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.56	188	1410970	20.00	ng/ul	0.00
75) Chrysene-d12	21.86	240	1592685	20.00	ng/ul	0.00
83) Perylene-d12	25.24	264	1669422	20.00	ng/ul	0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.55	96	3349	1.17	ng/uL	0.00
5) Phenol-d5	7.31	99	289112	17.21	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.48	67	175565	18.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	188462	16.80	ng/ul	0.00
13) 4-Methylphenol-d8	8.87	113	230951	17.70	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	100944	18.16	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	126854	18.92	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	259248	18.49	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	313899	26.44	ng/ul	0.00
43) Dimethylphthalate-d6	14.20	166	951258	20.48	ng/ul	0.00
46) Acenaphthylene-d8	14.50	160	1058921	19.90	ng/ul	0.00
51) 4-Nitrophenol-d4	15.00	143	126768	17.39	ng/ul	0.00
57) Fluorene-d10	15.79	176	914519	20.78	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.91	200	132138	14.56	ng/ul	0.00
70) Anthracene-d10	17.66	188	1387047	21.15	ng/ul	0.00
76) Pyrene-d10	19.94	212	1642220	21.58	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1714563	21.62	ng/ul	0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	14.24	163	131618	2.78	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
Data File : BG022773.D
Acq On : 2 Jul 2016 1:06
Operator : UM/SJ
Sample : H3752-01
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHL3

Quant Time: Jul 02 01:46:45 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jul 02 00:07:37 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 2.78 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. 0.00 min

Lab File: BG022773.D

Acq: 2 Jul 2016 1:06

Instrument :

BNA_G

ClientSampleId :

BDHL3

Tgt Ion:163 Resp: 131618

Ion Ratio Lower Upper

163 100

194 4.4 3.4 5.2

164 8.9 8.8 13.2

