

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
 Data File : BG022779.D
 Acq On : 2 Jul 2016 5:07
 Operator : UM/SJ
 Sample : H3752-06
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHM2

Quant Time: Jul 02 05:51:01 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jul 02 00:07:37 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	129250	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	527614	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	403864	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.56	188	1048287	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1228870	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	1242111	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.55	96	1820	0.79	ng/uL	0.00
5) Phenol-d5	7.31	99	174477	12.83	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	105487	13.76	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	118348	13.03	ng/ul	0.00
13) 4-Methylphenol-d8	8.87	113	134728	12.76	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	59867	14.23	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	67637	13.33	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	142178	13.40	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	145447	16.19	ng/ul	0.00
43) Dimethylphthalate-d6	14.20	166	501171	15.27	ng/ul	0.00
46) Acenaphthylene-d8	14.50	160	572664	15.23	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	51694	10.03	ng/ul	0.00
57) Fluorene-d10	15.79	176	498261	16.03	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	51265	7.60	ng/ul	0.00
70) Anthracene-d10	17.65	188	774092	15.89	ng/ul	0.00
76) Pyrene-d10	19.93	212	955754	16.28	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	933766	15.82	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	14.24	163	57242	1.71	ng/ul#	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
Data File : BG022779.D
Acq On : 2 Jul 2016 5:07
Operator : UM/SJ
Sample : H3752-06
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHM2

Quant Time: Jul 02 05:51:01 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jul 02 00:07:37 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 1.71 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. 0.00 min

Lab File: BG022779.D

Acq: 2 Jul 2016 5:07

Instrument :

BNA_G

ClientSampleId :

BDHM2

Tgt Ion:163 Resp: 57242

Ion Ratio Lower Upper

163 100

194 5.6 3.4 5.2#

164 10.3 8.8 13.2

