

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070116\
 Data File : BG022781.D
 Acq On : 2 Jul 2016 6:28
 Operator : UM/SJ
 Sample : H3752-08
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 04 08:21:19 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 04 08:19:32 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	115288	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	533046	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	453530	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1105666	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1235049	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	1270888	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.54	96	5503	2.67	ng/uL	0.00
5) Phenol-d5	7.31	99	341030	28.12	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	190393	27.84	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	222957	27.52	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	267189	28.36	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	108022	25.41	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	134000	26.13	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	288278	26.89	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	310406	34.19	ng/ul	0.00
43) Dimethylphthalate-d6	14.19	166	992355	26.93	ng/ul	0.00
46) Acenaphthylene-d8	14.49	160	1116223	26.44	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	124651	21.55	ng/ul	0.00
57) Fluorene-d10	15.79	176	939439	26.91	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	142801	20.08	ng/ul	0.00
70) Anthracene-d10	17.65	188	1391465	27.08	ng/ul	0.00
76) Pyrene-d10	19.93	212	1636265	27.73	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.98	264	1643092	27.21	ng/ul	-0.02


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.24	163	242595	6.45	ng/ul#	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070116\
Data File : BG022781.D
Acq On : 2 Jul 2016 6:28
Operator : UM/SJ
Sample : H3752-08
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jul 04 08:21:19 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 04 08:19:32 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 6.45 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. -0.00 min

Lab File: BG022781.D

Acq: 2 Jul 2016 6:28

Instrument :

BNA_G

ClientSampleId :


Tot Ion:163 Resp: 242595

Ion Ratio Lower Upper

163 100

194 5.6 3.4 5.2#

164 10.0 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

