

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
 Data File : BG022782.D
 Acq On : 2 Jul 2016 7:08
 Operator : UM/SJ
 Sample : H3752-09
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHL5

Quant Time: Jul 04 08:21:32 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 04 08:19:32 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	118572	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	526284	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	429793	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1130881	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1272155	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	1292795	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.54	96	4135	1.95	ng/uL	0.00
5) Phenol-d5	7.31	99	232014	18.60	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	140135	19.92	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	155515	18.67	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	179926	18.57	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	79940	19.05	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	98417	19.44	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	184634	17.44	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	220516	24.60	ng/ul	0.00
43) Dimethylphthalate-d6	14.20	166	701262	20.08	ng/ul	0.00
46) Acenaphthylene-d8	14.50	160	773739	19.34	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	97441	17.77	ng/ul	0.00
57) Fluorene-d10	15.79	176	671347	20.29	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	98720	13.57	ng/ul	0.00
70) Anthracene-d10	17.65	188	1017941	19.37	ng/ul	0.00
76) Pyrene-d10	19.93	212	1237172	20.36	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1223757	19.92	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	14.24	163	180873	5.07	ng/ul	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
Data File : BG022782.D
Acq On : 2 Jul 2016 7:08
Operator : UM/SJ
Sample : H3752-09
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHL5

Quant Time: Jul 04 08:21:32 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 04 08:19:32 2016
Response via : Initial Calibration

