

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
 Data File : BG022784.D
 Acq On : 2 Jul 2016 8:28
 Operator : UM/SJ
 Sample : H3752-11
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHL8

Quant Time: Jul 04 08:21:49 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 04 08:19:32 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	127586	20.00	ng/ul	0.00
18) Naphthalene-d8	10.98	136	600633	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	503335	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1233554	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1392379	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	1423269	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.54	96	5570	2.44	ng/uL	0.00
5) Phenol-d5	7.31	99	335481	25.00	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.48	67	193051	25.51	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	214180	23.89	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	238101	22.84	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	116801	24.39	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	138946	24.05	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	284301	23.53	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	296200	28.96	ng/ul	0.00
43) Dimethylphthalate-d6	14.19	166	1054284	25.78	ng/ul	0.00
46) Acenaphthylene-d8	14.49	160	1168859	24.94	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	134084	20.88	ng/ul	0.00
57) Fluorene-d10	15.79	176	1020828	26.35	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	154466	19.47	ng/ul	0.00
70) Anthracene-d10	17.65	188	1489476	25.98	ng/ul	0.00
76) Pyrene-d10	19.93	212	1738275	26.13	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1773913	26.23	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	14.24	163	361274	8.65	ng/ul#	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070116\
Data File : BG022784.D
Acq On : 2 Jul 2016 8:28
Operator : UM/SJ
Sample : H3752-11
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHL8

Quant Time: Jul 04 08:21:49 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 04 08:19:32 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 8.65 ng/ul

RT: 14.24 min Scan# 1940

Delta R.T. -0.01 min

Lab File: BG022784.D

Acq: 2 Jul 2016 8:28

Instrument :

BNA_G

ClientSampleId :

BDHL8

Tgt Ion:163 Resp: 361274

Ion Ratio Lower Upper

163 100

194 5.3 3.4 5.2#

164 9.7 8.8 13.2

