

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070216\
 Data File : BG022799.D
 Acq On : 2 Jul 2016 18:28
 Operator : UM/SJ
 Sample : H3818-02
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHS2

Quant Time: Jul 03 00:33:44 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sun Jul 03 00:31:55 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	164380	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	748589	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	578415	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.56	188	1348341	20.00	ng/ul	0.00
75) Chrysene-d12	21.86	240	1578564	20.00	ng/ul	0.00
83) Perylene-d12	25.24	264	1619883	20.00	ng/ul	0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.55	96	5545	1.89	ng/uL	0.01
5) Phenol-d5	7.31	99	292290	16.90	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	187539	19.23	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	209560	18.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	231926	17.27	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	108673	18.21	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	130021	18.06	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	255620	16.98	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	316595	24.83	ng/ul	0.00
43) Dimethylphthalate-d6	14.20	166	922735	19.64	ng/ul	0.00
46) Acenaphthylene-d8	14.50	160	1017104	18.89	ng/ul	0.00
51) 4-Nitrophenol-d4	15.00	143	101419	13.75	ng/ul	0.00
57) Fluorene-d10	15.79	176	847546	19.04	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.91	200	101945	11.76	ng/ul	0.00
70) Anthracene-d10	17.66	188	1269468	20.26	ng/ul	0.00
76) Pyrene-d10	19.94	212	1501258	19.91	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.01	264	1503168	19.53	ng/ul	0.02


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.24	163	670126	13.97	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070216\
Data File : BG022799.D
Acq On : 2 Jul 2016 18:28
Operator : UM/SJ
Sample : H3818-02
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHS2

Quant Time: Jul 03 00:33:44 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Jul 03 00:31:55 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 13.97 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. 0.00 min

Lab File: BG022799.D

Acq: 2 Jul 2016 18:28

Instrument :

BNA_G

ClientSampleId :

BDHS2


Tot Ion:163 Resp: 670126

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.4 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

