

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070217\
 Data File : BG027814.D
 Acq On : 2 Jul 2017 11:55
 Operator : SJ/JU
 Sample : I3986-03
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 03 08:05:36 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 19:26:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.48	152	29843	20.00	ng	0.00
21) Naphthalene-d8	11.29	136	139893	20.00	ng	0.00
38) Acenaphthene-d10	15.06	164	87582	20.00	ng	0.00
63) Phenanthrene-d10	17.81	188	209781	20.00	ng	0.00
75) Chrysene-d12	22.17	240	213984	20.00	ng	0.00
86) Perylene-d12	25.79	264	175352	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.06	112	27692	14.29	ng	0.00
7) Phenol-d6	7.62	99	32355	10.93	ng	0.00
23) Nitrobenzene-d5	9.64	82	25587	10.20	ng	0.00
41) 2,4,6-Tribromophenol	16.55	330	18923	15.75	ng	0.00
44) 2-Fluorobiphenyl	13.68	172	68416	11.16	ng	0.00
78) Terphenyl-d14	20.39	244	116846	12.80	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070217\
Data File : BG027814.D
Acq On : 2 Jul 2017 11:55
Operator : SJ/JU
Sample : I3986-03
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jul 03 08:05:36 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 19:26:37 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.48 min Scan# 781
Delta R.T. 0.00 min
Lab File: BG027814.D
Acq: 2 Jul 2017 11:55

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 29843
Ion Ratio Lower Upper
152 100
150 144.6 114.0 171.0
115 54.5 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 14.29 ng
RT: 6.06 min Scan# 369
Delta R.T. 0.00 min
Lab File: BG027814.D
Acq: 2 Jul 2017 11:55

Tgt Ion:112 Resp: 27692
Ion Ratio Lower Upper
112 100
64 71.1 61.8 92.6
63 36.4 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 10.93 ng

RT: 7.62 min Scan# 635

Delta R.T. 0.01 min

Lab File: BG027814.D

Acq: 2 Jul 2017 11:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 32355

Ion Ratio Lower Upper




99 100

42 21.8 20.5 30.7

71 35.3 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.29 min Scan# 1260

Delta R.T. 0.00 min

Lab File: BG027814.D

Acq: 2 Jul 2017 11:55

Tgt Ion: 136 Resp: 139893


Ion Ratio Lower Upper

136 100



137 11.5 8.9 13.3


54 11.2 9.3 13.9

68 5.8 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 10.20 ng

RT: 9.64 min Scan# 979

Delta R.T. 0.00 min

Lab File: BG027814.D

Acq: 2 Jul 2017 11:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 82 Resp: 25587

Ion Ratio Lower Upper




82 100

128 38.7 26.4 39.6

54 60.5 49.4 74.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 15.06 min Scan# 1902

Delta R.T. 0.00 min

Lab File: BG027814.D

Acq: 2 Jul 2017 11:55


Tgt Ion:164 Resp: 87582

Ion Ratio Lower Upper



164 100


162 102.1 85.1 127.7

160 47.7 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 15.75 ng
 RT: 16.55 min Scan# 2155
 Delta R.T. 0.00 min
 Lab File: BG027814.D
 Acq: 2 Jul 2017 11:55

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:330 Resp: 18923
 Ion Ratio Lower Upper
 330 100
 332 92.4 77.3 115.9
 141 34.2 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 11.16 ng
 RT: 13.68 min Scan# 1667
 Delta R.T. -0.01 min
 Lab File: BG027814.D
 Acq: 2 Jul 2017 11:55

Tgt Ion:172 Resp: 68416
 Ion Ratio Lower Upper
 172 100
 171 32.5 32.2 48.2
 170 23.1 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.81 min Scan# 2369
Delta R.T. -0.01 min
Lab File: BG027814.D
Acq: 2 Jul 2017 11:55

Instrument :
BNA_G
ClientSampleId :

Tot Ion:188 Resp: 209781
Ion Ratio Lower Upper
188 100
94 9.4 5.8 8.8#
80 10.4 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 22.17 min Scan# 3112
Delta R.T. 0.00 min
Lab File: BG027814.D
Acq: 2 Jul 2017 11:55

Tgt Ion:240 Resp: 213984
Ion Ratio Lower Upper
240 100
120 10.6 5.7 8.5#
236 25.7 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 12.80 ng
 RT: 20.39 min Scan# 2808
 Delta R.T. 0.00 min
 Lab File: BG027814.D
 Acq: 2 Jul 2017 11:55

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:244 Resp: 116846
 Ion Ratio Lower Upper
 244 100
 212 6.9 10.0 15.0#
 122 10.1 8.6 12.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.79 min Scan# 3727
 Delta R.T. 0.00 min
 Lab File: BG027814.D
 Acq: 2 Jul 2017 11:55

Tgt Ion:264 Resp: 175352
 Ion Ratio Lower Upper
 264 100
 260 23.2 21.8 32.8
 265 22.4 18.2 27.4

