

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070217\
 Data File : BG027821.D
 Acq On : 2 Jul 2017 16:33
 Operator : SJ/JU
 Sample : I3974-03
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 03 08:07:24 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 19:26:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.48	152	27006	20.00	ng	0.00
21) Naphthalene-d8	11.29	136	132361	20.00	ng	0.00
38) Acenaphthene-d10	15.06	164	83182	20.00	ng	0.00
63) Phenanthrene-d10	17.81	188	208773	20.00	ng	0.00
75) Chrysene-d12	22.17	240	211402	20.00	ng	0.00
86) Perylene-d12	25.80	264	172217	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.06	112	226157	128.96	ng	0.00
7) Phenol-d6	7.62	99	283251	105.72	ng	0.00
23) Nitrobenzene-d5	9.64	82	197092	83.00	ng	0.00
41) 2,4,6-Tribromophenol	16.55	330	187839	164.64	ng	0.00
44) 2-Fluorobiphenyl	13.69	172	530565	91.09	ng	0.00
78) Terphenyl-d14	20.39	244	960347	106.50	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070217\
Data File : BG027821.D
Acq On : 2 Jul 2017 16:33
Operator : SJ/JU
Sample : I3974-03
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jul 03 08:07:24 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 19:26:37 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.48 min Scan# 781
Delta R.T. -0.00 min
Lab File: BG027821.D
Acq: 2 Jul 2017 16:33

Instrument :
BNA_G
ClientSampled :

Tot Ion:152 Resp: 27006
Ion Ratio Lower Upper
152 100
150 168.0 114.0 171.0
115 68.8 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 128.96 ng
RT: 6.06 min Scan# 370
Delta R.T. 0.00 min
Lab File: BG027821.D
Acq: 2 Jul 2017 16:33

Tgt Ion:112 Resp: 226157
Ion Ratio Lower Upper
112 100
64 66.8 61.8 92.6
63 37.4 37.2 55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 105.72 ng

RT: 7.62 min Scan# 635

Delta R.T. 0.00 min

Lab File: BG027821.D

Acq: 2 Jul 2017 16:33

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 283251

Ion Ratio Lower Upper




99 100

42 20.2 20.5 30.7#

71 35.9 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.29 min Scan# 1260

Delta R.T. -0.00 min

Lab File: BG027821.D

Acq: 2 Jul 2017 16:33

Tgt Ion: 136 Resp: 132361


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3


54 10.9 9.3 13.9

68 5.9 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 83.00 ng
RT: 9.64 min Scan# 979
Delta R.T. -0.00 min
Lab File: BG027821.D
Acq: 2 Jul 2017 16:33

Instrument :
BNA_G
ClientSampleId :

Tot Ion: 82 Resp: 197092
Ion Ratio Lower Upper
82 100
128 45.1 26.4 39.6#
54 61.3 49.4 74.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 15.06 min Scan# 1902
Delta R.T. -0.00 min
Lab File: BG027821.D
Acq: 2 Jul 2017 16:33

Tgt Ion:164 Resp: 83182
Ion Ratio Lower Upper
164 100
162 106.8 85.1 127.7
160 47.7 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 164.64 ng
 RT: 16.55 min Scan# 2155
 Delta R.T. -0.00 min
 Lab File: BG027821.D
 Acq: 2 Jul 2017 16:33

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	77.3	115.9
141	34.8	32.1	48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 91.09 ng
 RT: 13.69 min Scan# 1668
 Delta R.T. -0.00 min
 Lab File: BG027821.D
 Acq: 2 Jul 2017 16:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	32.2	48.2
170	23.7	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.81 min Scan# 2370
Delta R.T. -0.00 min
Lab File: BG027821.D
Acq: 2 Jul 2017 16:33




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 208773
Ion Ratio Lower Upper
188 100
94 8.4 5.8 8.8
80 8.8 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 22.17 min Scan# 3112
Delta R.T. -0.00 min
Lab File: BG027821.D
Acq: 2 Jul 2017 16:33

Tgt Ion:240 Resp: 211402
Ion Ratio Lower Upper
240 100
120 9.4 5.7 8.5#
236 26.1 22.2 33.4





#78

Terphenyl-d14

Concen: 106.50 ng

RT: 20.39 min Scan# 2808

Delta R.T. -0.00 min

Lab File: BG027821.D

Acq: 2 Jul 2017 16:33

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 960347

Ion Ratio Lower Upper

244 100

212 7.3 10.0 15.0#




122 11.0 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.80 min Scan# 3729

Delta R.T. 0.01 min

Lab File: BG027821.D

Acq: 2 Jul 2017 16:33


Tgt Ion:264 Resp: 172217

Ion Ratio Lower Upper

264 100

260 22.2 21.8 32.8

265 22.4 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

