

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070316\
 Data File : BG022829.D
 Acq On : 3 Jul 2016 14:32
 Operator : UM/SJ
 Sample : H3844-11
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHZ0

Quant Time: Jul 04 03:31:45 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 04 03:30:19 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	156364	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	699866	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	557043	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1316502	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1490353	20.00	ng/ul	0.00
83) Perylene-d12	25.23	264	1542035	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.54	96	4525	1.62	ng/uL	0.00
5) Phenol-d5	7.30	99	303217	18.44	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	196002	21.13	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	204740	18.64	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	236355	18.50	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	105964	18.99	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	131036	19.46	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.59	165	247879	17.61	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	299012	25.09	ng/ul	0.00
43) Dimethylphthalate-d6	14.20	166	956484	21.14	ng/ul	0.00
46) Acenaphthylene-d8	14.50	160	1058417	20.41	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	147418	20.75	ng/ul	0.00
57) Fluorene-d10	15.79	176	901972	21.04	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.91	200	163070	19.26	ng/ul	0.00
70) Anthracene-d10	17.65	188	1345959	22.00	ng/ul	0.00
76) Pyrene-d10	19.94	212	1579244	22.18	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1590431	21.71	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.24	163	169750	3.67	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070316\
Data File : BG022829.D
Acq On : 3 Jul 2016 14:32
Operator : UM/SJ
Sample : H3844-11
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHZ0

Quant Time: Jul 04 03:31:45 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 04 03:30:19 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.67 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. 0.00 min

Lab File: BG022829.D

Acq: 3 Jul 2016 14:32

Instrument :

BNA_G

ClientSampleId :

BDHZ0


Tot Ion:163 Resp: 169750

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2

164 10.2 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

