

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070316\
 Data File : BG022839.D
 Acq On : 3 Jul 2016 21:52
 Operator : UM/SJ
 Sample : H3844-20
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDHZ9

Quant Time: Jul 04 04:19:54 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 04 04:18:08 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	114483	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	518862	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	433396	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1040608	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1188691	20.00	ng/ul	0.00
83) Perylene-d12	25.22	264	1213453	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.55	96	3520	1.72	ng/uL	0.00
5) Phenol-d5	7.30	99	229679	19.07	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	144174	21.23	ng/ul	0.00
9) 2-Chlorophenol-d4	7.68	132	145900	18.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	166314	17.78	ng/ul	0.00
19) Nitrobenzene-d5	9.32	128	77668	18.77	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	93378	18.71	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	193444	18.54	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	237181	26.84	ng/ul	0.00
43) Dimethylphthalate-d6	14.19	166	730006	20.73	ng/ul	0.00
46) Acenaphthylene-d8	14.49	160	810127	20.08	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	100678	18.21	ng/ul	0.00
57) Fluorene-d10	15.79	176	679435	20.37	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	105851	15.82	ng/ul	0.00
70) Anthracene-d10	17.65	188	1019147	21.07	ng/ul	0.00
76) Pyrene-d10	19.93	212	1210860	21.32	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1204298	20.89	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.24	163	268217	7.46	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070316\
Data File : BG022839.D
Acq On : 3 Jul 2016 21:52
Operator : UM/SJ
Sample : H3844-20
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDHZ9

Quant Time: Jul 04 04:19:54 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 04 04:18:08 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 7.46 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. 0.00 min

Lab File: BG022839.D

Acq: 3 Jul 2016 21:52

Instrument :

BNA_G

ClientSampleId :

BDHZ9


Tot Ion:163 Resp: 268217

Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.2

164 10.6 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

