

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG070319\
 Data File : BG041595.D
 Acq On : 3 Jul 2019 18:27
 Operator : HP/JU
 Sample : K3641-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FM-5210

Quant Time: Jul 04 01:16:27 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 27 13:25:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	25134	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	83146	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	61401	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	166374	20.00	ng	0.00
76) Chrysene-d12	21.69	240	187284	20.00	ng	0.00
87) Perylene-d12	24.98	264	210684	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	66189	46.95	ng	0.00
7) Phenol-d6	7.19	99	51846	26.12	ng	0.00
23) Nitrobenzene-d5	9.21	82	178938	89.76	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	124890	119.13	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	429593	89.78	ng	0.00
79) Terphenyl-d14	20.03	244	900944	102.23	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.12	163	28392	5.081	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG070319\
Data File : BG041595.D
Acq On : 3 Jul 2019 18:27
Operator : HP/JU
Sample : K3641-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FM-5210

Quant Time: Jul 04 01:16:27 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 27 13:25:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. -0.00 min
Lab File: BG041595.D
Acq: 3 Jul 2019 18:27

Instrument :
BNA_G
ClientSampleId :
FM-5210

Tot Ion:152 Resp: 25134
Ion Ratio Lower Upper
152 100
150 160.0 112.4 168.6
115 55.7 44.6 66.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 46.950 ng
RT: 5.57 min Scan# 423
Delta R.T. 0.01 min
Lab File: BG041595.D
Acq: 3 Jul 2019 18:27

Tgt Ion:112 Resp: 66189
Ion Ratio Lower Upper
112 100
64 61.4 55.1 82.7
63 37.8 32.4 48.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 26.124 ng

RT: 7.19 min Scan# 698

Delta R.T. 0.00 min

Lab File: BG041595.D

Acq: 3 Jul 2019 18:27

Instrument :

BNA_G

ClientSampleId :

FM-5210


Tot Ion: 99 Resp: 51846

Ion Ratio Lower Upper



99 100

42 23.9 19.0 28.6

71 45.5 37.4 56.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG041595.D

Acq: 3 Jul 2019 18:27

Tgt Ion: 136 Resp: 83146


Ion Ratio Lower Upper

136 100



137 12.2 9.3 13.9


54 7.7 7.1 10.7

68 3.0 3.3 4.9#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 89.757 ng
 RT: 9.21 min Scan# 1042
 Delta R.T. -0.00 min
 Lab File: BG041595.D
 Acq: 3 Jul 2019 18:27




Instrument :
 BNA_G
 ClientSampleId :
 FM-5210


Tot Ion	82	Resp	178938
Ion Ratio	Lower	Upper	
82	100		
128	38.2	30.9	46.3
54	53.0	42.2	63.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1972
 Delta R.T. -0.00 min
 Lab File: BG041595.D
 Acq: 3 Jul 2019 18:27

Tgt Ion	164	Resp	61401
Ion Ratio	Lower	Upper	
164	100		
162	98.0	84.4	126.6
160	49.5	38.8	58.2






#42
 2,4,6-Tribromophenol
 Concen: 119.126 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. -0.00 min
 Lab File: BG041595.D
 Acq: 3 Jul 2019 18:27

Instrument :
 BNA_G
 ClientSampled :
 FM-5210

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	75.5	113.3
141	36.0	27.8	41.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 89.783 ng
 RT: 13.29 min Scan# 1737
 Delta R.T. -0.00 min
 Lab File: BG041595.D
 Acq: 3 Jul 2019 18:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.6	44.4
170	25.0	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 5.081 ng
RT: 14.12 min Scan# 1878
Delta R.T. -0.01 min
Lab File: BG041595.D
Acq: 3 Jul 2019 18:27

Instrument :
BNA_G
ClientSampleId :
FM-5210

Tot Ion:163 Resp: 28392
Ion Ratio Lower Upper
163 100
194 4.3 3.7 5.5
164 10.5 7.8 11.6




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2440
Delta R.T. -0.00 min
Lab File: BG041595.D
Acq: 3 Jul 2019 18:27

Tgt Ion:188 Resp: 166374
Ion Ratio Lower Upper
188 100
94 3.4 3.8 5.8#
80 4.9 4.8 7.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3167

Delta R.T. -0.00 min

Lab File: BG041595.D

Acq: 3 Jul 2019 18:27

Instrument :

BNA_G

ClientSampleId :

FM-5210


Tot Ion:240 Resp: 187284

Ion Ratio Lower Upper

240 100

120 4.2 3.7 5.5




236 26.0 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 102.229 ng

RT: 20.03 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG041595.D

Acq: 3 Jul 2019 18:27


Tgt Ion:244 Resp: 900944

Ion Ratio Lower Upper

244 100

212 8.3 6.2 9.4



122 5.3 4.8 7.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.98 min Scan# 3726
 Delta R.T. -0.00 min
 Lab File: BG041595.D
 Acq: 3 Jul 2019 18:27

Instrument :
 BNA_G
 ClientSampleId :
 FM-5210

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.7	29.5
265	21.1	17.4	26.2

