

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070516\
 Data File : BG022865.D
 Acq On : 6 Jul 2016 00:47
 Operator : UM/SJ
 Sample : H3894-05
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SVOC-GPC-BLANK

Quant Time: Jul 06 05:02:09 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 06 03:22:12 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	113468	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	543807	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.80	164	442197	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1005071	20.00	ng/ul	0.00
75) Chrysene-d12	21.85	240	1041806	20.00	ng/ul	0.00
83) Perylene-d12	25.23	264	1070361	20.00	ng/ul	0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL
5) Phenol-d5	0.00	99	0d	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0d	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0d	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0d	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0d	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0d	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
43) Dimethylphthalate-d6	0.00	166	0d	0.00	ng/ul
46) Acenaphthylene-d8	0.00	160	0d	0.00	ng/ul
51) 4-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul
57) Fluorene-d10	0.00	176	0d	0.00	ng/ul
62) 4,6-Dinitro-2-methylphenol	0.00	200	0d	0.00	ng/ul
70) Anthracene-d10	0.00	188	0d	0.00	ng/ul
76) Pyrene-d10	0.00	212	0d	0.00	ng/ul
87) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070516\
Data File : BG022865.D
Acq On : 6 Jul 2016 00:47
Operator : UM/SJ
Sample : H3894-05
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-GPC-BLANK

Quant Time: Jul 06 05:02:09 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 06 03:22:12 2016
Response via : Initial Calibration

