

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070516\
 Data File : BG022863.D
 Acq On : 5 Jul 2016 23:26
 Operator : UM/SJ
 Sample : H3811-17
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 A4TW5

Manual Integrations

sohil
 7/6/2016 7:17:32 PM

Quant Time: Jul 06 04:55:48 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 06 03:22:12 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	143029	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	652119	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.79	164	512333	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	1135938	20.00	ng/ul	0.00
75) Chrysene-d12	21.86	240	1196913	20.00	ng/ul	0.01
83) Perylene-d12	25.23	264	1230341	20.00	ng/ul	0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.54	96	5746m	2.24	ng/uL	0.00
5) Phenol-d5	7.31	99	281354	18.70	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	166526	19.63	ng/ul	0.00
9) 2-Chlorophenol-d4	7.68	132	179891	17.90	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	221294	18.94	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	93084	17.90	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	124837	19.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	257030	19.60	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	230477m	20.75	ng/ul	0.00
43) Dimethylphthalate-d6	14.19	166	888055	21.34	ng/ul	0.00
46) Acenaphthylene-d8	14.49	160	1012849	21.23	ng/ul	0.00
51) 4-Nitrophenol-d4	14.99	143	132852	20.33	ng/ul	0.00
57) Fluorene-d10	15.79	176	839209	21.28	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.90	200	159696	21.86	ng/ul	0.00
70) Anthracene-d10	17.65	188	1147955	21.74	ng/ul	0.00
76) Pyrene-d10	19.93	212	1318174	23.05	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.99	264	1252649	21.43	ng/ul	0.01

Target Compounds

					Ovalue
44) Dimethylphthalate	14.24	163	246304	5.80 ng/ul#	98
74) Fluoranthene	19.60	202	121796	2.01 ng/ul#	89
77) Pyrene	19.96	202	145880	2.18 ng/ul#	85
81) Bis(2-ethylhexyl)phthalate	21.72	149	70491	2.10 ng/ul#	95
82) Chrysene	21.90	228	97594m	1.53 ng/ul	
85) Benzo(b)fluoranthene	24.16	252	90094m	1.17 ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA G\DATA\BG070516\
Data File : BG022863.D
Acq On : 5 Jul 2016 23:26
Operator : UM/SJ
Sample : H3811-17
Misc :
ALS Vial : 19 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
A4TW5

Manual Integrations

sohil
7/6/2016 7:17:32 PM

Quant Time: Jul 06 04:55:48 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG063016.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 06 03:22:12 2016
Response via : Initial Calibration









#44
Dimethylphthalate
Concen: 5.80 ng/ul
RT: 14.24 min Scan# 1940
Delta R.T. -0.01 min
Lab File: BG022863.D
Acq: 5 Jul 2016 23:26

Instrument :
BNA_G
ClientSampleId :
A4TW5

Tot Ion	Ion	Ratio	Lower	Upper
163	100			
194	3.3	3.4	5.2	
164	10.4	8.8	13.2	




Manual Integrations


sohil
7/6/2016 7:17:32 PM



#74
Fluoranthene
Concen: 2.01 ng/ul
RT: 19.60 min Scan# 2853
Delta R.T. 0.01 min
Lab File: BG022863.D
Acq: 5 Jul 2016 23:26

Tgt Ion	Ion	Ratio	Lower	Upper
202	100			
101	10.3	10.6	16.0	
100	5.4	8.7	13.1	





#77

Pvrene

Concen: 2.18 ng/ul

RT: 19.96 min Scan# 2914

Delta R.T. -0.00 min

Lab File: BG022863.D

Acq: 5 Jul 2016 23:26

Instrument :

BNA_G

ClientSampleId :





A4TW5

Tot Ion:	202	Resp:	145880
Ion Ratio	Lower	Upper	
202	100		
101	9.3	12.5	18.7#
100	7.1	10.2	15.4#

Manual Integrations

sohil

7/6/2016 7:17:32 PM



#81

Bis(2-ethylhexyl)phthalate

Concen: 2.10 ng/ul




RT: 21.72 min Scan# 3213


Delta R.T. 0.01 min

Lab File: BG022863.D

Acq: 5 Jul 2016 23:26

Tgt Ion:	149	Resp:	70491
Ion Ratio	Lower	Upper	
149	100		
167	25.1	21.9	32.9
279	6.1	2.9	4.3#









#82
Chrysene
Concen: 1.53 ng/ul m
RT: 21.90 min Scan# 3245
Delta R.T. 0.01 min
Lab File: BG022863.D
Acq: 5 Jul 2016 23:26

Instrument :
BNA_G
ClientSampleId :
A4TW5

Tot Ion	Ratio	Lower	Upper
228	100		
226	26.9	24.2	36.4
229	24.1	15.0	22.6

Manual Integrations

sohil
7/6/2016 7:17:32 PM



#85
Benzo(b)fluoranthene
Concen: 1.17 ng/ul m
RT: 24.16 min Scan# 3629
Delta R.T. 0.02 min
Lab File: BG022863.D
Acq: 5 Jul 2016 23:26

Tgt Ion	Ratio	Lower	Upper
252	100		
253	13.6	18.2	27.2
125	7.9	10.8	16.2

