

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070517\
 Data File : BG027856.D
 Acq On : 5 Jul 2017 20:29
 Operator : SJ/JU
 Sample : I4049-06
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 06 01:00:39 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 19:26:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.45	152	27978	20.00	ng	-0.03
21) Naphthalene-d8	11.27	136	122931	20.00	ng	-0.02
38) Acenaphthene-d10	15.04	164	76707	20.00	ng	-0.02
63) Phenanthrene-d10	17.79	188	215612	20.00	ng	-0.03
75) Chrysene-d12	22.14	240	214775	20.00	ng	-0.03
86) Perylene-d12	25.72	264	64773	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	6.03	112	200307	110.25	ng	-0.02
7) Phenol-d6	7.60	99	257346	92.72	ng	-0.02
23) Nitrobenzene-d5	9.62	82	177046	80.28	ng	-0.02
41) 2,4,6-Tribromophenol	16.53	330	212624	202.09	ng	-0.02
44) 2-Fluorobiphenyl	13.67	172	490533	91.33	ng	-0.02
78) Terphenyl-d14	20.36	244	1108172	120.96	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG070517\
Data File : BG027856.D
Acq On : 5 Jul 2017 20:29
Operator : SJ/JU
Sample : I4049-06
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jul 06 01:00:39 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 19:26:37 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.45 min Scan# 827
Delta R.T. -0.03 min
Lab File: BG027856.D
Acq: 5 Jul 2017 20:29

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 27978
Ion Ratio Lower Upper
152 100
150 142.2 114.0 171.0
115 57.9 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 110.25 ng
RT: 6.03 min Scan# 416
Delta R.T. -0.02 min
Lab File: BG027856.D
Acq: 5 Jul 2017 20:29

Tgt Ion:112 Resp: 200307
Ion Ratio Lower Upper
112 100
64 68.9 61.8 92.6
63 38.2 37.2 55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 92.72 ng

RT: 7.60 min Scan# 682

Delta R.T. -0.02 min

Lab File: BG027856.D

Acq: 5 Jul 2017 20:29

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 257346

Ion Ratio Lower Upper




99 100

42 20.9 20.5 30.7

71 36.1 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.27 min Scan# 1307

Delta R.T. -0.02 min

Lab File: BG027856.D

Acq: 5 Jul 2017 20:29

Tgt Ion: 136 Resp: 122931


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 11.2 9.3 13.9

68 4.8 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 80.28 ng
 RT: 9.62 min Scan# 1026
 Delta R.T. -0.02 min
 Lab File: BG027856.D
 Acq: 5 Jul 2017 20:29




Instrument :
 BNA_G
 ClientSampled :


Tot Ion: 82 Resp: 177046
 Ion Ratio Lower Upper
 82 100
 128 44.3 26.4 39.6#
 54 61.3 49.4 74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.04 min Scan# 1949
 Delta R.T. -0.02 min
 Lab File: BG027856.D
 Acq: 5 Jul 2017 20:29

Tgt Ion: 164 Resp: 76707
 Ion Ratio Lower Upper
 164 100
 162 106.8 85.1 127.7
 160 51.2 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 202.09 ng
 RT: 16.53 min Scan# 2202
 Delta R.T. -0.02 min
 Lab File: BG027856.D
 Acq: 5 Jul 2017 20:29

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.3	115.9
141	32.9	32.1	48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 91.33 ng
 RT: 13.67 min Scan# 1715
 Delta R.T. -0.02 min
 Lab File: BG027856.D
 Acq: 5 Jul 2017 20:29

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	32.2	48.2
170	24.0	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.79 min Scan# 2416
Delta R.T. -0.03 min
Lab File: BG027856.D
Acq: 5 Jul 2017 20:29

Instrument :
BNA_G
ClientSampleId :

Tot Ion:188 Resp: 215612
Ion Ratio Lower Upper
188 100
94 7.9 5.8 8.8
80 8.1 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 22.14 min Scan# 3157
Delta R.T. -0.03 min
Lab File: BG027856.D
Acq: 5 Jul 2017 20:29

Tgt Ion:240 Resp: 214775
Ion Ratio Lower Upper
240 100
120 9.8 5.7 8.5#
236 26.4 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 120.96 ng

RT: 20.36 min Scan# 2855

Delta R.T. -0.02 min

Lab File: BG027856.D

Acq: 5 Jul 2017 20:29

Instrument :

BNA_G

ClientSampled :


Tot Ion:244 Resp: 1108172

Ion Ratio Lower Upper

244 100

212 7.7 10.0 15.0#




122 10.2 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.72 min Scan# 3767

Delta R.T. -0.06 min

Lab File: BG027856.D

Acq: 5 Jul 2017 20:29


Tgt Ion:264 Resp: 64773

Ion Ratio Lower Upper

264 100

260 32.4 21.8 32.8

265 20.6 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

