

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070517\
 Data File : BG027849.D
 Acq On : 5 Jul 2017 15:53
 Operator : SJ/JU
 Sample : PB100411BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB100411BL

Quant Time: Jul 05 18:08:36 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 19:26:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.45	152	28109	20.00	ng	-0.03
21) Naphthalene-d8	11.27	136	130168	20.00	ng	-0.02
38) Acenaphthene-d10	15.04	164	82681	20.00	ng	-0.02
63) Phenanthrene-d10	17.79	188	217627	20.00	ng	-0.03
75) Chrysene-d12	22.14	240	231101	20.00	ng	-0.03
86) Perylene-d12	25.72	264	231795	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	6.03	112	246946	135.29	ng	-0.03
7) Phenol-d6	7.59	99	332446	119.22	ng	-0.02
23) Nitrobenzene-d5	9.61	82	195579	83.75	ng	-0.03
41) 2,4,6-Tribromophenol	16.53	330	195121	172.06	ng	-0.02
44) 2-Fluorobiphenyl	13.66	172	548660	94.77	ng	-0.03
78) Terphenyl-d14	20.37	244	1023225	103.80	ng	-0.02


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070517\
Data File : BG027849.D
Acq On : 5 Jul 2017 15:53
Operator : SJ/JU
Sample : PB100411BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB100411BL

Quant Time: Jul 05 18:08:36 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 19:26:37 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.45 min Scan# 827
Delta R.T. -0.03 min
Lab File: BG027849.D
Acq: 5 Jul 2017 15:53

Instrument :
BNA_G
ClientSampleId :
PB100411BL

Tgt Ion:152 Resp: 28109
Ion Ratio Lower Upper
152 100
150 153.5 114.0 171.0
115 59.0 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 135.286 ng
RT: 6.03 min Scan# 415
Delta R.T. -0.03 min
Lab File: BG027849.D
Acq: 5 Jul 2017 15:53

Tgt Ion:112 Resp: 246946
Ion Ratio Lower Upper
112 100
64 67.0 61.8 92.6
63 38.1 37.2 55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 119.216 ng

RT: 7.59 min Scan# 681

Delta R.T. -0.02 min

Lab File: BG027849.D

Acq: 5 Jul 2017 15:53

Instrument :

BNA_G

ClientSampleId :

PB100411BL


Tgt Ion: 99 Resp: 332446

Ion Ratio Lower Upper

99 100

42 19.3 20.5 30.7#




71 35.5 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.27 min Scan# 1307

Delta R.T. -0.02 min

Lab File: BG027849.D

Acq: 5 Jul 2017 15:53

Tgt Ion: 136 Resp: 130168


Ion Ratio Lower Upper

136 100

137 9.4 8.9 13.3

54 11.0 9.3 13.9

68 5.0 5.1 7.7#






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 83.751 ng
RT: 9.61 min Scan# 1025
Delta R.T. -0.03 min
Lab File: BG027849.D
Acq: 5 Jul 2017 15:53

Instrument :
BNA_G
ClientSampleId :
PB100411BL

Tgt Ion: 82 Resp: 195579
Ion Ratio Lower Upper
82 100
128 42.5 26.4 39.6#
54 60.8 49.4 74.2




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.04 min Scan# 1949
Delta R.T. -0.02 min
Lab File: BG027849.D
Acq: 5 Jul 2017 15:53

Tgt Ion: 164 Resp: 82681
Ion Ratio Lower Upper
164 100
162 107.1 85.1 127.7
160 48.9 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 172.055 ng
 RT: 16.53 min Scan# 2202
 Delta R.T. -0.02 min
 Lab File: BG027849.D
 Acq: 5 Jul 2017 15:53




Instrument :
 BNA_G
 ClientSampleId :
 PB100411BL

Tgt Ion:330 Resp: 195121
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.3 115.9
 141 33.1 32.1 48.1



#44
 2-Fluorobiphenyl
 Concen: 94.771 ng
 RT: 13.66 min Scan# 1714
 Delta R.T. -0.03 min
 Lab File: BG027849.D
 Acq: 5 Jul 2017 15:53

Tgt Ion:172 Resp: 548660
 Ion Ratio Lower Upper
 172 100
 171 37.0 32.2 48.2
 170 24.5 21.8 32.6









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.79 min Scan# 2416
Delta R.T. -0.03 min
Lab File: BG027849.D
Acq: 5 Jul 2017 15:53

Instrument :
BNA_G
ClientSampleId :
PB100411BL

Tgt Ion:188 Resp: 217627
Ion Ratio Lower Upper
188 100
94 8.1 5.8 8.8
80 9.0 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO





#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.14 min Scan# 3157
Delta R.T. -0.03 min
Lab File: BG027849.D
Acq: 5 Jul 2017 15:53

Tgt Ion:240 Resp: 231101
Ion Ratio Lower Upper
240 100
120 10.0 5.7 8.5#
236 24.2 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 103.799 ng

RT: 20.37 min Scan# 2855

Delta R.T. -0.02 min

Lab File: BG027849.D

Acq: 5 Jul 2017 15:53

Instrument :

BNA_G

ClientSampleId :

PB100411BL


Tgt Ion:244 Resp: 1023225

Ion Ratio Lower Upper

244 100

212 7.3 10.0 15.0#




122 10.4 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.72 min Scan# 3766

Delta R.T. -0.07 min

Lab File: BG027849.D

Acq: 5 Jul 2017 15:53


Tgt Ion:264 Resp: 231795

Ion Ratio Lower Upper

264 100

260 23.2 21.8 32.8

265 21.4 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

