

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070717\
 Data File : BG027885.D
 Acq On : 8 Jul 2017 1:56
 Operator : SJ/JU
 Sample : I4075-05
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP8-MH2104-COMP

Quant Time: Jul 08 05:19:48 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 07 17:43:21 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	35898	20.00	ng	0.00
21) Naphthalene-d8	11.25	136	157399	20.00	ng	0.00
38) Acenaphthene-d10	15.03	164	88024	20.00	ng	0.00
63) Phenanthrene-d10	17.78	188	233342	20.00	ng	0.00
75) Chrysene-d12	22.12	240	285438	20.00	ng	0.00
86) Perylene-d12	25.69	264	271722	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.01	112	284628	122.10	ng	0.00
7) Phenol-d6	7.58	99	367507	103.19	ng	0.00
23) Nitrobenzene-d5	9.59	82	212362	75.21	ng	0.00
41) 2,4,6-Tribromophenol	16.51	330	220793	182.87	ng	0.00
44) 2-Fluorobiphenyl	13.65	172	561659	91.13	ng	0.00
78) Terphenyl-d14	20.36	244	1279445	105.08	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG070717\
Data File : BG027885.D
Acq On : 8 Jul 2017 1:56
Operator : SJ/JU
Sample : I4075-05
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP8-MH2104-COMP

Quant Time: Jul 08 05:19:48 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 07 17:43:21 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.43 min Scan# 824
Delta R.T. 0.00 min
Lab File: BG027885.D
Acq: 8 Jul 2017 1:56

Instrument :
BNA_G
ClientSampleId :
TP8-MH2104-COMP

Tgt Ion:152 Resp: 35898
Ion Ratio Lower Upper
152 100
150 158.3 114.0 171.0
115 58.7 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 122.096 ng
RT: 6.01 min Scan# 412
Delta R.T. 0.00 min
Lab File: BG027885.D
Acq: 8 Jul 2017 1:56

Tgt Ion:112 Resp: 284628
Ion Ratio Lower Upper
112 100
64 53.2 61.8 92.6#
63 24.4 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 103.194 ng

RT: 7.58 min Scan# 679

Delta R.T. 0.00 min

Lab File: BG027885.D

Acq: 8 Jul 2017 1:56

Instrument :

BNA_G

ClientSampleId :

TP8-MH2104-COMP


Tgt Ion: 99 Resp: 367507

Ion Ratio Lower Upper




99 100

42 10.4 20.5 30.7#

71 25.0 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.25 min Scan# 1304

Delta R.T. 0.00 min

Lab File: BG027885.D

Acq: 8 Jul 2017 1:56

Tgt Ion: 136 Resp: 157399


Ion Ratio Lower Upper

136 100



137 11.0 8.9 13.3


54 7.4 9.3 13.9#

68 7.3 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 75.205 ng
 RT: 9.59 min Scan# 1022
 Delta R.T. -0.00 min
 Lab File: BG027885.D
 Acq: 8 Jul 2017 1:56

Instrument :
 BNA_G
 ClientSampleId :
 TP8-MH2104-COMP

Tgt Ion: 82 Resp: 212362
 Ion Ratio Lower Upper
 82 100
 128 46.8 26.4 39.6#
 54 38.8 49.4 74.2#




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.03 min Scan# 1947
 Delta R.T. 0.00 min
 Lab File: BG027885.D
 Acq: 8 Jul 2017 1:56

Tgt Ion: 164 Resp: 88024
 Ion Ratio Lower Upper
 164 100
 162 108.9 85.1 127.7
 160 47.1 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 182.875 ng
 RT: 16.51 min Scan# 2200
 Delta R.T. -0.00 min
 Lab File: BG027885.D
 Acq: 8 Jul 2017 1:56




Instrument :
 BNA_G
 ClientSampleId :
 TP8-MH2104-COMP


Tgt Ion:330 Resp: 220793
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.3 115.9
 141 28.0 32.1 48.1#



#44
 2-Fluorobiphenyl
 Concen: 91.128 ng
 RT: 13.65 min Scan# 1712
 Delta R.T. -0.00 min
 Lab File: BG027885.D
 Acq: 8 Jul 2017 1:56

Tgt Ion:172 Resp: 561659
 Ion Ratio Lower Upper
 172 100
 171 35.9 32.2 48.2
 170 23.6 21.8 32.6









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.78 min Scan# 2415
Delta R.T. 0.00 min
Lab File: BG027885.D
Acq: 8 Jul 2017 1:56

Instrument :
BNA_G
ClientSampleId :
TP8-MH2104-COMP

Tgt Ion:188 Resp: 233342
Ion Ratio Lower Upper
188 100
94 11.3 5.8 8.8#
80 13.3 7.5 11.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.12 min Scan# 3154
Delta R.T. -0.01 min
Lab File: BG027885.D
Acq: 8 Jul 2017 1:56

Tgt Ion:240 Resp: 285438
Ion Ratio Lower Upper
240 100
120 15.3 5.7 8.5#
236 25.8 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 105.084 ng

RT: 20.36 min Scan# 2854

Delta R.T. 0.00 min

Lab File: BG027885.D

Acq: 8 Jul 2017 1:56

Instrument :

BNA_G

ClientSampleId :

TP8-MH2104-COMP


Tgt Ion:244 Resp: 1279445

Ion Ratio Lower Upper

244 100

212 6.5 10.0 15.0#




122 13.6 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.69 min Scan# 3762

Delta R.T. -0.01 min

Lab File: BG027885.D

Acq: 8 Jul 2017 1:56


Tgt Ion:264 Resp: 271722

Ion Ratio Lower Upper

264 100

260 25.5 21.8 32.8

265 20.8 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

