

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070822\
 Data File : BG054246.D
 Acq On : 8 Jul 2022 14:34
 Operator : CG/JU
 Sample : N3622-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 20220496A-SIM-C2A-COMPOSITE

Quant Time: Jul 08 15:10:26 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 08 13:46:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.059	152	15696	20.000	ng	0.00
21) Naphthalene-d8	10.873	136	63150	20.000	ng	0.00
39) Acenaphthene-d10	14.692	164	54421	20.000	ng	0.00
64) Phenanthrene-d10	17.436	188	162716	20.000	ng	# 0.00
76) Chrysene-d12	21.707	240	194305	20.000	ng	0.00
86) Perylene-d12	24.962	264	205666	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.632	112	103577	126.166	ng	0.00
7) Phenol-d6	7.230	99	140519	126.174	ng	0.00
23) Nitrobenzene-d5	9.222	82	90171	80.242	ng	0.00
42) 2,4,6-Tribromophenol	16.179	330	140233	160.382	ng	0.00
45) 2-Fluorobiphenyl	13.311	172	264731	70.736	ng	0.00
79) Terphenyl-d14	20.039	244	677294	70.205	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070822\
Data File : BG054246.D
Acq On : 8 Jul 2022 14:34
Operator : CG/JU
Sample : N3622-07
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
20220496A-SIM-C2A-COMPOSITE

Quant Time: Jul 08 15:10:26 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 08 13:46:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.059 min Scan# 79
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34




Instrument :
BNA_G
ClientSampleId :
20220496A-SIM-C2A-COMPOSITE

Tgt Ion:152 Resp: 15696
Ion Ratio Lower Upper
152 100
150 139.4 131.6 197.4
115 55.7 50.9 76.3



#5
2-Fluorophenol
Concen: 126.166 ng
RT: 5.632 min Scan# 382
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34

Tgt Ion:112 Resp: 103577
Ion Ratio Lower Upper
112 100
64 63.1 55.1 82.7
63 35.3 30.4 45.6









#7
Phenol-d6
Concen: 126.174 ng
RT: 7.230 min Scan# 61
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34




Instrument :
BNA_G
ClientSampleId :
20220496A-SIM-C2A-COMPOSITE

Tgt Ion: 99 Resp: 140519
Ion Ratio Lower Upper
99 100
42 19.8 17.0 25.6
71 38.4 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.873 min Scan# 1274
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34

Tgt Ion: 136 Resp: 63150
Ion Ratio Lower Upper
136 100
137 10.8 8.5 12.7
54 7.5 7.4 11.2
68 5.1 4.9 7.3









#23
Nitrobenzene-d5
Concen: 80.242 ng
RT: 9.222 min Scan# 901
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34




Instrument :
BNA_G
ClientSampleId :
20220496A-SIM-C2A-COMPOSITE


Tgt Ion: 82 Resp: 90171
Ion Ratio Lower Upper
82 100
128 41.1 27.9 41.9
54 56.1 41.2 61.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.692 min Scan# 1924
Delta R.T. 0.005 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34

Tgt Ion: 164 Resp: 54421
Ion Ratio Lower Upper
164 100
162 105.3 82.3 123.5
160 40.6 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 160.382 ng
RT: 16.179 min Scan# 2179
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34




Instrument :
BNA_G
ClientSampleId :
20220496A-SIM-C2A-COMPOSITE


Tgt Ion:330 Resp: 140233
Ion Ratio Lower Upper
330 100
332 95.5 76.0 114.0
141 22.9 27.1 40.7#



#45
2-Fluorobiphenyl
Concen: 70.736 ng
RT: 13.311 min Scan# 1689
Delta R.T. -0.000 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34

Tgt Ion:172 Resp: 264731
Ion Ratio Lower Upper
172 100
171 36.5 28.5 42.7
170 25.3 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.436 min Scan# 21
Delta R.T. 0.005 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34




Instrument :
BNA_G
ClientSampleId :
20220496A-SIM-C2A-COMPOSITE


Tgt Ion:188 Resp: 162716
Ion Ratio Lower Upper
188 100
94 5.5 5.4 8.0
80 5.9 6.8 10.2#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.707 min Scan# 3118
Delta R.T. -0.001 min
Lab File: BG054246.D
Acq: 8 Jul 2022 14:34

Tgt Ion:240 Resp: 194305
Ion Ratio Lower Upper
240 100
120 4.7 4.6 7.0
236 23.9 20.2 30.4









#79
 Terphenyl-d14
 Concen: 70.205 ng
 RT: 20.039 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BG054246.D
 Acq: 8 Jul 2022 14:34

Instrument :
 BNA_G
 ClientSampleId :
 20220496A-SIM-C2A-COMPOSITE

Tgt Ion:244 Resp: 677294
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.5 9.7
 122 5.1 5.0 7.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.962 min Scan# 3672
 Delta R.T. 0.005 min
 Lab File: BG054246.D
 Acq: 8 Jul 2022 14:34

Tgt Ion:264 Resp: 205666
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.0 28.6
 265 22.2 17.4 26.2

