

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071016\
 Data File : BG022972.D
 Acq On : 9 Jul 2016 19:28
 Operator : UM/SJ
 Sample : H3840-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PZ-4

Quant Time: Jul 11 02:29:03 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG070816.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 07 16:51:07 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	87494	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	409608	20.00	ng	0.00
38) Acenaphthene-d10	14.79	164	338589	20.00	ng	0.00
63) Phenanthrene-d10	17.55	188	817991	20.00	ng	0.00
75) Chrysene-d12	21.84	240	891000	20.00	ng	0.00
86) Perylene-d12	25.21	264	901744	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	463435	86.63	ng	0.00
7) Phenol-d6	7.30	99	494914	59.07	ng	0.00
23) Nitrobenzene-d5	9.32	82	1079602	112.86	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	893734	146.87	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2249557	104.65	ng	0.00
78) Terphenyl-d14	20.15	244	3072956	144.26	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.24	163	352772	12.75	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071016\
Data File : BG022972.D
Acq On : 9 Jul 2016 19:28
Operator : UM/SJ
Sample : H3840-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PZ-4

Quant Time: Jul 11 02:29:03 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG070816.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 07 16:51:07 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.15 min Scan# 905

Delta R.T. 0.00 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28

Instrument :

BNA_G

ClientSampleId :

PZ-4


Tgt Ion:152 Resp: 87494

Ion Ratio Lower Upper

152 100

150 142.4 144.7 217.1#




115 61.8 64.0 96.0#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 86.63 ng

RT: 5.70 min Scan# 487

Delta R.T. 0.00 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28


Tgt Ion:112 Resp: 463435

Ion Ratio Lower Upper

112 100

64 69.6 59.0 88.4



63 38.4 37.8 56.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 59.07 ng

RT: 7.30 min Scan# 760

Delta R.T. -0.00 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28

Instrument :

BNA_G

ClientSampleId :

PZ-4


Tgt Ion: 99 Resp: 494914

Ion Ratio Lower Upper




99 100

42 18.0 17.8 26.6

71 43.4 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.98 min Scan# 1386

Delta R.T. 0.00 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28

Tgt Ion: 136 Resp: 409608


Ion Ratio Lower Upper

136 100



137 12.0 9.6 14.4


54 7.7 7.3 10.9

68 6.5 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
 Nitrobenzene-d5
 Concen: 112.86 ng
 RT: 9.32 min Scan# 1104
 Delta R.T. -0.00 min
 Lab File: BG022972.D
 Acq: 9 Jul 2016 19:28




Instrument :
 BNA_G
 ClientSampleId :
 PZ-4


Tgt Ion: 82 Resp: 1079602
 Ion Ratio Lower Upper
 82 100
 128 33.3 24.4 36.6
 54 51.2 41.4 62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.79 min Scan# 2035
 Delta R.T. -0.00 min
 Lab File: BG022972.D
 Acq: 9 Jul 2016 19:28

Tgt Ion: 164 Resp: 338589
 Ion Ratio Lower Upper
 164 100
 162 103.4 87.7 131.5
 160 43.2 37.2 55.8









#41
 2,4,6-Tribromophenol
 Concen: 146.87 ng
 RT: 16.29 min Scan# 2289
 Delta R.T. -0.01 min
 Lab File: BG022972.D
 Acq: 9 Jul 2016 19:28

Instrument :
 BNA_G
 ClientSampleId :
 PZ-4

Tgt Ion:330 Resp: 893734
 Ion Ratio Lower Upper
 330 100
 332 96.2 77.4 116.2
 141 37.2 31.7 47.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 104.65 ng
 RT: 13.42 min Scan# 1801
 Delta R.T. 0.00 min
 Lab File: BG022972.D
 Acq: 9 Jul 2016 19:28

Tgt Ion:172 Resp: 2249557
 Ion Ratio Lower Upper
 172 100
 171 43.5 31.6 47.4
 170 28.0 21.3 31.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 12.75 ng

RT: 14.24 min Scan# 1940

Delta R.T. -0.01 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28

Instrument :

BNA_G

ClientSampleId :

PZ-4


Tgt Ion:163 Resp: 352772

Ion Ratio Lower Upper

163 100

194 4.3 3.6 5.4




164 11.5 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.55 min Scan# 2504

Delta R.T. -0.01 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28


Tgt Ion:188 Resp: 817991

Ion Ratio Lower Upper

188 100

94 6.3 5.2 7.8



80 9.5 7.2 10.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.84 min Scan# 3235

Delta R.T. -0.00 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28

Instrument :

BNA_G

ClientSampleId :

PZ-4


Tgt Ion:240 Resp: 891000

Ion Ratio Lower Upper

240 100

120 5.4 4.1 6.1




236 27.4 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 144.26 ng

RT: 20.15 min Scan# 2947

Delta R.T. -0.00 min

Lab File: BG022972.D

Acq: 9 Jul 2016 19:28


Tgt Ion:244 Resp: 3072956

Ion Ratio Lower Upper

244 100

212 14.3 10.8 16.2



122 11.9 8.0 12.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.21 min Scan# 3807
Delta R.T. 0.02 min
Lab File: BG022972.D
Acq: 9 Jul 2016 19:28

Instrument :
BNA_G
ClientSampleId :
PZ-4

Tgt Ion: 264 Resp: 901744
Ion Ratio Lower Upper
264 100
260 23.6 18.4 27.6
265 21.3 18.9 28.3

