

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071017\
 Data File : BG027917.D
 Acq On : 11 Jul 2017 17:49
 Operator : SJ/JU
 Sample : PB100554TB
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB100554TB

Quant Time: Jul 11 18:23:04 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 11 15:32:18 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	41473	20.00	ng	-0.02
21) Naphthalene-d8	11.23	136	178472	20.00	ng	-0.02
38) Acenaphthene-d10	15.01	164	96992	20.00	ng	-0.02
63) Phenanthrene-d10	17.76	188	233573	20.00	ng	-0.02
75) Chrysene-d12	22.11	240	288876	20.00	ng	-0.02
86) Perylene-d12	25.66	264	273857	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	6.00	112	382211	141.92	ng	-0.01
7) Phenol-d6	7.56	99	490855	119.30	ng	-0.01
23) Nitrobenzene-d5	9.58	82	247960	77.44	ng	-0.02
41) 2,4,6-Tribromophenol	16.50	330	222349	167.14	ng	-0.02
44) 2-Fluorobiphenyl	13.63	172	688969	101.45	ng	-0.02
78) Terphenyl-d14	20.34	244	1221906	99.16	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071017\
Data File : BG027917.D
Acq On : 11 Jul 2017 17:49
Operator : SJ/JU
Sample : PB100554TB
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB100554TB

Quant Time: Jul 11 18:23:04 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG062817.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 11 15:32:18 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.41 min Scan# 821
Delta R.T. -0.02 min
Lab File: BG027917.D
Acq: 11 Jul 2017 17:49

Instrument :
BNA_G
ClientSampleId :
PB100554TB

Tgt Ion:152 Resp: 41473
Ion Ratio Lower Upper
152 100
150 154.8 114.0 171.0
115 56.8 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 141.916 ng
RT: 6.00 min Scan# 410
Delta R.T. -0.01 min
Lab File: BG027917.D
Acq: 11 Jul 2017 17:49

Tgt Ion:112 Resp: 382211
Ion Ratio Lower Upper
112 100
64 52.1 61.8 92.6#
63 23.7 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 119.302 ng

RT: 7.56 min Scan# 677

Delta R.T. -0.01 min

Lab File: BG027917.D

Acq: 11 Jul 2017 17:49

Instrument :

BNA_G

ClientSampleId :

PB100554TB


Tgt Ion: 99 Resp: 490855

Ion Ratio Lower Upper




99 100

42 10.4 20.5 30.7#

71 24.9 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.23 min Scan# 1301

Delta R.T. -0.02 min

Lab File: BG027917.D

Acq: 11 Jul 2017 17:49

Tgt Ion: 136 Resp: 178472


Ion Ratio Lower Upper

136 100



137 11.8 8.9 13.3


54 6.6 9.3 13.9#

68 6.5 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 77.443 ng
 RT: 9.58 min Scan# 1020
 Delta R.T. -0.02 min
 Lab File: BG027917.D
 Acq: 11 Jul 2017 17:49

Instrument :
 BNA_G
 ClientSampleId :
 PB100554TB

Tgt Ion: 82 Resp: 247960
 Ion Ratio Lower Upper
 82 100
 128 49.0 26.4 39.6#
 54 36.7 49.4 74.2#




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.01 min Scan# 1944
 Delta R.T. -0.02 min
 Lab File: BG027917.D
 Acq: 11 Jul 2017 17:49

Tgt Ion: 164 Resp: 96992
 Ion Ratio Lower Upper
 164 100
 162 104.6 85.1 127.7
 160 47.0 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 167.136 ng
 RT: 16.50 min Scan# 2198
 Delta R.T. -0.02 min
 Lab File: BG027917.D
 Acq: 11 Jul 2017 17:49

Instrument :
 BNA_G
 ClientSampleId :
 PB100554TB

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.4	77.3	115.9
141	26.6	32.1	48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 101.448 ng
 RT: 13.63 min Scan# 1710
 Delta R.T. -0.02 min
 Lab File: BG027917.D
 Acq: 11 Jul 2017 17:49

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	32.2	48.2
170	23.3	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E







#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.76 min Scan# 2412
Delta R.T. -0.02 min
Lab File: BG027917.D
Acq: 11 Jul 2017 17:49

Instrument :
BNA_G
ClientSampleId :
PB100554TB



Tgt Ion:188 Resp: 233573
Ion Ratio Lower Upper
188 100
94 12.2 5.8 8.8#
80 13.2 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC




Time-->




#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.11 min Scan# 3152
Delta R.T. -0.02 min
Lab File: BG027917.D
Acq: 11 Jul 2017 17:49


Tgt Ion:240 Resp: 288876
Ion Ratio Lower Upper
240 100
120 13.3 5.7 8.5#
236 24.2 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E



Time-->





#78

Terphenyl-d14

Concen: 99.164 ng

RT: 20.34 min Scan# 2852

Delta R.T. -0.01 min

Lab File: BG027917.D

Acq: 11 Jul 2017 17:49

Instrument :

BNA_G

ClientSampleId :

PB100554TB


Tgt Ion:244 Resp: 1221906

Ion Ratio Lower Upper

244 100

212 6.6 10.0 15.0#




122 12.8 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.66 min Scan# 3757

Delta R.T. -0.04 min

Lab File: BG027917.D

Acq: 11 Jul 2017 17:49


Tgt Ion:264 Resp: 273857

Ion Ratio Lower Upper

264 100

260 22.9 21.8 32.8

265 21.5 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

