

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071315\
 Data File : BG017844.D
 Acq On : 14 Jul 2015 4:31
 Operator : TP/UM
 Sample : G2938-03
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0202

Quant Time: Jul 14 07:12:43 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG070915.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 14 02:07:11 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	66863	20.00	ng/ul	0.00
18) Naphthalene-d8	10.37	136	305563	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.25	164	177535	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	373787	20.00	ng/ul	0.00
77) Chrysene-d12	21.20	240	392582	20.00	ng/ul	0.00
85) Perylene-d12	23.42	264	379676	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.12	96	2746	1.66	ng/uL	0.00
5) Phenol-d5	6.77	99	41672	6.52	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	117150	31.12	ng/ul	0.00
9) 2-Chlorophenol-d4	7.12	132	114935	22.27	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	71189	13.32	ng/ul	0.00
19) Nitrobenzene-d5	8.74	128	69863	27.22	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	65087	25.21	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	99876	22.08	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
43) Dimethylphthalate-d6	13.66	166	376916	27.91	ng/ul	0.00
46) Acenaphthylene-d8	13.93	160	466223	28.59	ng/ul	0.00
51) 4-Nitrophenol-d4	14.45	143	11049	3.84	ng/ul	0.00
57) Fluorene-d10	15.24	176	345663	28.75	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	44993	19.93	ng/ul	0.00
70) Anthracene-d10	17.09	188	514254	29.42	ng/ul	0.00
78) Pyrene-d10	19.40	212	569156	30.07	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.28	264	502848	26.55	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.16	88	20480	11.68	ng/uL	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071315\
Data File : BG017844.D
Acq On : 14 Jul 2015 4:31
Operator : TP/UM
Sample : G2938-03
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0202

Quant Time: Jul 14 07:12:43 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG070915.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jul 14 02:07:11 2015
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 11.68 ng/uL

RT: 3.16 min Scan# 80

Delta R.T. 0.01 min

Lab File: BG017844.D

Acq: 14 Jul 2015 4:31

Instrument :

BNA_G

ClientSampleId :

C0202


Tgt Ion: 88 Resp: 20480

Ion Ratio Lower Upper

88 100

43 37.5 30.9 46.3

58 72.4 61.4 92.2



Abundance Ion 88.00 (87.70 to 88.70): BGC
Ion 43.00 (42.70 to 43.70): BGC
Ion 58.00 (57.70 to 58.70): BGC

