

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071422\
 Data File : BG054286.D
 Acq On : 14 Jul 2022 19:03
 Operator : CG/JU
 Sample : N3711-09
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 1-4-TOTES-COMP

Quant Time: Jul 15 01:58:48 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG071222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 12 15:49:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.038	152	14369	20.000	ng	0.00
21) Naphthalene-d8	10.846	136	53860	20.000	ng	# 0.00
39) Acenaphthene-d10	14.665	164	44843	20.000	ng	0.00
64) Phenanthrene-d10	17.409	188	124715	20.000	ng	#-0.01
76) Chrysene-d12	21.680	240	151377	20.000	ng	#-0.01
86) Perylene-d12	24.912	264	160650	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.611	112	69787	97.577	ng	0.00
7) Phenol-d6	7.203	99	84325	85.485	ng	0.00
23) Nitrobenzene-d5	9.201	82	84532	85.170	ng	0.00
42) 2,4,6-Tribromophenol	16.152	330	112214	129.182	ng	-0.01
45) 2-Fluorobiphenyl	13.290	172	276257	90.520	ng	0.00
79) Terphenyl-d14	20.018	244	577858	78.499	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071422\
Data File : BG054286.D
Acq On : 14 Jul 2022 19:03
Operator : CG/JU
Sample : N3711-09
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
1-4-TOTES-COMP

Quant Time: Jul 15 01:58:48 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG071222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 12 15:49:20 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.038 min Scan# 791
 Delta R.T. -0.005 min
 Lab File: BG054286.D
 Acq: 14 Jul 2022 19:03




Instrument :
 BNA_G
 ClientSampleId :
 1-4-TOTES-COMP


Tgt Ion:152 Resp: 14369
 Ion Ratio Lower Upper
 152 100
 150 150.8 131.6 197.4
 115 57.0 50.9 76.3



#5
 2-Fluorophenol
 Concen: 97.577 ng
 RT: 5.611 min Scan# 378
 Delta R.T. 0.000 min
 Lab File: BG054286.D
 Acq: 14 Jul 2022 19:03

Tgt Ion:112 Resp: 69787
 Ion Ratio Lower Upper
 112 100
 64 58.2 55.1 82.7
 63 34.7 30.4 45.6









#7
Phenol-d6
Concen: 85.485 ng
RT: 7.203 min Scan# 649
Delta R.T. -0.006 min
Lab File: BG054286.D
Acq: 14 Jul 2022 19:03




Instrument :
BNA_G
ClientSampleId :
1-4-TOTES-COMP


Tgt Ion: 99 Resp: 84325
Ion Ratio Lower Upper
99 100
42 21.6 17.0 25.6
71 46.7 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.846 min Scan# 1269
Delta R.T. -0.006 min
Lab File: BG054286.D
Acq: 14 Jul 2022 19:03

Tgt Ion: 136 Resp: 53860
Ion Ratio Lower Upper
136 100
137 10.7 8.5 12.7
54 6.5 7.4 11.2#
68 2.7 4.9 7.3#









#23
 Nitrobenzene-d5
 Concen: 85.170 ng
 RT: 9.201 min Scan# 91
 Delta R.T. -0.006 min
 Lab File: BG054286.D
 Acq: 14 Jul 2022 19:03




Instrument :
 BNA_G
 ClientSampleId :
 1-4-TOTES-COMP


Tgt Ion: 82 Resp: 84532
 Ion Ratio Lower Upper
 82 100
 128 41.8 27.9 41.9
 54 53.3 41.2 61.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.665 min Scan# 1919
 Delta R.T. -0.006 min
 Lab File: BG054286.D
 Acq: 14 Jul 2022 19:03


Tgt Ion: 164 Resp: 44843
 Ion Ratio Lower Upper
 164 100
 162 106.3 82.3 123.5
 160 42.9 34.2 51.2








#42
2,4,6-Tribromophenol
Concen: 129.182 ng
RT: 16.152 min Scan# 2172
Delta R.T. -0.011 min
Lab File: BG054286.D
Acq: 14 Jul 2022 19:03

Instrument :
BNA_G
ClientSampleId :
1-4-TOTES-COMP







Tgt Ion:330 Resp: 112214
Ion Ratio Lower Upper
330 100
332 95.4 76.0 114.0
141 19.9 27.1 40.7#



#45
2-Fluorobiphenyl
Concen: 90.520 ng
RT: 13.290 min Scan# 1685
Delta R.T. -0.006 min
Lab File: BG054286.D
Acq: 14 Jul 2022 19:03

Tgt Ion:172 Resp: 276257
Ion Ratio Lower Upper
172 100
171 35.5 28.5 42.7
170 23.2 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.409 min Scan# 21
Delta R.T. -0.011 min
Lab File: BG054286.D
Acq: 14 Jul 2022 19:03




Instrument :
BNA_G
ClientSampleId :
1-4-TOTES-COMP


Tgt Ion:188 Resp: 124715
Ion Ratio Lower Upper
188 100
94 3.3 5.4 8.0#
80 4.5 6.8 10.2#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.680 min Scan# 3113
Delta R.T. -0.012 min
Lab File: BG054286.D
Acq: 14 Jul 2022 19:03

Tgt Ion:240 Resp: 151377
Ion Ratio Lower Upper
240 100
120 2.9 4.6 7.0#
236 25.5 20.2 30.4









#79
 Terphenyl-d14
 Concen: 78.499 ng
 RT: 20.018 min Scan# 2831
 Delta R.T. -0.006 min
 Lab File: BG054286.D
 Acq: 14 Jul 2022 19:03

Instrument :
 BNA_G
 ClientSampleId :
 1-4-TOTES-COMP

Tgt Ion:244 Resp: 577858
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.5 9.7
 122 4.0 5.0 7.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.912 min Scan# 3663
 Delta R.T. -0.017 min
 Lab File: BG054286.D
 Acq: 14 Jul 2022 19:03

Tgt Ion:264 Resp: 160650
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.0 28.6
 265 20.5 17.4 26.2

