

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071516\
 Data File : BG023128.D
 Acq On : 16 Jul 2016 2:15
 Operator : UM/SJ
 Sample : PB92133BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB92133BL

Quant Time: Jul 16 05:04:26 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG070816.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 12 18:30:58 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	93595	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	443964	20.00	ng	0.00
38) Acenaphthene-d10	14.80	164	365178	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	886978	20.00	ng	0.00
75) Chrysene-d12	21.86	240	958149	20.00	ng	0.00
86) Perylene-d12	25.24	264	899909	20.00	ng	0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	783555	136.92	ng	0.00
7) Phenol-d6	7.31	99	1227876	136.99	ng	0.00
23) Nitrobenzene-d5	9.32	82	892028	86.03	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	633679	96.55	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	1897195	81.83	ng	0.00
78) Terphenyl-d14	20.15	244	2777771	97.03	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071516\
Data File : BG023128.D
Acq On : 16 Jul 2016 2:15
Operator : UM/SJ
Sample : PB92133BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB92133BL

Quant Time: Jul 16 05:04:26 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG070816.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 12 18:30:58 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 8.15 min Scan# 905
 Delta R.T. 0.00 min
 Lab File: BG023128.D
 Acq: 16 Jul 2016 2:15

Instrument :
 BNA_G
 ClientSampleId :
 PB92133BL

Tgt Ion	Ratio	Lower	Upper
152	100		
150	145.7	144.7	217.1
115	68.9	64.0	96.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 136.92 ng
 RT: 5.70 min Scan# 487
 Delta R.T. 0.00 min
 Lab File: BG023128.D
 Acq: 16 Jul 2016 2:15

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.8	59.0	88.4
63	39.2	37.8	56.8



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG0
 Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 136.99 ng

RT: 7.31 min Scan# 761

Delta R.T. 0.00 min

Lab File: BG023128.D

Acq: 16 Jul 2016 2:15

Instrument :

BNA_G

ClientSampleId :

PB92133BL


Tgt Ion: 99 Resp: 1227876

Ion Ratio Lower Upper




99 100

42 19.8 17.8 26.6

71 48.3 41.5 62.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.98 min Scan# 1386

Delta R.T. 0.00 min

Lab File: BG023128.D

Acq: 16 Jul 2016 2:15

Tgt Ion: 136 Resp: 443964


Ion Ratio Lower Upper

136 100



137 12.8 9.6 14.4


54 9.2 7.3 10.9

68 7.1 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 86.03 ng
 RT: 9.32 min Scan# 1104
 Delta R.T. -0.00 min
 Lab File: BG023128.D
 Acq: 16 Jul 2016 2:15




Instrument :
 BNA_G
 ClientSampleId :
 PB92133BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	31.8	24.4	36.6
54	47.5	41.4	62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.80 min Scan# 2036
 Delta R.T. 0.00 min
 Lab File: BG023128.D
 Acq: 16 Jul 2016 2:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.9	87.7	131.5
160	46.1	37.2	55.8









#41
 2,4,6-Tribromophenol
 Concen: 96.55 ng
 RT: 16.29 min Scan# 2290
 Delta R.T. -0.00 min
 Lab File: BG023128.D
 Acq: 16 Jul 2016 2:15




Instrument :
 BNA_G
 ClientSampleId :
 PB92133BL


Tgt Ion:330 Resp: 633679
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.4 116.2
 141 40.1 31.7 47.5



#44
 2-Fluorobiphenyl
 Concen: 81.83 ng
 RT: 13.42 min Scan# 1801
 Delta R.T. 0.00 min
 Lab File: BG023128.D
 Acq: 16 Jul 2016 2:15

Tgt Ion:172 Resp: 1897195
 Ion Ratio Lower Upper
 172 100
 171 37.9 31.6 47.4
 170 26.6 21.3 31.9





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 2505

Delta R.T. -0.00 min

Lab File: BG023128.D

Acq: 16 Jul 2016 2:15

Instrument :

BNA_G

ClientSampleId :

PB92133BL


Tgt Ion:188 Resp: 886978

Ion Ratio Lower Upper

188 100

94 7.6 5.2 7.8




80 8.4 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.86 min Scan# 3237

Delta R.T. 0.01 min

Lab File: BG023128.D

Acq: 16 Jul 2016 2:15


Tgt Ion:240 Resp: 958149

Ion Ratio Lower Upper

240 100

120 6.3 4.1 6.1#



236 26.2 21.1 31.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 97.03 ng

RT: 20.15 min Scan# 2947

Delta R.T. -0.00 min

Lab File: BG023128.D

Acq: 16 Jul 2016 2:15

Instrument :

BNA_G

ClientSampleId :

PB92133BL


Tgt Ion:244 Resp: 2777771

Ion Ratio Lower Upper

244 100

212 12.8 10.8 16.2




122 11.5 8.0 12.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.24 min Scan# 3813

Delta R.T. 0.06 min

Lab File: BG023128.D

Acq: 16 Jul 2016 2:15


Tgt Ion:264 Resp: 899909

Ion Ratio Lower Upper

264 100

260 24.5 18.4 27.6

265 22.3 18.9 28.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

