

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071717\
 Data File : BG027957.D
 Acq On : 17 Jul 2017 20:20
 Operator : SJ/JU
 Sample : I4221-10
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SVOC-GPC2-BLANK

Quant Time: Jul 18 01:33:53 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG071717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 17 16:40:57 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.37	152	48719	20.00	ng/ul	0.00
18) Naphthalene-d8	11.19	136	193379	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.97	164	139333	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.72	188	363689	20.00	ng/ul	0.00
75) Chrysene-d12	22.05	240	446550	20.00	ng/ul	0.00
83) Perylene-d12	25.57	264	414460	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL
5) Phenol-d5	0.00	99	0	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul
46) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
57) Fluorene-d10	0.00	176	0d	0.00	ng/ul
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul
70) Anthracene-d10	0.00	188	0d	0.00	ng/ul
76) Pyrene-d10	0.00	212	0	0.00	ng/ul
87) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071717\
Data File : BG027957.D
Acq On : 17 Jul 2017 20:20
Operator : SJ/JU
Sample : I4221-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SVOC-GPC2-BLANK

Quant Time: Jul 18 01:33:53 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG071717.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jul 17 16:40:57 2017
Response via : Initial Calibration

