

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071719\
 Data File : BG041697.D
 Acq On : 17 Jul 2019 21:00
 Operator : HP/JU
 Sample : K3835-04
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-2(10-12)

Quant Time: Jul 18 07:11:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 15 16:16:21 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	98634	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	397178	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	246038	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	624772	20.00	ng	0.00
76) Chrysene-d12	21.65	240	647164	20.00	ng	-0.01
87) Perylene-d12	24.84	264	733460	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	701900	116.33	ng	0.00
7) Phenol-d6	7.20	99	972473	119.83	ng	0.00
23) Nitrobenzene-d5	9.20	82	586598	89.82	ng	0.00
42) 2,4,6-Tribromophenol	16.14	330	402575	145.19	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	1273711	80.16	ng	0.00
79) Terphenyl-d14	20.00	244	2009886	72.58	ng	0.00
Target Compounds						
9) Benzaldehyde	7.20	77	1894	Below Cal	#	3
19) n-Nitroso-di-n-propylamine	9.20	70	80873	13.634 ng	#	73
50) Dimethylphthalate	14.11	163	300913	15.572 ng	#	98
57) 2,4-Dinitrotoluene	14.66	165	33267	6.140 ng	#	28
65) 4,6-Dinitro-2-methylphenol	16.14	198	1284	7.047 ng	#	1
67) 4-Bromophenyl-phenylether	16.14	248	31461	4.232 ng	#	1
77) Benizidine	20.00	184	34667	Below Cal	#	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071719\
Data File : BG041697.D
Acq On : 17 Jul 2019 21:00
Operator : HP/JU
Sample : K3835-04
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-2(10-12)

Quant Time: Jul 18 07:11:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 15 16:16:21 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.05 min Scan# 844

Delta R.T. -0.01 min

Lab File: BG041697.D

Acq: 17 Jul 2019 21:00

Instrument :

BNA_G

ClientSampleId :

SB-2(10-12)


Tot Ion:152 Resp: 98634

Ion Ratio Lower Upper

152 100

150 156.1 126.9 190.3




115 57.7 45.0 67.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 116.332 ng

RT: 5.61 min Scan# 429

Delta R.T. -0.00 min

Lab File: BG041697.D

Acq: 17 Jul 2019 21:00


Tgt Ion:112 Resp: 701900

Ion Ratio Lower Upper

112 100

64 69.1 55.4 83.2



63 37.0 29.1 43.7




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 119.830 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.00 min

Lab File: BG041697.D

Acq: 17 Jul 2019 21:00

Instrument :

BNA_G

ClientSampleId :

SB-2(10-12)


Tot Ion: 99 Resp: 972473

Ion Ratio Lower Upper




99 100

42 21.1 17.6 26.4

71 35.7 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.634 ng

RT: 9.20 min Scan# 1041

Delta R.T. 0.34 min

Lab File: BG041697.D

Acq: 17 Jul 2019 21:00

Tgt Ion: 70 Resp: 80873


Ion Ratio Lower Upper

70 100



42 51.3 55.8 83.6#


101 0.0 8.1 12.1#

130 2.1 17.3 25.9#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1322
Delta R.T. -0.00 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00




Instrument :
BNA_G
ClientSampleId :
SB-2(10-12)


Tot Ion:	136	Resp:	397178
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.2	13.8
54	10.1	8.7	13.1
68	6.5	5.5	8.3



#23
Nitrobenzene-d5
Concen: 89.819 ng
RT: 9.20 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00

Tgt Ion:	82	Resp:	586598
Ion	Ratio	Lower	Upper
82	100		
128	44.8	35.1	52.7
54	57.2	48.7	73.1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1970
Delta R.T. -0.01 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00

Instrument :
BNA_G
ClientSampleId :
SB-2(10-12)

Tot Ion	Ratio	Lower	Upper
164	100		
162	98.2	79.6	119.4
160	43.9	35.4	53.0






Abundance

Ion 164.00 (163.70 to 164.70): E


Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42
2,4,6-Tribromophenol
Concen: 145.187 ng
RT: 16.14 min Scan# 2222
Delta R.T. -0.01 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.4	77.4	116.0
141	39.6	31.9	47.9






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 80.164 ng
RT: 13.29 min Scan# 1737
Delta R.T. -0.01 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00




Instrument :
BNA_G
ClientSampleId :
SB-2(10-12)


Tot Ion:172 Resp: 1273711
Ion Ratio Lower Upper
172 100
171 40.2 35.0 52.4
170 26.5 23.5 35.3



#50
Dimethylphthalate
Concen: 15.572 ng
RT: 14.11 min Scan# 1876
Delta R.T. -0.02 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00

Tgt Ion:163 Resp: 300913
Ion Ratio Lower Upper
163 100
194 5.0 4.2 6.2
164 10.8 9.4 14.2









#57
 2,4-Dinitrotoluene
 Concen: 6.140 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.36 min
 Lab File: BG041697.D
 Acq: 17 Jul 2019 21:00




Instrument :
 BNA_G
 ClientSampleId :
 SB-2(10-12)


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.7	31.7	47.5#
89	0.0	50.2	75.4#
182	0.0	2.6	4.0#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.40 min Scan# 2436
 Delta R.T. -0.01 min
 Lab File: BG041697.D
 Acq: 17 Jul 2019 21:00

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.2	6.9	10.3
80	9.5	8.0	12.0





#65

4,6-Dinitro-2-methylphenol

Concen: 7.047 ng

RT: 16.14 min Scan# 2222

Delta R.T. 0.36 min

Lab File: BG041697.D

Acq: 17 Jul 2019 21:00

Instrument :

BNA_G

ClientSampleId :

SB-2(10-12)


Tot Ion:198 Resp: 1284

Ion Ratio Lower Upper

198 100

51 109.4 22.3 62.3#




105 131.5 18.0 58.0#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BG

Ion 105.00 (104.70 to 105.70): E



#67

4-Bromophenyl-phenylether

Concen: 4.232 ng

RT: 16.14 min Scan# 2222

Delta R.T. -0.46 min

Lab File: BG041697.D

Acq: 17 Jul 2019 21:00


Tgt Ion:248 Resp: 31461

Ion Ratio Lower Upper

248 100

250 192.5 78.1 117.1#



141 504.2 49.6 74.4#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.65 min Scan# 3159
Delta R.T. -0.01 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00




Instrument :
BNA_G
ClientSampleId :
SB-2(10-12)


Tot Ion:240 Resp: 647164
Ion Ratio Lower Upper
240 100
120 9.4 8.0 12.0
236 25.6 22.6 33.8



#79
Terphenyl-d14
Concen: 72.576 ng
RT: 20.00 min Scan# 2879
Delta R.T. -0.01 min
Lab File: BG041697.D
Acq: 17 Jul 2019 21:00

Tgt Ion:244 Resp: 2009886
Ion Ratio Lower Upper
244 100
212 9.8 9.7 14.5
122 12.6 12.5 18.7





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.84 min Scan# 3703
 Delta R.T. -0.02 min
 Lab File: BG041697.D
 Acq: 17 Jul 2019 21:00

Instrument :
 BNA_G
 ClientSampleId :
 SB-2(10-12)

Tot Ion:264	Resp:	733460
Ion	Ratio	Lower Upper
264	100	
260	24.8	19.5 29.3
265	22.5	18.0 27.0

