

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071719\
 Data File : BG041702.D
 Acq On : 18 Jul 2019 00:12
 Operator : HP/JU
 Sample : K3835-24
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-12(6-8)

Quant Time: Jul 18 07:51:11 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 15 16:16:21 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	107496	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	426527	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	266670	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	677517	20.00	ng	-0.01
76) Chrysene-d12	21.65	240	684342	20.00	ng	-0.01
87) Perylene-d12	24.85	264	783809	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	807209	122.76	ng	0.00
7) Phenol-d6	7.20	99	1123294	127.00	ng	0.00
23) Nitrobenzene-d5	9.20	82	676021	96.39	ng	-0.01
42) 2,4,6-Tribromophenol	16.15	330	456699	151.96	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	1480594	85.98	ng	0.00
79) Terphenyl-d14	20.01	244	2282057	77.93	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.11	163	333493	15.923	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071719\
Data File : BG041702.D
Acq On : 18 Jul 2019 00:12
Operator : HP/JU
Sample : K3835-24
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-12(6-8)

Quant Time: Jul 18 07:51:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 15 16:16:21 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.01 min
Lab File: BG041702.D
Acq: 18 Jul 2019 00:12

Instrument :
BNA_G
ClientSampleId :
SB-12(6-8)

Tot Ion	Ratio	Lower	Upper
152	100		
150	151.4	126.9	190.3
115	55.4	45.0	67.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.757 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.00 min
Lab File: BG041702.D
Acq: 18 Jul 2019 00:12

Tgt Ion	Ratio	Lower	Upper
112	100		
64	68.3	55.4	83.2
63	35.9	29.1	43.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 127.004 ng

RT: 7.20 min Scan# 699

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12

Instrument :

BNA_G

ClientSampleId :

SB-12(6-8)


Tot Ion: 99 Resp: 1123294

Ion Ratio Lower Upper




99 100

42 21.0 17.6 26.4

71 35.8 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12

Tgt Ion: 136 Resp: 426527


Ion Ratio Lower Upper

136 100



137 11.6 9.2 13.8


54 10.7 8.7 13.1

68 6.3 5.5 8.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 96.388 ng

RT: 9.20 min Scan# 1040

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12

Instrument :

BNA_G

ClientSampleId :

SB-12(6-8)





Tot Ion: 82 Resp: 676021

Ion Ratio Lower Upper

82 100

128 43.7 35.1 52.7

54 58.4 48.7 73.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.66 min Scan# 1970

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12




Tgt Ion: 164 Resp: 266670


Ion Ratio Lower Upper

164 100

162 99.1 79.6 119.4

160 44.9 35.4 53.0






#42
 2,4,6-Tribromophenol
 Concen: 151.963 ng
 RT: 16.15 min Scan# 2222
 Delta R.T. -0.01 min
 Lab File: BG041702.D
 Acq: 18 Jul 2019 00:12

Instrument :
 BNA_G
 ClientSampleId :
 SB-12(6-8)

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.4	116.0
141	39.8	31.9	47.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 85.975 ng
 RT: 13.30 min Scan# 1737
 Delta R.T. -0.01 min
 Lab File: BG041702.D
 Acq: 18 Jul 2019 00:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	40.9	35.0	52.4
170	27.0	23.5	35.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 15.923 ng

RT: 14.11 min Scan# 1876

Delta R.T. -0.02 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12

Instrument :

BNA_G

ClientSampleId :

SB-12(6-8)


Tot Ion:163 Resp: 333493

Ion Ratio Lower Upper

163 100

194 4.5 4.2 6.2




164 10.9 9.4 14.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.40 min Scan# 2435

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12


Tgt Ion:188 Resp: 677517

Ion Ratio Lower Upper

188 100

94 8.7 6.9 10.3



80 9.8 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.65 min Scan# 3159

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12

Instrument :

BNA_G

ClientSampled :

SB-12(6-8)


Tot Ion:240 Resp: 684342

Ion Ratio Lower Upper

240 100

120 9.2 8.0 12.0




236 26.4 22.6 33.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 77.927 ng

RT: 20.01 min Scan# 2879

Delta R.T. -0.01 min

Lab File: BG041702.D

Acq: 18 Jul 2019 00:12


Tgt Ion:244 Resp: 2282057

Ion Ratio Lower Upper

244 100

212 10.7 9.7 14.5



122 13.2 12.5 18.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.85 min Scan# 3703
Delta R.T. -0.02 min
Lab File: BG041702.D
Acq: 18 Jul 2019 00:12

Instrument :
BNA_G
ClientSampleId :
SB-12(6-8)

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.5	29.3
265	22.1	18.0	27.0

