

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071719\
 Data File : BG041705.D
 Acq On : 18 Jul 2019 2:07
 Operator : HP/JU
 Sample : K3835-30
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-11(8-10)

Quant Time: Jul 18 07:56:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 15 16:16:21 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	97435	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	394557	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	241249	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	632418	20.00	ng	0.00
76) Chrysene-d12	21.65	240	658960	20.00	ng	-0.01
87) Perylene-d12	24.84	264	758119	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	659509	110.65	ng	0.00
7) Phenol-d6	7.20	99	918400	114.56	ng	0.00
23) Nitrobenzene-d5	9.20	82	540171	83.26	ng	-0.01
42) 2,4,6-Tribromophenol	16.14	330	351776	129.38	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	1199438	76.99	ng	0.00
79) Terphenyl-d14	20.00	244	1940597	68.82	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.11	163	254813	13.448	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071719\
Data File : BG041705.D
Acq On : 18 Jul 2019 2:07
Operator : HP/JU
Sample : K3835-30
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-11(8-10)

Quant Time: Jul 18 07:56:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 15 16:16:21 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.01 min
Lab File: BG041705.D
Acq: 18 Jul 2019 2:07

Instrument :
BNA_G
ClientSampleId :
SB-11(8-10)

Tot Ion	152	Resp	97435
Ion Ratio	100	Lower	Upper
150	150.9	126.9	190.3
115	53.7	45.0	67.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 110.651 ng
RT: 5.61 min Scan# 429
Delta R.T. -0.00 min
Lab File: BG041705.D
Acq: 18 Jul 2019 2:07

Tgt Ion	112	Resp	659509
Ion Ratio	100	Lower	Upper
64	69.6	55.4	83.2
63	36.3	29.1	43.7






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 114.560 ng

RT: 7.20 min Scan# 699

Delta R.T. -0.01 min

Lab File: BG041705.D

Acq: 18 Jul 2019 2:07

Instrument :

BNA_G

ClientSampleId :

SB-11(8-10)


Tot Ion: 99 Resp: 918400

Ion Ratio Lower Upper




99 100

42 21.0 17.6 26.4

71 34.9 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG041705.D

Acq: 18 Jul 2019 2:07

Tgt Ion: 136 Resp: 394557


Ion Ratio Lower Upper

136 100



137 11.4 9.2 13.8


54 10.0 8.7 13.1

68 5.9 5.5 8.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 83.259 ng
RT: 9.20 min Scan# 1040
Delta R.T. -0.01 min
Lab File: BG041705.D
Acq: 18 Jul 2019 2:07

Instrument :
BNA_G
ClientSampleId :
SB-11(8-10)

Tot Ion	82	Resp	540171
Ion Ratio	Lower	Upper	
82	100		
128	44.3	35.1	52.7
54	58.9	48.7	73.1






Abundance

Ion 82.00 (81.70 to 82.70): BGC


Ion 128.00 (127.70 to 128.70): BGC

Ion 54.00 (53.70 to 54.70): BGC



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1970
Delta R.T. -0.01 min
Lab File: BG041705.D
Acq: 18 Jul 2019 2:07

Tgt Ion	164	Resp	241249
Ion Ratio	Lower	Upper	
164	100		
162	104.2	79.6	119.4
160	44.2	35.4	53.0






Abundance

Ion 164.00 (163.70 to 164.70): BGC

Ion 162.00 (161.70 to 162.70): BGC

Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 129.385 ng
 RT: 16.14 min Scan# 2222
 Delta R.T. -0.01 min
 Lab File: BG041705.D
 Acq: 18 Jul 2019 2:07

Instrument :
 BNA_G
 ClientSampleId :
 SB-11(8-10)

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.4	116.0
141	39.4	31.9	47.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 76.988 ng
 RT: 13.29 min Scan# 1737
 Delta R.T. -0.01 min
 Lab File: BG041705.D
 Acq: 18 Jul 2019 2:07

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.7	35.0	52.4
170	26.3	23.5	35.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 13.448 ng

RT: 14.11 min Scan# 1876

Delta R.T. -0.02 min

Lab File: BG041705.D

Acq: 18 Jul 2019 2:07

Instrument :

BNA_G

ClientSampleId :

SB-11(8-10)


Tot Ion:163 Resp: 254813

Ion Ratio Lower Upper

163 100

194 4.6 4.2 6.2




164 10.2 9.4 14.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.40 min Scan# 2436

Delta R.T. -0.01 min

Lab File: BG041705.D

Acq: 18 Jul 2019 2:07


Tgt Ion:188 Resp: 632418

Ion Ratio Lower Upper

188 100

94 8.2 6.9 10.3



80 9.1 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.65 min Scan# 3159
 Delta R.T. -0.01 min
 Lab File: BG041705.D
 Acq: 18 Jul 2019 2:07




Instrument :
 BNA_G
 ClientSampleId :
 SB-11(8-10)


Tot Ion:240 Resp: 658960
 Ion Ratio Lower Upper
 240 100
 120 9.7 8.0 12.0
 236 28.0 22.6 33.8



#79
 Terphenyl-d14
 Concen: 68.820 ng
 RT: 20.00 min Scan# 2879
 Delta R.T. -0.01 min
 Lab File: BG041705.D
 Acq: 18 Jul 2019 2:07

Tgt Ion:244 Resp: 1940597
 Ion Ratio Lower Upper
 244 100
 212 9.7 9.7 14.5
 122 12.4 12.5 18.7#





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.84 min Scan# 3702
Delta R.T. -0.02 min
Lab File: BG041705.D
Acq: 18 Jul 2019 2:07

Instrument :
BNA_G
ClientSampleId :
SB-11(8-10)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.5	29.3
265	22.5	18.0	27.0

