

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071915\
 Data File : BG017980.D
 Acq On : 20 Jul 2015 4:47
 Operator : TP/UM
 Sample : G2975-03
 Misc :
 ALS Vial : 56 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 AB-SLOPE-FAIL-2(0-2)

Quant Time: Jul 20 05:39:21 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG071715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 18 01:50:30 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	92462	20.00	ng	0.00
21) Naphthalene-d8	10.36	136	398983	20.00	ng	0.00
38) Acenaphthene-d10	14.24	164	259508	20.00	ng	0.00
63) Phenanthrene-d10	17.00	188	587109	20.00	ng	0.00
75) Chrysene-d12	21.20	240	600281	20.00	ng	0.00
86) Perylene-d12	23.42	264	582463	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	742157	140.02	ng	0.00
7) Phenol-d6	6.77	99	992647	142.95	ng	0.00
23) Nitrobenzene-d5	8.74	82	576923	93.65	ng	0.00
41) 2,4,6-Tribromophenol	15.74	330	439200	167.05	ng	0.00
44) 2-Fluorobiphenyl	12.86	172	1207647	80.64	ng	0.00
78) Terphenyl-d14	19.65	244	1723295	72.31	ng	0.00
Target Compounds						
32) Benzoic acid	9.73	122	205	Below Cal	#	68
49) Dimethylphthalate	13.71	163	369805	20.51	ng	99
69) Pentachlorophenol	16.64	266	55	Below Cal	#	18


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG071915\
Data File : BG017980.D
Acq On : 20 Jul 2015 4:47
Operator : TP/UM
Sample : G2975-03
Misc :
ALS Vial : 56 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
AB-SLOPE-FAIL-2(0-2)

Quant Time: Jul 20 05:39:21 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG071715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 18 01:50:30 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.58 min Scan# 833
Delta R.T. -0.01 min
Lab File: BG017980.D
Acq: 20 Jul 2015 4:47

Instrument :
BNA_G
ClientSampleId :
AB-SLOPE-FAIL-2(0-2)

Tgt Ion:152 Resp: 92462
Ion Ratio Lower Upper
152 100
150 151.3 119.1 178.7
115 53.5 47.0 70.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 140.02 ng
RT: 5.20 min Scan# 427
Delta R.T. 0.01 min
Lab File: BG017980.D
Acq: 20 Jul 2015 4:47

Tgt Ion:112 Resp: 742157
Ion Ratio Lower Upper
112 100
64 52.3 45.4 68.0
63 27.9 25.3 37.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 142.95 ng

RT: 6.77 min Scan# 695

Delta R.T. 0.01 min

Lab File: BG017980.D

Acq: 20 Jul 2015 4:47

Instrument :

BNA_G

ClientSampleId :

AB-SLOPE-FAIL-2(0-2)


Tgt Ion: 99 Resp: 992647

Ion Ratio Lower Upper




99 100

42 16.0 16.2 24.4#

71 35.0 29.5 44.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.36 min Scan# 1306

Delta R.T. -0.01 min

Lab File: BG017980.D

Acq: 20 Jul 2015 4:47

Tgt Ion: 136 Resp: 398983


Ion Ratio Lower Upper

136 100



137 11.3 8.8 13.2


54 6.1 6.6 9.8#

68 5.9 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 93.65 ng
 RT: 8.74 min Scan# 1030
 Delta R.T. 0.00 min
 Lab File: BG017980.D
 Acq: 20 Jul 2015 4:47




Instrument :
 BNA_G
 ClientSampleId :
 AB-SLOPE-FAIL-2(0-2)


Tgt Ion	Ratio	Lower	Upper
82	100		
128	52.9	37.8	56.6
54	43.6	39.9	59.9



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.24 min Scan# 1966
 Delta R.T. -0.01 min
 Lab File: BG017980.D
 Acq: 20 Jul 2015 4:47

Tgt Ion	Ratio	Lower	Upper
164	100		
162	94.3	76.3	114.5
160	41.6	33.7	50.5









#41
 2,4,6-Tribromophenol
 Concen: 167.05 ng
 RT: 15.74 min Scan# 2221
 Delta R.T. -0.01 min
 Lab File: BG017980.D
 Acq: 20 Jul 2015 4:47

Instrument :
 BNA_G
 ClientSampleId :
 AB-SLOPE-FAIL-2(0-2)

Tgt Ion:330 Resp: 439200
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.8 115.2
 141 38.8 38.0 57.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 80.64 ng
 RT: 12.86 min Scan# 1731
 Delta R.T. 0.00 min
 Lab File: BG017980.D
 Acq: 20 Jul 2015 4:47

Tgt Ion:172 Resp: 1207647
 Ion Ratio Lower Upper
 172 100
 171 38.2 30.7 46.1
 170 25.2 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 20.51 ng

RT: 13.71 min Scan# 1875

Delta R.T. -0.01 min

Lab File: BG017980.D

Acq: 20 Jul 2015 4:47


Instrument :

BNA_G



ClientSampleId :

AB-SLOPE-FAIL-2(0-2)


Tgt Ion:	163	Resp:	369805
Ion Ratio	Lower	Upper	
163	100		
194	6.8	5.8	8.6
164	10.8	8.3	12.5



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



Time-->



#63

Phenanthrene-d10

Concen: 20.00 ng


RT: 17.00 min Scan# 2435

Delta R.T. -0.01 min



Lab File: BG017980.D

Acq: 20 Jul 2015 4:47


Tgt Ion:	188	Resp:	587109
Ion Ratio	Lower	Upper	
188	100		
94	9.5	8.2	12.2
80	9.8	8.2	12.4



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC



Time-->



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.20 min Scan# 3150

Delta R.T. -0.01 min

Lab File: BG017980.D

Acq: 20 Jul 2015 4:47

Instrument :

BNA_G

ClientSampleId :

AB-SLOPE-FAIL-2(0-2)


Tgt Ion:240 Resp: 600281

Ion Ratio Lower Upper

240 100

120 12.9 10.8 16.2




236 24.9 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 72.31 ng

RT: 19.65 min Scan# 2886

Delta R.T. 0.00 min

Lab File: BG017980.D

Acq: 20 Jul 2015 4:47


Tgt Ion:244 Resp: 1723295

Ion Ratio Lower Upper

244 100

212 8.5 7.2 10.8



122 14.2 12.8 19.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 23.42 min Scan# 3528
Delta R.T. 0.00 min
Lab File: BG017980.D
Acq: 20 Jul 2015 4:47

Instrument :
BNA_G
ClientSampleId :
AB-SLOPE-FAIL-2(0-2)

Tgt Ion: 264 Resp: 582463
Ion Ratio Lower Upper
264 100
260 24.7 18.6 27.8
265 21.9 18.2 27.2



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

