

Data Path : Z:\HPCHEM1\BNA G\DATA\BG072017\
 Data File : BG028010.D
 Acq On : 20 Jul 2017 22:44
 Operator : SJ/JU
 Sample : I4213-06
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 21 02:26:05 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG071717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 21 02:24:12 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.37	152	47521	20.00	ng/ul	0.00
18) Naphthalene-d8	11.19	136	196378	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.98	164	152498	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.72	188	432276	20.00	ng/ul	0.00
75) Chrysene-d12	22.05	240	561731	20.00	ng/ul	0.00
83) Perylene-d12	25.57	264	546489	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.86	96	4421	5.13	ng/uL	0.00
5) Phenol-d5	7.51	99	99148	25.39	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.68	67	60742	26.98	ng/ul	0.00
9) 2-Chlorophenol-d4	7.90	132	92288	30.08	ng/ul	0.00
13) 4-Methylphenol-d8	9.06	113	94216	29.15	ng/ul	0.00
19) Nitrobenzene-d5	9.54	128	45288	31.34	ng/ul	0.00
22) 2-Nitrophenol-d4	10.26	143	57505	33.08	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.80	165	109281	32.13	ng/ul	0.00
29) 4-Chloroaniline-d4	11.32	131	128919	41.93	ng/ul	0.00
43) Dimethylphthalate-d6	14.36	166	458330	34.67	ng/ul	0.00
46) Acenaphthylene-d8	14.67	160	499067	33.21	ng/ul	0.00
51) 4-Nitrophenol-d4	15.16	143	32029	16.73	ng/ul	0.00
57) Fluorene-d10	15.96	176	426224	34.20	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.07	200	50527	16.83	ng/ul	0.00
70) Anthracene-d10	17.82	188	727994	34.92	ng/ul	0.00
76) Pyrene-d10	20.09	212	900487	35.68	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.33	264	919759	36.03	ng/ul	0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.41	163	65385	5.431	ng/ul#	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG072017\
Data File : BG028010.D
Acq On : 20 Jul 2017 22:44
Operator : SJ/JU
Sample : I4213-06
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jul 21 02:26:05 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG071717.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 21 02:24:12 2017
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.431 ng/ul

RT: 14.41 min Scan# 1842

Delta R.T. 0.00 min

Lab File: BG028010.D

Acq: 20 Jul 2017 22:44

Instrument :

BNA_G

ClientSampleId :


Tot Ion:163 Resp: 65385

Ion Ratio Lower Upper

163 100

194 5.5 3.4 5.0#

164 9.4 9.0 13.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

