

Data Path : Z:\HPCHEM1\BNA G\DATA\BG072017\
 Data File : BG028007.D
 Acq On : 20 Jul 2017 20:44
 Operator : SJ/JU
 Sample : I4213-03
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0B27

Quant Time: Jul 21 02:25:41 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG071717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 21 02:24:12 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.37	152	47972	20.00	ng/ul	0.00
18) Naphthalene-d8	11.19	136	194709	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.97	164	153051	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.72	188	454908	20.00	ng/ul	0.00
75) Chrysene-d12	22.05	240	596156	20.00	ng/ul	0.00
83) Perylene-d12	25.57	264	579885	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.86	96	3609	4.15	ng/uL	0.00
5) Phenol-d5	7.51	99	82585	20.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.68	67	47746	21.01	ng/ul	0.00
9) 2-Chlorophenol-d4	7.90	132	73744	23.81	ng/ul	0.00
13) 4-Methylphenol-d8	9.06	113	73780	22.61	ng/ul	0.00
19) Nitrobenzene-d5	9.54	128	36403	25.41	ng/ul	0.00
22) 2-Nitrophenol-d4	10.26	143	45862	26.61	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.80	165	86104	25.53	ng/ul	0.00
29) 4-Chloroaniline-d4	11.32	131	98610	32.34	ng/ul	0.00
43) Dimethylphthalate-d6	14.36	166	371855	28.03	ng/ul	0.00
46) Acenaphthylene-d8	14.67	160	396373	26.28	ng/ul	0.00
51) 4-Nitrophenol-d4	15.16	143	38376	19.97	ng/ul	0.00
57) Fluorene-d10	15.96	176	349827	27.97	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.07	200	62851	19.89	ng/ul	0.00
70) Anthracene-d10	17.82	188	616955	28.12	ng/ul	0.00
76) Pyrene-d10	20.09	212	776027	28.97	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.33	264	780908	28.83	ng/ul	0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.41	163	55031	4.555	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG072017\
Data File : BG028007.D
Acq On : 20 Jul 2017 20:44
Operator : SJ/JU
Sample : I4213-03
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0B27

Quant Time: Jul 21 02:25:41 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG071717.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 21 02:24:12 2017
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 4.555 ng/ul

RT: 14.41 min Scan# 1842

Delta R.T. -0.00 min

Lab File: BG028007.D

Acq: 20 Jul 2017 20:44

Instrument :

BNA_G

ClientSampleId :

C0B27


Tot Ion:163 Resp: 55031

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 11.5 9.0 13.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

