

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG072115\
 Data File : BG018050.D
 Acq On : 22 Jul 2015 9:06
 Operator : TP/UM
 Sample : G3031-02
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-7(8-10)

Quant Time: Jul 22 11:12:19 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG071715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 18 01:50:30 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	45036	20.00	ng	-0.04
21) Naphthalene-d8	10.33	136	220233	20.00	ng	-0.04
38) Acenaphthene-d10	14.21	164	143349	20.00	ng	-0.03
63) Phenanthrene-d10	16.96	188	299348	20.00	ng	-0.04
75) Chrysene-d12	21.16	240	327025	20.00	ng	-0.04
86) Perylene-d12	23.36	264	328476	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.16	112	395040	153.02	ng	-0.03
7) Phenol-d6	6.74	99	569984	168.52	ng	-0.03
23) Nitrobenzene-d5	8.70	82	340283	100.07	ng	-0.04
41) 2,4,6-Tribromophenol	15.71	330	258935	178.29	ng	-0.03
44) 2-Fluorobiphenyl	12.82	172	866340	104.73	ng	-0.03
78) Terphenyl-d14	19.62	244	1228850	94.65	ng	-0.03
Target Compounds						
49) Dimethylphthalate	13.67	163	110004	11.05	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG072115\
Data File : BG018050.D
Acq On : 22 Jul 2015 9:06
Operator : TP/UM
Sample : G3031-02
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-7(8-10)

Quant Time: Jul 22 11:12:19 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG071715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 18 01:50:30 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.55 min Scan# 827
Delta R.T. -0.04 min
Lab File: BG018050.D
Acq: 22 Jul 2015 9:06

Instrument :
BNA_G
ClientSampleId :
SB-7(8-10)




Tgt Ion:152 Resp: 45036
Ion Ratio Lower Upper
152 100
150 151.4 119.1 178.7
115 55.6 47.0 70.4



#5

2-Fluorophenol
Concen: 153.02 ng
RT: 5.16 min Scan# 420
Delta R.T. -0.03 min
Lab File: BG018050.D
Acq: 22 Jul 2015 9:06

Tgt Ion:112 Resp: 395040
Ion Ratio Lower Upper
112 100
64 50.7 45.4 68.0
63 25.8 25.3 37.9





#7

Phenol-d6

Concen: 168.52 ng

RT: 6.74 min Scan# 689

Delta R.T. -0.03 min

Lab File: BG018050.D

Acq: 22 Jul 2015 9:06

Instrument :

BNA_G

ClientSampleId :

SB-7(8-10)


Tgt Ion: 99 Resp: 569984

Ion Ratio Lower Upper




99 100

42 14.8 16.2 24.4#

71 34.1 29.5 44.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.33 min Scan# 1300

Delta R.T. -0.04 min

Lab File: BG018050.D

Acq: 22 Jul 2015 9:06

Tgt Ion: 136 Resp: 220233


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2


54 5.6 6.6 9.8#

68 4.9 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 100.07 ng
 RT: 8.70 min Scan# 1023
 Delta R.T. -0.04 min
 Lab File: BG018050.D
 Acq: 22 Jul 2015 9:06




Instrument :
 BNA_G
 ClientSampleId :
 SB-7(8-10)


Tgt Ion	Ratio	Lower	Upper
82	100		
128	54.4	37.8	56.6
54	43.5	39.9	59.9



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.21 min Scan# 1961
 Delta R.T. -0.03 min
 Lab File: BG018050.D
 Acq: 22 Jul 2015 9:06

Tgt Ion	Ratio	Lower	Upper
164	100		
162	98.0	76.3	114.5
160	43.1	33.7	50.5









#41
 2,4,6-Tribromophenol
 Concen: 178.29 ng
 RT: 15.71 min Scan# 2216
 Delta R.T. -0.03 min
 Lab File: BG018050.D
 Acq: 22 Jul 2015 9:06

Instrument :
 BNA_G
 ClientSampleId :
 SB-7(8-10)

Tgt Ion:330 Resp: 258935
 Ion Ratio Lower Upper
 330 100
 332 95.8 76.8 115.2
 141 36.6 38.0 57.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 104.73 ng
 RT: 12.82 min Scan# 1725
 Delta R.T. -0.03 min
 Lab File: BG018050.D
 Acq: 22 Jul 2015 9:06

Tgt Ion:172 Resp: 866340
 Ion Ratio Lower Upper
 172 100
 171 37.3 30.7 46.1
 170 24.5 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 11.05 ng

RT: 13.67 min Scan# 1869

Delta R.T. -0.04 min

Lab File: BG018050.D

Acq: 22 Jul 2015 9:06

Instrument :

BNA_G

ClientSampleId :

SB-7(8-10)


Tgt Ion:163 Resp: 110004

Ion Ratio Lower Upper

163 100

194 6.7 5.8 8.6




164 10.9 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 16.96 min Scan# 2429

Delta R.T. -0.04 min

Lab File: BG018050.D

Acq: 22 Jul 2015 9:06


Tgt Ion:188 Resp: 299348

Ion Ratio Lower Upper

188 100

94 8.9 8.2 12.2



80 10.1 8.2 12.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.16 min Scan# 3144

Delta R.T. -0.04 min

Lab File: BG018050.D

Acq: 22 Jul 2015 9:06

Instrument :

BNA_G

ClientSampleId :

SB-7(8-10)


Tgt Ion:240 Resp: 327025

Ion Ratio Lower Upper

240 100

120 12.6 10.8 16.2




236 25.3 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 94.65 ng

RT: 19.62 min Scan# 2881

Delta R.T. -0.03 min

Lab File: BG018050.D

Acq: 22 Jul 2015 9:06


Tgt Ion:244 Resp: 1228850

Ion Ratio Lower Upper

244 100

212 7.3 7.2 10.8



122 11.7 12.8 19.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.36 min Scan# 3519
Delta R.T. -0.05 min
Lab File: BG018050.D
Acq: 22 Jul 2015 9:06

Instrument :
BNA_G
ClientSampleId :
SB-7(8-10)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.7	18.6	27.8
265	20.9	18.2	27.2

