

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG072319\
 Data File : BG041764.D
 Acq On : 23 Jul 2019 20:23
 Operator : HP/JU
 Sample : K3618-08
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HD-02-072219

Quant Time: Jul 24 04:24:48 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 15 16:16:21 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	99500	20.00	ng	-0.01
21) Naphthalene-d8	10.85	136	387397	20.00	ng	-0.01
39) Acenaphthene-d10	14.66	164	267956	20.00	ng	-0.01
64) Phenanthrene-d10	17.40	188	594460	20.00	ng	-0.01
76) Chrysene-d12	21.64	240	631277	20.00	ng	-0.02
87) Perylene-d12	24.83	264	740331	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	633494	104.08	ng	0.00
7) Phenol-d6	7.20	99	767765	93.78	ng	0.00
23) Nitrobenzene-d5	9.20	82	618663	97.12	ng	-0.01
42) 2,4,6-Tribromophenol	16.14	330	477464	158.11	ng	-0.01
45) 2-Fluorobiphenyl	13.29	172	1547806	89.45	ng	-0.01
79) Terphenyl-d14	20.00	244	2383966	88.25	ng	-0.01
Target Compounds						
50) Dimethylphthalate	14.11	163	296706	14.099	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG072319\
Data File : BG041764.D
Acq On : 23 Jul 2019 20:23
Operator : HP/JU
Sample : K3618-08
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HD-02-072219

Quant Time: Jul 24 04:24:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 15 16:16:21 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.01 min
Lab File: BG041764.D
Acq: 23 Jul 2019 20:23

Instrument :
BNA_G
ClientSampleId :
HD-02-072219

Tot Ion:152 Resp: 99500
Ion Ratio Lower Upper
152 100
150 163.7 126.9 190.3
115 55.5 45.0 67.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 104.081 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.00 min
Lab File: BG041764.D
Acq: 23 Jul 2019 20:23

Tgt Ion:112 Resp: 633494
Ion Ratio Lower Upper
112 100
64 65.3 55.4 83.2
63 34.7 29.1 43.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 93.782 ng

RT: 7.20 min Scan# 699

Delta R.T. -0.01 min

Lab File: BG041764.D

Acq: 23 Jul 2019 20:23

Instrument :

BNA_G

ClientSampleId :

HD-02-072219





Tot Ion: 99 Resp: 767765

Ion Ratio Lower Upper

99 100

42 19.6 17.6 26.4

71 36.2 27.8 41.6



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BG041764.D

Acq: 23 Jul 2019 20:23

Tgt Ion: 136 Resp: 387397




Ion Ratio Lower Upper


136 100

137 11.2 9.2 13.8

54 10.3 8.7 13.1

68 5.5 5.5 8.3#









#23
 Nitrobenzene-d5
 Concen: 97.120 ng
 RT: 9.20 min Scan# 1040
 Delta R.T. -0.01 min
 Lab File: BG041764.D
 Acq: 23 Jul 2019 20:23




Instrument :
 BNA_G
 ClientSampleId :
 HD-02-072219


Tot Ion: 82 Resp: 618663
 Ion Ratio Lower Upper
 82 100
 128 46.5 35.1 52.7
 54 57.3 48.7 73.1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.66 min Scan# 1969
 Delta R.T. -0.01 min
 Lab File: BG041764.D
 Acq: 23 Jul 2019 20:23

Tgt Ion: 164 Resp: 267956
 Ion Ratio Lower Upper
 164 100
 162 102.2 79.6 119.4
 160 45.0 35.4 53.0









#42
 2,4,6-Tribromophenol
 Concen: 158.110 ng
 RT: 16.14 min Scan# 2221
 Delta R.T. -0.01 min
 Lab File: BG041764.D
 Acq: 23 Jul 2019 20:23

Instrument :
 BNA_G
 ClientSampleId :
 HD-02-072219

Tot Ion:330 Resp: 477464
 Ion Ratio Lower Upper
 330 100
 332 95.4 77.4 116.0
 141 33.1 31.9 47.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 89.447 ng
 RT: 13.29 min Scan# 1736
 Delta R.T. -0.01 min
 Lab File: BG041764.D
 Acq: 23 Jul 2019 20:23

Tgt Ion:172 Resp: 1547806
 Ion Ratio Lower Upper
 172 100
 171 41.1 35.0 52.4
 170 27.0 23.5 35.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 14.099 ng

RT: 14.11 min Scan# 1875

Delta R.T. -0.02 min

Lab File: BG041764.D

Acq: 23 Jul 2019 20:23

Instrument :

BNA_G

ClientSampleId :

HD-02-072219


Tot Ion:163 Resp: 296706

Ion Ratio Lower Upper

163 100

194 5.0 4.2 6.2




164 10.5 9.4 14.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.40 min Scan# 2435

Delta R.T. -0.01 min

Lab File: BG041764.D

Acq: 23 Jul 2019 20:23


Tgt Ion:188 Resp: 594460

Ion Ratio Lower Upper

188 100

94 6.9 6.9 10.3



80 7.7 8.0 12.0#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.64 min Scan# 3158

Delta R.T. -0.02 min

Lab File: BG041764.D

Acq: 23 Jul 2019 20:23

Instrument :

BNA_G

ClientSampleId :

HD-02-072219


Tot Ion:240 Resp: 631277

Ion Ratio Lower Upper

240 100

120 7.7 8.0 12.0#




236 26.6 22.6 33.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 88.250 ng

RT: 20.00 min Scan# 2878

Delta R.T. -0.01 min

Lab File: BG041764.D

Acq: 23 Jul 2019 20:23


Tgt Ion:244 Resp: 2383966

Ion Ratio Lower Upper

244 100

212 10.4 9.7 14.5



122 11.9 12.5 18.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.83 min Scan# 3701
Delta R.T. -0.03 min
Lab File: BG041764.D
Acq: 23 Jul 2019 20:23

Instrument :
BNA_G
ClientSampleId :
HD-02-072219

Tot Ion	Ion	Ratio	Lower	Upper
264	100			
260	23.5	19.5	29.3	
265	21.7	18.0	27.0	

