

Data Path : Z:\HPCHEM1\BNA G\DATA\BG072716\
 Data File : BG023291.D
 Acq On : 27 Jul 2016 20:21
 Operator : UM/SJ
 Sample : H4152-15
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 GW-20-9.0-15.0

Quant Time: Jul 28 02:34:21 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG072616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 27 17:30:33 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	175291	20.00	ng	0.00
21) Naphthalene-d8	10.97	136	763274	20.00	ng	0.00
38) Acenaphthene-d10	14.80	164	496667	20.00	ng	0.00
63) Phenanthrene-d10	17.57	188	1173219	20.00	ng	0.00
75) Chrysene-d12	21.89	240	1259367	20.00	ng	0.00
86) Perylene-d12	25.30	264	1249277	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	860207	83.78	ng	0.00
7) Phenol-d6	7.29	99	878647	55.74	ng	0.00
23) Nitrobenzene-d5	9.31	82	1432352	91.77	ng	0.00
41) 2,4,6-Tribromophenol	16.31	330	847045	164.77	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2724104	102.65	ng	0.00
78) Terphenyl-d14	20.18	244	3433063	88.62	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG072716\
Data File : BG023291.D
Acq On : 27 Jul 2016 20:21
Operator : UM/SJ
Sample : H4152-15
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
GW-20-9.0-15.0

Quant Time: Jul 28 02:34:21 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG072616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 27 17:30:33 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.14 min Scan# 902

Delta R.T. -0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21

Instrument :

BNA_G

ClientSampleId :

GW-20-9.0-15.0


Tot Ion:152 Resp: 175291

Ion Ratio Lower Upper

152 100

150 153.7 144.7 217.1




115 59.6 64.0 96.0#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 83.78 ng

RT: 5.67 min Scan# 482

Delta R.T. -0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21


Tgt Ion:112 Resp: 860207

Ion Ratio Lower Upper

112 100

64 69.9 59.0 88.4



63 34.1 37.8 56.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 55.74 ng

RT: 7.29 min Scan# 757

Delta R.T. -0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21

Instrument :

BNA_G

ClientSampleId :

GW-20-9.0-15.0


Tot Ion: 99 Resp: 878647

Ion Ratio Lower Upper

99 100

42 16.1 17.8 26.6#




71 36.2 41.5 62.3#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.97 min Scan# 1385

Delta R.T. -0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21

Tgt Ion: 136 Resp: 763274


Ion Ratio Lower Upper

136 100

137 12.0 9.6 14.4

54 8.8 7.3 10.9

68 8.0 5.3 7.9#






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 91.77 ng
 RT: 9.31 min Scan# 1102
 Delta R.T. 0.00 min
 Lab File: BG023291.D
 Acq: 27 Jul 2016 20:21




Instrument :
 BNA_G
 ClientSampleId :
 GW-20-9.0-15.0


Tot Ion: 82 Resp: 1432352
 Ion Ratio Lower Upper
 82 100
 128 39.9 24.4 36.6#
 54 48.7 41.4 62.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.80 min Scan# 2037
 Delta R.T. -0.00 min
 Lab File: BG023291.D
 Acq: 27 Jul 2016 20:21

Tgt Ion:164 Resp: 496667
 Ion Ratio Lower Upper
 164 100
 162 100.5 87.7 131.5
 160 46.1 37.2 55.8









#41
 2,4,6-Tribromophenol
 Concen: 164.77 ng
 RT: 16.31 min Scan# 2293
 Delta R.T. 0.00 min
 Lab File: BG023291.D
 Acq: 27 Jul 2016 20:21




Instrument :
 BNA_G
 ClientSampleId :
 GW-20-9.0-15.0


Tot Ion:330 Resp: 847045
 Ion Ratio Lower Upper
 330 100
 332 99.1 77.4 116.2
 141 40.9 31.7 47.5



#44
 2-Fluorobiphenyl
 Concen: 102.65 ng
 RT: 13.42 min Scan# 1802
 Delta R.T. 0.00 min
 Lab File: BG023291.D
 Acq: 27 Jul 2016 20:21

Tgt Ion:172 Resp: 2724104
 Ion Ratio Lower Upper
 172 100
 171 46.0 31.6 47.4
 170 30.3 21.3 31.9





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.57 min Scan# 2508

Delta R.T. 0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21

Instrument :

BNA_G

ClientSampleId :

GW-20-9.0-15.0


Tot Ion:188 Resp: 1173219

Ion Ratio Lower Upper

188 100

94 10.9 5.2 7.8#




80 13.7 7.2 10.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.89 min Scan# 3243

Delta R.T. 0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21


Tgt Ion:240 Resp: 1259367

Ion Ratio Lower Upper

240 100

120 11.9 4.1 6.1#



236 28.7 21.1 31.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 88.62 ng

RT: 20.18 min Scan# 2952

Delta R.T. 0.00 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21

Instrument :

BNA_G

ClientSampleId :

GW-20-9.0-15.0


Tot Ion:244 Resp: 3433063

Ion Ratio Lower Upper

244 100

212 16.1 10.8 16.2




122 19.2 8.0 12.0#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.30 min Scan# 3823

Delta R.T. -0.01 min

Lab File: BG023291.D

Acq: 27 Jul 2016 20:21


Tgt Ion:264 Resp: 1249277

Ion Ratio Lower Upper

264 100

260 23.7 18.4 27.6

265 22.0 18.9 28.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

