

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG072717\
 Data File : BG028035.D
 Acq On : 27 Jul 2017 20:29
 Operator : SJ/JU
 Sample : SSTDICV020
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SICV77

Quant Time: Jul 27 21:02:49 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG072717MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 27 20:38:10 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
2	1,4-Dioxane	0.331	0.352	-6.3	99	0.00
3 S	1,4-Dioxane-d8	0.309	0.294	4.9	89	0.00
4	Benzaldehyde	0.748	0.850	-13.6	99	0.00
5 S	Phenol-d5	1.511	1.385	8.3	95	0.00
6	Phenol	1.465	1.342	8.4	92	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	0.755	0.755	0.0	97	0.00
8	Bis(2-Chloroethyl)ether	1.037	0.989	4.6	91	0.00
9 S	2-Chlorophenol-d4	1.274	1.242	2.5	94	0.00
10	2-Chlorophenol	1.173	1.156	1.4	96	0.00
11	2-Methylphenol	1.142	1.050	8.1	92	0.00
12	2,2'-oxybis(1-Chloropropane	1.361	1.250	8.2	88	0.00
13 S	4-Methylphenol-d8	1.349	1.275	5.5	94	0.00
14	Acetophenone	1.959	1.838	6.2	94	0.00
15 P	N-Nitroso-di-n-propylamine	0.920	0.901	2.1	93	0.00
16	4-Methylphenol	1.267	1.205	4.9	96	0.00
17	Hexachloroethane	0.469	0.469	0.0	99	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	92	0.00
19 S	Nitrobenzene-d5	0.140	0.147	-5.0	98	0.00
20	Nitrobenzene	0.300	0.313	-4.3	95	0.00
21	Isophorone	0.574	0.605	-5.4	94	0.00
22 S	2-Nitrophenol-d4	0.178	0.186	-4.5	96	0.00
23 C	2-Nitrophenol	0.172	0.184	-7.0	98	0.00
24	2,4-Dimethylphenol	0.343	0.342	0.3	90	0.00
25	Bis(2-Chloroethoxy)methane	0.333	0.353	-6.0	96	0.00
26 S	2,4-Dichlorophenol-d3	0.350	0.372	-6.3	97	0.00
27 C	2,4-Dichlorophenol	0.334	0.350	-4.8	94	0.00
28	Naphthalene	0.903	0.928	-2.8	95	0.00
29 S	4-Chloroaniline-d4	0.353	0.419	-18.7	94	0.00
30	4-Chloroaniline	0.336	0.388	-15.5	93	0.00
31 C	Hexachlorobutadiene	0.289	0.296	-2.4	91	0.00
32	Caprolactam	0.107	0.119	-11.2	100	0.00
33 C	4-Chloro-3-methylphenol	0.325	0.336	-3.4	94	0.00
34	2-Methylnaphthalene	0.779	0.796	-2.2	94	0.00
35	1-Methylnaphthalene	0.755	0.783	-3.7	94	0.00
36 I	Acenaphthene-d10	1.000	1.000	0.0	96	0.00
37	1,2,4,5-Tetrachlorobenzene	0.771	0.764	0.9	96	0.00
38	Hexachlorocyclopentadiene	0.452	0.411	9.1	92	0.00
39 C	2,4,6-Trichlorophenol	0.460	0.464	-0.9	96	0.00
40	2,4,5-Trichlorophenol	0.489	0.470	3.9	91	0.00
41	1,1'-Biphenyl	1.454	1.465	-0.8	94	0.00
42	2-Chloronaphthalene	1.172	1.185	-1.1	95	0.00
43	2-Nitroaniline	0.276	0.278	-0.7	93	0.00
44 S	Dimethylphthalate-d6	1.810	1.860	-2.8	97	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG072717\
 Data File : BG028035.D
 Acq On : 27 Jul 2017 20:29
 Operator : SJ/JU
 Sample : SSTDICV020
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SICV77

Quant Time: Jul 27 21:02:49 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG072717MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 27 20:38:10 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
45	Dimethylphthalate	1.658	1.693	-2.1	95	0.00
46	2,6-Dinitrotoluene	0.333	0.347	-4.2	100	0.00
47 S	Acenaphthylene-d8	1.958	1.985	-1.4	95	0.00
48	Acenaphthylene	1.856	1.913	-3.1	97	0.00
49	3-Nitroaniline	0.277	0.308	-11.2	100	0.00
50 C	Acenaphthene	1.271	1.242	2.3	93	0.00
51	2,4-Dinitrophenol	0.212	0.188	11.3	94	0.00
52 S	4-Nitrophenol-d4	0.272	0.270	0.7	96	0.00
53	4-Nitrophenol	0.221	0.226	-2.3	96	0.00
54	Dibenzofuran	1.932	1.969	-1.9	96	0.00
55	2,4-Dinitrotoluene	0.497	0.524	-5.4	96	0.00
56	2,3,4,6-Tetrachlorophenol	0.520	0.526	-1.2	96	0.00
57	Diethylphthalate	1.741	1.740	0.1	96	0.00
58 S	Fluorene-d10	1.667	1.671	-0.2	93	0.00
59	Fluorene	1.676	1.731	-3.3	98	0.00
60	4-Chlorophenyl-phenylether	1.001	1.010	-0.9	97	0.00
61	4-Nitroaniline	0.329	0.352	-7.0	103	0.00
62 I	Phenanthrene-d10	1.000	1.000	0.0	95	0.00
63 S	4,6-Dinitro-2-methylphenol-	0.142	0.140	1.4	100	0.00
64	4,6-Dinitro-2-methylphenol	0.136	0.132	2.9	101	0.00
65	N-Nitrosodiphenylamine	0.505	0.516	-2.2	97	0.00
66	4-Bromophenyl-phenylether	0.257	0.264	-2.7	100	0.00
67	Hexachlorobenzene	0.292	0.297	-1.7	97	0.00
68	Atrazine	0.241	0.248	-2.9	97	0.00
69 C	Pentachlorophenol	0.153	0.139	9.2	96	0.00
70	Phenanthrene	0.994	1.023	-2.9	97	0.00
71 S	Anthracene-d10	0.958	0.996	-4.0	99	0.00
72	Anthracene	1.035	1.070	-3.4	98	0.00
73	1,2,3,4-Tetrachlorobenzene	0.279	0.277	0.7	95	0.00
74	Pentachlorobenzene	0.415	0.412	0.7	95	0.00
75	Carbazole	0.848	0.894	-5.4	98	0.00
76	Di-n-butylphthalate	0.941	1.015	-7.9	101	0.00
77 C	Fluoranthene	1.271	1.406	-10.6	100	0.00
78 I	Chrysene-d12	1.000	1.000	0.0	101	0.00
79 S	Pyrene-d10	0.888	0.893	-0.6	100	0.00
80	Pyrene	1.038	1.062	-2.3	100	0.00
81	Butylbenzylphthalate	0.308	0.320	-3.9	106	0.00
82	3,3'-Dichlorobenzidine	0.366	0.407	-11.2	108	0.00
83	Benzo(a)anthracene	1.062	1.114	-4.9	105	0.00
84	Bis(2-ethylhexyl)phthalate	0.451	0.461	-2.2	106	0.00
85	Chrysene	0.972	0.993	-2.2	103	0.00
86 I	Perylene-d12	1.000	1.000	0.0	101	0.00
87	Di-n-octyl phthalate	0.788	0.792	-0.5	106	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG072717\
Data File : BG028035.D
Acq On : 27 Jul 2017 20:29
Operator : SJ/JU
Sample : SSTDICV020
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SICV77

Quant Time: Jul 27 21:02:49 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG072717MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jul 27 20:38:10 2017
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88	Benzo(b)fluoranthene	1.113	1.138	-2.2	103	0.00
89	Benzo(k)fluoranthene	1.085	1.138	-4.9	104	0.00
90 S	Benzo(a)pyrene-d12	0.920	0.956	-3.9	105	0.00
91 C	Benzo(a)pyrene	1.071	1.117	-4.3	105	0.00
92	Indeno(1,2,3-cd)pyrene	1.300	1.353	-4.1	105	0.00
93	Dibenzo(a,h)anthracene	1.115	1.145	-2.7	104	0.01
94	Benzo(g,h,i)perylene	1.078	1.105	-2.5	104	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0