

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG073016\
 Data File : BG023352.D
 Acq On : 30 Jul 2016 3:16
 Operator : UM/SJ
 Sample : H4176-21
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DUP-02

Quant Time: Jul 30 04:20:47 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG072616.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 27 17:30:33 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	153800	20.00	ng	0.00
21) Naphthalene-d8	10.97	136	728052	20.00	ng	0.00
38) Acenaphthene-d10	14.81	164	494326	20.00	ng	0.00
63) Phenanthrene-d10	17.57	188	1082970	20.00	ng	0.00
75) Chrysene-d12	21.89	240	1093477	20.00	ng	0.00
86) Perylene-d12	25.29	264	1128212	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.67	112	598518	66.43	ng	0.00
7) Phenol-d6	7.29	99	677627	48.99	ng	0.00
23) Nitrobenzene-d5	9.31	82	1213994	81.54	ng	0.00
41) 2,4,6-Tribromophenol	16.30	330	793576	155.10	ng	0.00
44) 2-Fluorobiphenyl	13.42	172	2454184	92.92	ng	0.00
78) Terphenyl-d14	20.18	244	3015146	89.63	ng	0.00
Target Compounds						
32) Benzoic acid	10.27	122	59	8.12	ng	Qvalue # 26


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG073016\
Data File : BG023352.D
Acq On : 30 Jul 2016 3:16
Operator : UM/SJ
Sample : H4176-21
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DUP-02

Quant Time: Jul 30 04:20:47 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG072616.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 27 17:30:33 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.13 min Scan# 901

Delta R.T. -0.01 min

Lab File: BG023352.D

Acq: 30 Jul 2016 3:16

Instrument :

BNA_G

ClientSampleId :

DUP-02


Tgt Ion:152 Resp: 153800

Ion Ratio Lower Upper

152 100

150 145.7 144.7 217.1




115 57.8 64.0 96.0#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 66.43 ng

RT: 5.67 min Scan# 482

Delta R.T. -0.00 min

Lab File: BG023352.D

Acq: 30 Jul 2016 3:16


Tgt Ion:112 Resp: 598518

Ion Ratio Lower Upper

112 100

64 72.8 59.0 88.4



63 34.7 37.8 56.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 48.99 ng

RT: 7.29 min Scan# 757

Delta R.T. -0.00 min

Lab File: BG023352.D

Acq: 30 Jul 2016 3:16

Instrument :

BNA_G

ClientSampleId :

DUP-02


Tgt Ion: 99 Resp: 677627

Ion Ratio Lower Upper




99 100

42 16.7 17.8 26.6#

71 38.6 41.5 62.3#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.97 min Scan# 1384

Delta R.T. -0.01 min

Lab File: BG023352.D

Acq: 30 Jul 2016 3:16

Tgt Ion: 136 Resp: 728052


Ion Ratio Lower Upper

136 100



137 11.7 9.6 14.4


54 10.0 7.3 10.9

68 8.0 5.3 7.9#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 81.54 ng
 RT: 9.31 min Scan# 1102
 Delta R.T. 0.00 min
 Lab File: BG023352.D
 Acq: 30 Jul 2016 3:16




Instrument :
 BNA_G
 ClientSampleId :
 DUP-02


Tgt Ion: 82 Resp: 1213994
 Ion Ratio Lower Upper
 82 100
 128 38.8 24.4 36.6#
 54 49.2 41.4 62.0



#32
 Benzoic acid
 Concen: 8.12 ng
 RT: 10.27 min Scan# 1265
 Delta R.T. -0.01 min
 Lab File: BG023352.D
 Acq: 30 Jul 2016 3:16

Tgt Ion: 122 Resp: 59
 Ion Ratio Lower Upper
 122 100
 105 124.7 117.2 157.2
 77 294.6 109.2 149.2#









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.81 min Scan# 2037
Delta R.T. -0.00 min
Lab File: BG023352.D
Acq: 30 Jul 2016 3:16




Instrument :
BNA_G
ClientSampleId :
DUP-02


Tgt Ion:164 Resp: 494326
Ion Ratio Lower Upper
164 100
162 104.8 87.7 131.5
160 45.3 37.2 55.8



#41
2,4,6-Tribromophenol
Concen: 155.10 ng
RT: 16.30 min Scan# 2292
Delta R.T. -0.00 min
Lab File: BG023352.D
Acq: 30 Jul 2016 3:16

Tgt Ion:330 Resp: 793576
Ion Ratio Lower Upper
330 100
332 101.4 77.4 116.2
141 40.1 31.7 47.5









#44
 2-Fluorobiphenyl
 Concen: 92.92 ng
 RT: 13.42 min Scan# 1801
 Delta R.T. -0.00 min
 Lab File: BG023352.D
 Acq: 30 Jul 2016 3:16




Instrument :
 BNA_G
 ClientSampleId :
 DUP-02


Tgt Ion:172 Resp: 2454184
 Ion Ratio Lower Upper
 172 100
 171 43.3 31.6 47.4
 170 29.9 21.3 31.9



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.57 min Scan# 2507
 Delta R.T. -0.00 min
 Lab File: BG023352.D
 Acq: 30 Jul 2016 3:16

Tgt Ion:188 Resp: 1082970
 Ion Ratio Lower Upper
 188 100
 94 10.6 5.2 7.8#
 80 11.9 7.2 10.8#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.89 min Scan# 3243

Delta R.T. 0.00 min

Lab File: BG023352.D

Acq: 30 Jul 2016 3:16

Instrument :

BNA_G

ClientSampleId :

DUP-02


Tgt Ion:240 Resp: 1093477

Ion Ratio Lower Upper

240 100

120 10.7 4.1 6.1#




236 27.8 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 89.63 ng

RT: 20.18 min Scan# 2951

Delta R.T. -0.00 min

Lab File: BG023352.D

Acq: 30 Jul 2016 3:16


Tgt Ion:244 Resp: 3015146

Ion Ratio Lower Upper

244 100

212 13.3 10.8 16.2



122 15.3 8.0 12.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.29 min Scan# 3822
Delta R.T. -0.01 min
Lab File: BG023352.D
Acq: 30 Jul 2016 3:16

Instrument :
BNA_G
ClientSampleId :
DUP-02

Tgt Ion: 264 Resp: 1128212

Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.4	27.6
265	22.2	18.9	28.3

