

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG073019\
 Data File : BG041800.D
 Acq On : 30 Jul 2019 12:44
 Operator : HP/JU
 Sample : PB121731BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB121731BL

Quant Time: Jul 31 01:52:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG072719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 30 07:53:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	102048	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	389820	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	288328	20.00	ng	0.00
64) Phenanthrene-d10	17.45	188	694500	20.00	ng	0.00
76) Chrysene-d12	21.74	240	744847	20.00	ng	0.00
87) Perylene-d12	25.01	264	839759	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	698373	133.15	ng	0.00
7) Phenol-d6	7.19	99	948570	134.15	ng	0.00
23) Nitrobenzene-d5	9.21	82	560201	98.89	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	490226	149.69	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	1553028	95.00	ng	0.00
79) Terphenyl-d14	20.07	244	2648908	81.38	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG073019\
Data File : BG041800.D
Acq On : 30 Jul 2019 12:44
Operator : HP/JU
Sample : PB121731BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB121731BL

Quant Time: Jul 31 01:52:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG072719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 30 07:53:52 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.00 min
Lab File: BG041800.D
Acq: 30 Jul 2019 12:44

Instrument :
BNA_G
ClientSampleId :
PB121731BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.4	126.9	190.3
115	51.8	45.0	67.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 133.150 ng
RT: 5.59 min Scan# 426
Delta R.T. -0.00 min
Lab File: BG041800.D
Acq: 30 Jul 2019 12:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.3	55.4	83.2
63	34.4	29.1	43.7





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 134.147 ng

RT: 7.19 min Scan# 699

Delta R.T. -0.00 min

Lab File: BG041800.D

Acq: 30 Jul 2019 12:44

Instrument :

BNA_G

ClientSampleId :

PB121731BL


Tot Ion: 99 Resp: 948570

Ion Ratio Lower Upper




99 100

42 19.0 17.6 26.4

71 36.4 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1324

Delta R.T. -0.01 min

Lab File: BG041800.D

Acq: 30 Jul 2019 12:44

Tgt Ion: 136 Resp: 389820


Ion Ratio Lower Upper

136 100



137 10.2 9.2 13.8


54 8.3 8.7 13.1#

68 6.0 5.5 8.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 98.894 ng

RT: 9.21 min Scan# 1042

Delta R.T. -0.00 min

Lab File: BG041800.D

Acq: 30 Jul 2019 12:44

Instrument :

BNA_G

ClientSampleId :

PB121731BL


Tot Ion: 82 Resp: 560201

Ion Ratio Lower Upper

82 100

128 47.9 35.1 52.7

54 56.5 48.7 73.1






Abundance

Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): BGC

Ion 54.00 (53.70 to 54.70): BGC



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.70 min Scan# 1977

Delta R.T. -0.00 min

Lab File: BG041800.D

Acq: 30 Jul 2019 12:44


Tgt Ion:164 Resp: 288328

Ion Ratio Lower Upper

164 100

162 99.6 79.6 119.4

160 43.8 35.4 53.0






Abundance

Ion 164.00 (163.70 to 164.70): BGC

Ion 162.00 (161.70 to 162.70): BGC

Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 149.687 ng
 RT: 16.19 min Scan# 2230
 Delta R.T. -0.00 min
 Lab File: BG041800.D
 Acq: 30 Jul 2019 12:44

Instrument :
 BNA_G
 ClientSampleId :
 PB121731BL

Tot Ion:330 Resp: 490226
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.4 116.0
 141 33.3 31.9 47.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 95.000 ng
 RT: 13.32 min Scan# 1742
 Delta R.T. -0.01 min
 Lab File: BG041800.D
 Acq: 30 Jul 2019 12:44

Tgt Ion:172 Resp: 1553028
 Ion Ratio Lower Upper
 172 100
 171 40.6 35.0 52.4
 170 27.5 23.5 35.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.45 min Scan# 2445
Delta R.T. -0.00 min
Lab File: BG041800.D
Acq: 30 Jul 2019 12:44

Instrument :
BNA_G
ClientSampleId :
PB121731BL

Tot Ion:188 Resp: 694500
Ion Ratio Lower Upper
188 100
94 6.6 6.9 10.3#
80 7.6 8.0 12.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.74 min Scan# 3174
Delta R.T. -0.00 min
Lab File: BG041800.D
Acq: 30 Jul 2019 12:44

Tgt Ion:240 Resp: 744847
Ion Ratio Lower Upper
240 100
120 7.7 8.0 12.0#
236 26.9 22.6 33.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 81.378 ng

RT: 20.07 min Scan# 2890

Delta R.T. 0.00 min

Lab File: BG041800.D

Acq: 30 Jul 2019 12:44

Instrument :

BNA_G

ClientSampleId :

PB121731BL


Tot Ion:244 Resp: 2648908

Ion Ratio Lower Upper

244 100

212 11.1 9.7 14.5




122 12.7 12.5 18.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3731

Delta R.T. -0.01 min

Lab File: BG041800.D

Acq: 30 Jul 2019 12:44


Tgt Ion:264 Resp: 839759

Ion Ratio Lower Upper

264 100

260 23.0 19.5 29.3

265 22.1 18.0 27.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

